




Spare parts for:

Cooking equipment



Suitable for:

COMETTO



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

COMETTO



Suitable for:

Burners, flame spreaders and accessories

3025674 BURNER ø 100 mm 7000 Kcal/h



COMETTO 40506

3025598 BURNER ø 106 mm



COMETTO

3025628 BURNER ø 111 mm




COMETTO

3025629 BURNER ø 119 mm




COMETTO

3025634 BURNER ø 143 mm



COMETTO

3025673 BURNER ø 80 mm 5000 Kcal/h



COMETTO 40501

3025596 FLAME SPREADER ø 80 mm



COMETTO 40502

3025595 BURNER ø 83 mm



COMETTO

3025758 BURNER ASSEMBLY MOUNTING DISTANCE 110 mm
with vertical flame
6000-9000 Kcal/h
height 90 mm - ø 100 mm - pipe ø 27 mm



COMETTO

3025598 BURNER ø 106 mm



COMETTO



Suitable for:

3025599 FLAME SPREADER \varnothing 100 mm



COMETTO 40507

3025797 BURNER ASSEMBLY MOUNTING DISTANCE 110 mm
with vertical flame
4000-7000 Kcal/h
height 90 mm - \varnothing 80 mm - pipe \varnothing 27 mm



COMETTO

3025596 FLAME SPREADER \varnothing 80 mm



COMETTO 40502

3025756 BURNER ASSEMBLY MOUNTING DISTANCE 165 mm
with vertical flame
4000-7000 Kcal/h
height 90 mm - \varnothing 80 mm - pipe \varnothing 27 mm



COMETTO

3025596 FLAME SPREADER \varnothing 80 mm



COMETTO 40502

COMETTO

Suitable for:

3025595 BURNER \varnothing 83 mm



COMETTO

3025595 BURNER \varnothing 83 mm



COMETTO





Suitable for:

COMETTO



3025759 BURNER ASSEMBLY MOUNTING DISTANCE 165 mm
with vertical flame
6000-9000 Kcal/h
height 90 mm - \varnothing 100 mm - pipe \varnothing 27 mm



COMETTO

3025599 FLAME SPREADER \varnothing 100 mm



COMETTO 40507

3025760 BURNER ASSEMBLY MOUNTING DISTANCE 240 mm
with vertical flame
6000-9000 Kcal/h
height 90 mm - \varnothing 100 mm - pipe \varnothing 27 mm



COMETTO

3025599 FLAME SPREADER \varnothing 100 mm



COMETTO 40507

3025799 BURNER ASSEMBLY MOUNTING DISTANCE 240 mm
with vertical flame
4000-7000 Kcal/h
height 90 mm - \varnothing 80 mm - pipe \varnothing 27 mm



COMETTO

Suitable for:

3025598 BURNER \varnothing 106 mm



COMETTO

3025598 BURNER \varnothing 106 mm



COMETTO

3025595 BURNER \varnothing 83 mm



COMETTO



Suitable for:

3025596 FLAME SPREADER \varnothing 80 mm



COMETTO 40502

3025768 BURNER ASSEMBLY MOUNTING DISTANCE 245 mm
with vertical flame
5000-7000 kcal/h
height 100 mm - \varnothing 80 mm - pipe \varnothing 34 mm



COMETTO

3025624 FLAME SPREADER \varnothing 80 mm



COMETTO

3025716 COMPLETE BURNER MOUNTING DISTANCE 185 mm
vertical flame outlet
7000-11000 Kcal/h
height 90 mm - \varnothing 100 mm - pipe \varnothing 34 mm



COMETTO

3025599 FLAME SPREADER \varnothing 100 mm



COMETTO 40507

COMETTO

Suitable for:

3025595 BURNER \varnothing 83 mm



COMETTO

3025598 BURNER \varnothing 106 mm



COMETTO





Suitable for:

COMETTO



3025717 COMPLETE BURNER MOUNTING DISTANCE 245 mm
vertical flame outlet
7000-11000 Kcal/h
height 90 mm - \varnothing 100 mm - pipe \varnothing 34 mm

Suitable for:

3025598 BURNER \varnothing 106 mm



COMETTO

3025599 FLAME SPREADER \varnothing 100 mm

COMETTO



COMETTO 40507

3025599 FLAME SPREADER \varnothing 100 mm

3025596 FLAME SPREADER \varnothing 80 mm



COMETTO 40507

COMETTO 40502

3025624 FLAME SPREADER \varnothing 80 mm



COMETTO

Drain taps and accessories

3356004 DRAIN TAP \varnothing 1" F
TAPERED SEAL - fixed connection \varnothing 1" F
with gasket
for BOILING PAN

3356109 DRAIN TAP \varnothing 1" F
fixed connection \varnothing 1" F - fixed handle
for Boiling pan (CAPIC)
for Boiling pan (COMETTO)



COMETTO

COMETTO



Suitable for:

3356112 DRAIN TAP \varnothing 1"1/2F
fixed connection \varnothing 1"1/2"F - fixed handle
for Boiling pan (CAPIC)
for Boiling pan (COMETTO)



COMETTO

Suitable for:

3356110 DRAIN TAP \varnothing 1"1/4F
fixed connection \varnothing 1"1/4"F - fixed handle
for Boiling pan (CAPIC)
for Boiling pan (COMETTO)



COMETTO

3356005 DRAIN TAP \varnothing 1"1/4F TECNO
TAPERED SEAL - fixed connection \varnothing 1"1/4F
with gasket
for BOILING PAN



COMETTO

3356113 DRAIN TAP \varnothing 2"F
fixed connection \varnothing 2"F - fixed handle
for Boiling pan (CAPIC)
for Boiling pan (COMETTO)



COMETTO

3356108 DRAIN TAP \varnothing 3/4"F
fixed connection \varnothing 3/4"F - fixed handle
for Boiling pan (CAPIC)
for Boiling pan (COMETTO)



COMETTO

Electrical gas valves and accessories

3526141 VALVE 830 TANDEM \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet gas pressure setting range 3÷50 mbar
room temperature 0÷60°C
power supply 230V 50Hz



COMETTO



Suitable for:

COMETTO



Suitable for:

Gas burners

3025646 BURNER ASSEMBLY 400 mm

made of stainless steel
 total length 465 mm
 with fitting - gas jet M5x75 not included
 6kW
 for Boiling pan gas (COMETTO)
 for Boiling pan gas (SOLYMAC)
 for Grill gas (COMETTO)
 for Grill gas (SOLYMAC)



COMETTO

Gas taps and accessories

3348154 GAS COCK

inlet - outlet fittings \varnothing 10 mm
 pin length 27 mm - mounting distance 65 mm
 thermocouple connection M8x1
 D-shaped pin \varnothing 10x8 mm



COMETTO 40704

Gas valves and accessories

3523092 MINISIT VALVE FOR FOOD-WARMER 40÷110°C

inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1050 mm
 bulb \varnothing 5x125 mm
 without cover. knob and flanges
 for Pasta cooker gas (LOTUS)



COMETTO COM40818

3523091 MINISIT VALVE FOR OVEN 70÷310°C

inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1300 mm
 bulb \varnothing 4x75 mm
 without cover. knob and flanges
 for Fry top gas (FAGOR) - Series 900
 for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
 Series 900



COMETTO COM40815



Heating elements

3455192 HEATING ELEMENT 1000W 230V
length 794 mm - fittings \varnothing 1/4"
for Rotisserie electric (COMETTO) RB8
for Salamander electric (COMETTO)



COMETTO 50167

3455188 HEATING ELEMENT 2000W 220V
length 730 mm - fittings \varnothing 1/4"
for Oven under cooktop electric (COMETTO) 350L



COMETTO 50108

3455190 HEATING ELEMENT 2000W 220V
length 595 mm - fittings \varnothing 12 mm
for Grill electric (COMETTO)



COMETTO COM50116

COMETTO 50116

3455189 HEATING ELEMENT 800W 220V
length 460 mm - width 80 mm
fittings \varnothing 1/4"
for Bain-marie electric (COMETTO) CDE - CEE



COMETTO 50113


3455187 HEATING ELEMENT 850W 220V
length 370 mm - width 60 mm
fittings \varnothing 1/4"
for BAIN MARIE SDE
for Bain-marie electric (COMETTO) SDE



COMETTO 50101

Hinges, catches and accessories

3053882 CHROME PLATED HINGE 4484
length 100 mm - mounting distance 60 mm
for Food-service trolley (MODULINE) RC158E
RM112M



COMETTO 33200080

3053442 RIGHT-LEFTHAND DOOR HINGE FOR OVEN
distance between holes mobile part 65 mm
distance between hole fix part 33 mm
length 97 mm - width 20 mm
height 46 mm



COMETTO COM61805



Suitable for:

COMETTO



Suitable for:

Knobs

3241777 GREY KNOB SILK-SCREEN PRINTED
D shaft hole 10x8 mm
for Pot stove gas (COMETTO)



COMETTO 64910

3241778 GREY KNOB
D shaft hole 6x4.6 mm
for Pot stove electric (COMETTO)



COMETTO 64915

Lamps

3221472 LAMP Ba9s 3W 52V
dimensions \varnothing 10x28 mm



COMETTO 51732

3221549 LAMP RECEPTACLE FOR INDICATOR LIGHT
 \varnothing 22 mm



COMETTO 51401

3221473 NEON LAMP E10 220V
dimensions \varnothing 10x28 mm



COMETTO 51730

3221550 ORANGE CAP LAMP RECEPTACLE



COMETTO 51403

3221473 NEON LAMP E10 220V
dimensions \varnothing 10x28 mm



COMETTO 51730

3221258 NEON LAMP Ba9s 1.5mA 230V
dimensions \varnothing 10x28 mm
for Fryer electric (COMETTO) CCE14



COMETTO COM51737



Suitable for:

3221550 ORANGE CAP LAMP RECEPTACLE



COMETTO 51403

Suitable for:

3221140 OVEN LAMP E14 40W 230V
max temperature 300°C
for Oven under cooktop



COMETTO 51722

Pilot burners and accessories

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket
for Bain-marie gas (FAGOR)
for Bain-marie gas (GIGA) - Series 650
Series 700 - Series 900
for Boiling pan gas (FAGOR)
for Fry top gas (GIGA) - Series 650 - Series 700
Series 900
for Lava rock grill gas (GIGA) - Series 650
Series 700 - Series 900
for Oven under cooktop gas (FAGOR)



COMETTO 40800

COMETTO 40802


3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



COMETTO 40830

Rotary switches

3057073 SELECTOR SWITCH 0-1 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft \varnothing 6x4.6 mm
for Pot stove gas (OLIS) 96/04CGFL



COMETTO 50025

3057023 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 32A 250V - max 150°C
D shaft \varnothing 6x4.6 mm
for Bratt pan electric (COMETTO)
for Hot plate electric (COMETTO)
for Kitchen electric (EMMEPI) - Series 900
for Pot stove electric (COMETTO)



COMETTO 50002



Suitable for:


COMETTO



Suitable for:

3057256 SELECTOR SWITCH 4 POSITIONS

contact capacity 16A 250V - max 150°C
 D spindle \varnothing 6x4.6 mm
 for Oven under cooktop (COMETTO)
 for Oven under cooktop electric (AMBASSADE) CE1051
 CE1052 - CE641 - CE741 - CE841
 for Oven under cooktop gas (AMBASSADE) CG1051
 CG1052 - CG641 - CG731 - CG831



COMETTO 50026

Sparking and detection plugs

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm

male faston M4x1 mm
 total length 65 mm



COMETTO 40830

Thermocouples and accessories

3440039 THERMOCOUPLE SIT M9x1 150 cm



COMETTO COM40811

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



COMETTO COM40811

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



COMETTO COM40811



Thermostats

3744002 SINGLE-PHASE THERMOSTAT 230°C

with manual reset
capillary length 1500 mm
bulb \varnothing 6x77 mm - with adapter nipple bland
for Bratt pan (COMETTO)
for Fryer (COMETTO)



COMETTO 50069

3444361 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin \varnothing 6x4.6 mm
capillary 950 mm - 16A 250V
bulb \varnothing 3x160 mm
for Crêpe pan (KRAMPOUZ) RK400
for Crêpe pan electric (KRAMPOUZ) CEBIA4A0
for Hot plate electric (REPAGAS) E60 - E64 - E80
E84



COMETTO 50014

3444088 THREE-PHASE THERMOSTAT 30-110°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x130 mm
with adapter nipple band M9x1
for Bain-marie (ZANUSSI)



COMETTO 50011

Timers

3446161 TIMER 12 HOURS C53

manually set mechanical timer
manually set cycle 12 hours
contact capacity 16A 250V
max temperature 125°C
2 normally closed contacts
2 normally closed contacts
complete with silkscreen printed plate and knob
dimensions 49.5x58 mm depth 52 mm



COMETTO

3446156 TIMER 15 MINUTES C53

manually set mechanical timer
manually set cycle 15 minutes
contact capacity 16A 250V
max temperature 125°C
2 normally closed contacts
2 normally closed contacts
complete with silkscreen printed plate and knob
dimensions 49.5x58 mm depth 52 mm



COMETTO



Suitable for:

COMETTO



3446162 TIMER 24 HOURS C53

manually set mechanical timer
manually set cycle 24 hours
contact capacity 16A 250V
max temperature 125°C
2 normally closed contacts
2 normally closed contacts
complete with silkscreen printed plate and knob
dimensions 49.5x58 mm depth 52 mm



COMETTO

3446158 TIMER 60 MINUTES C53

manually set mechanical timer
manually set cycle 60 minutes
contact capacity 16A 250V
max temperature 125°C
2 normally closed contacts
2 normally closed contacts
complete with silkscreen printed plate and knob
dimensions 49.5x58 mm depth 52 mm



COMETTO

Suitable for:

3446160 TIMER 6 HOURS C53

manually set mechanical timer
manually set cycle 6 hours
contact capacity 16A 250V
max temperature 125°C
2 normally closed contacts
2 normally closed contacts
complete with silkscreen printed plate and knob
dimensions 49.5x58 mm depth 52 mm



COMETTO

3446183 TIMER 60 MINUTES C53

manually set mechanical timer
manually set cycle 60 minutes
contact capacity 16A 250V
complete with silkscreen printed plate and knob
for Rotisserie electric (COMETTO) RB8
for Salamander (COMETTO)



COMETTO 50501

COMETTO 50501+50528+50517