




Spare parts for:

## Cooking equipment



Suitable for:

# EBERHARDT



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:

# EBERHARDT



Suitable for:

## Air regulators

**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



EBERHARDT 249930

## Axial motors

**3240501 AXIAL FAN SUNON 120x120x38 mm**  
ball bearings  
230V 50/60Hz 22W 2850rpm  
DP200A 2123XBT.GN



EBERHARDT 283601

## Burners, flame spreaders and accessories

**3025299 BURNER  $\varnothing$  120 mm 7Kw**  
for Pot stove gas (GIGA) - Series 900



EBERHARDT

**3025168 BURNER  $\varnothing$  75 mm 3.5 KW**  
for Kitchen gas (ROSINOX) SI766E  
for Pot stove gas (SILKO) - Series 700  
Series 900



EBERHARDT 213610

**3025171 BURNER  $\varnothing$  95 mm 5.5Kw**  
for Kitchen gas (ROSINOX) SI766E  
for Pot stove gas (SILKO) - Series 700  
Series 900



EBERHARDT 233287



# EBERHARDT



Suitable for:

**3025300 BURNER CAP ø 120 mm 7Kw**  
for Pot stove gas (GIGA) - Series 900  
for Pot stove gas (SILKO) - Series 900



EBERHARDT 213631

**3020093 BURNER INJECTOR ASSEMBLY**  
with LPG and natural gas nozzles M9x1  
pipe ø 12 mm



EBERHARDT

**3025169 FLAME SPREADER ø 75 mm 4.3Kw**  
for Kitchen gas (ROSINOX) SI766E  
for Pot stove gas (SILKO) - Series 700  
Series 900



EBERHARDT 213630

**3020093 BURNER INJECTOR ASSEMBLY**  
with LPG and natural gas nozzles M9x1  
pipe ø 12 mm



EBERHARDT

**3025172 FLAME SPREADER 6.4Kw ø 95 mm**  
for Kitchen gas (ROSINOX) SI766E  
for Pot stove gas (SILKO) - Series 700  
Series 900



EBERHARDT 213629

Suitable for:

**3025299 BURNER ø 120 mm 7Kw**  
for Pot stove gas (GIGA) - Series 900



EBERHARDT

**3025301 VENTURI F/BURNER CAP 120 mm 7Kw**  
for Pot stove gas (GIGA) - Series 900



EBERHARDT

**3025168 BURNER ø 75 mm 3.5 Kw**  
for Kitchen gas (ROSINOX) SI766E  
for Pot stove gas (SILKO) - Series 700  
Series 900



EBERHARDT 213610

**3025170 VENTURI F/FLAME SPREADER 75 mm 3.5Kw**  
for Kitchen gas (ROSINOX) SI766E  
for Pot stove gas (SILKO) - Series 700  
Series 900



EBERHARDT

**3025171 BURNER ø 95 mm 5.5Kw**  
for Kitchen gas (ROSINOX) SI766E  
for Pot stove gas (SILKO) - Series 700  
Series 900



EBERHARDT 233287



Suitable for:

**3020093 BURNER INJECTOR ASSEMBLY**  
with LPG and natural gas nozzles M9x1  
pipe  $\varnothing$  12 mm



EBERHARDT

**3025312 SPARKING PLUG SUPPORT**  
for burners  $\varnothing$  75-95 mm  
for Pot stove gas (GIGA) - Series 900  
for Pot stove gas (SILKO) - Series 900



EBERHARDT 213039

**3025313 THERMOCOUPLE SUPPORT**  
for burners  $\varnothing$  75-95 mm  
for Pot stove gas (GIGA) - Series 900  
for Pot stove gas (SILKO) - Series 900



EBERHARDT 213038

**3025301 VENTURI F/BURNER CAP 120 mm 7Kw**  
for Pot stove gas (GIGA) - Series 900



EBERHARDT

**3025173 VENTURI F/FLAME SPREADER 95 mm 5.5Kw**  
for Kitchen gas (ROSINOX) SI766E  
for Pot stove gas (SILKO) - Series 700  
Series 900



EBERHARDT

# EBERHARDT



Suitable for:

**3025173 VENTURI F/FLAME SPREADER 95 mm 5.5Kw**  
for Kitchen gas (ROSINOX) SI766E  
for Pot stove gas (SILKO) - Series 700  
Series 900



EBERHARDT

**3025314 SPARKING PLUG SUPPORT**  
for burners  $\varnothing$  120 mm  
for Pot stove gas (SILKO) - Series 900



EBERHARDT 213336

**3025315 THERMOCOUPLE SUPPORT**  
for burners  $\varnothing$  120 mm  
for Pot stove gas (SILKO) - Series 900



EBERHARDT 213337

**3025170 VENTURI F/FLAME SPREADER 75 mm 3.5Kw**  
for Kitchen gas (ROSINOX) SI766E  
for Pot stove gas (SILKO) - Series 700  
Series 900



EBERHARDT



## Cables for piezo igniters

**3001032 IGNITION CABLE 600 mm**  
with faston terminal  $\varnothing$  2 mm for ignition  
with faston terminal  $\varnothing$  4 mm for plug



EBERHARDT 212995

EBERHARDT 222081

**3001040 IGNITION CABLE 850 mm**  
with faston terminal 3x0.8 mm for ignition  
with faston terminal  $\varnothing$  4 mm for plug



EBERHARDT 213363

**3001016 SIT IGNITION LEAD 1000 m m**  
with faston  $\varnothing$  2.4 mm for ignition  
with faston  $\varnothing$  4 mm for electrode



EBERHARDT 212837

**3001017 SIT IGNITION LEAD 600 m m**  
with faston 6.35x0.8 mm ignition  
with faston  $\varnothing$  4 mm for electrode  
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20



EBERHARDT 201497

## Capacitors

**3068016 CAPACITOR  $\mu$ F 10 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



EBERHARDT 215478

**3068008 CAPACITOR  $\mu$ F 5 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and EEC 92/31 regulat



EBERHARDT 6090015

## Contactors

**3351219 CONTACTOR AEG LS7K 18A 230V 7.5Kw**  
coil 230V 50/60Hz  
4 normally open contacts  
no auxiliary contact



EBERHARDT 213909

**3446583 CONTACTOR LOVATO BF18T4A**  
coil 18A 230V 50/60Hz 8Kw  
4 normally open contacts  
no auxiliary contact



EBERHARDT 6046046



Suitable for:

# EBERHARDT



Suitable for:

## Drain taps and accessories

### 3242049 DRAIN HANDLE

square pin 6x6 mm  
for Pasta cooker electric (MARENO) PC7-4E - PC7-6E  
PC9-4E - PC9-6E - PC9-8E - PC9S-4E - PC9S-6E  
PC9S-8E  
for Pasta cooker gas (MARENO) PC7-4G - PC7-6G  
PC9-4G - PC9-6G - PC9-8G - PC9S-4G - PC9S-6G  
PC9S-8G



EBERHARDT 282366

### 3356007 DRAIN TAP ø 1"1/2F TECNO

TAPERED SEAL - swivel nut ø 1"1/2F  
with gasket  
for BOILING PAN



EBERHARDT 213737

### 3356052 DRAIN TAP ø 3/4"F

lateral lever fitting  
outlet internal ø 22 mm  
for Bain-marie (EMMEPI) - Series 650  
for Bain-marie gas (MARENO) BMG40 - BMG60  
for Fryer (EMMEPI) - Series 650  
for Fryer gas (MARENO) FQ-G60 - FQG-40  
for Pasta cooker (EMMEPI) - Series 650



EBERHARDT 221991

## Electric hot plates

### 3311168 ELECTRIC HOT PLATE ø 140 mm 1200W 230V

faston electric connections  
complete with energy adjuster  
for glass-ceramic cooking top



EBERHARDT 213962

### 3311166 ELECTRIC HOT PLATE ø 180 mm 1800W 230V

faston electric connections  
for glass-ceramic cooking top  
for glass-ceramic cooking top



EBERHARDT 222231

### 3311053 ELECTRIC HOT PLATE 2600W 230V

dimensions 220x220 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



EBERHARDT 213968

## Electrical gas valves and accessories

**3526096 VALVE MICROSWITCH**  
 maximum load 0.2 A  
 for VALVE ELETROSIT-820 NOVA-824 NOVASIT



EBERHARDT 202812

**3526079 VALVE 820 NOVA ø 1/2"FF**  
 inlet ø 1/2"F - outlet ø 1/2"F  
 thermocouple fitting M9x1  
 maximum gas inlet pressure 60 mbar  
 outlet pressure setting range  
 3÷30 mbar  
 room temperature 0÷70°C  
 power supply 230V 50Hz  
 for Fryer gas (ANGELO PO) - Series ALPHA  
 Series BIFRONTI - Series DELTA - Series GAMMA  
 Series OMEGA  
 for Fryer gas (CAPIC)



EBERHARDT 214394

**3526176 VALVE 820 NOVA ø 1/2"FF**  
 inlet ø 1/2"F - outlet ø 1/2"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 60 mbar  
 outlet pressure adjustment range  
 3÷30 mbar  
 ambient temperature 0÷70°C  
 power supply 230V 50Hz  
 for Boiling pan gas (MARENO)  
 Series 900PROTAGONISTA NUOVA  
 for Bratt pan gas (MARENO)  
 Series 900PROTAGONISTA NUOVA  
 for Bratt pan gas (OLIS) - Series 700 - Series 900  
 for Fryer (BARON) 9FRI/G420  
 for Fryer gas (OLIS) - Series 900  
 for Pasta cooker gas (MARENO)



EBERHARDT 286100

**3526104 VALVE 830 TANDEM ø 1/2"FF**  
 inlet ø 1/2"F - outlet ø 1/2"F  
 maximum gas inlet pressure 60 mbar  
 outlet pressure adjustment range  
 3÷50 mbar  
 with slow start  
 room temperature 0÷60°C  
 power supply 230V 50Hz



EBERHARDT 214188



Suitable for:

# EBERHARDT



Suitable for:

## Energy regulators

### 3350024 ENERGY ADJUSTER

contact capacity 240V 12A  
 max temperature 125°C  
 D-shaped pin ø 6x4.6 mm  
 double rotation direction  
 for Bain-marie electric (BERTO'S) E6BM3B - E6BM3M  
 E6BM6B - E6BM6M - SE9BM4M - SE9BM8M  
 for Grill electric (BERTO'S) E6PL60B - E6PL60M  
 E9PL40M - E9PL80M - PLE40BE - PLE40ME  
 PLE80BE - PLE80ME - SE9PL40M - SE9PL80M  
 for Salamander electric (BERTO'S) SA/E48 - SA/E60  
 SA/E60-E - SA/E68M - SA/E68M-E



EBERHARDT 214366

### 3350025 ENERGY ADJUSTER

contact capacity 230V 13.5A  
 max temperature 125°C  
 D-shaped pin ø 6x4.6 mm  
 for Salamander electric (SILKO) CSE-045 - CSE-048  
 CSE-050 - CSE-053 - CSE-060 - CSE-065  
 CSE-070 - CSE-078



EBERHARDT 214345

### 3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C  
 D-shaped pin ø 6x4.6 mm  
 double rotation direction  
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS  
 for Boiling pan (MORICE)  
 for Boiling pan (THIRODE)  
 for Bratt pan (MORICE)  
 for Bratt pan (THIRODE)  
 for Fry top (LOTUS) - Series 60 - Series 65  
 Series 70  
 for Grill (THIRODE)  
 for Hot plate (EMMEPI) - Series 650 - Series 700  
 for Hot plate (GICO) - Series 110 - Series 700  
 Series 920  
 for Pasta cooker electric (BONNET)



EBERHARDT 222223

EBERHARDT 233189

### 3350035 ENERGY ADJUSTER

contact capacity 230V 13A  
 max temperature 125°C  
 D-shaped pin ø 6x4.6 mm



EBERHARDT 231253

## Fryer baskets and accessories

### 3055279 FRYER BASKET 140x285x120 mm

in chromium plated iron  
 for Fryer electric (GIORIK) F10L - F210L - F922N  
 for Fryer gas (GIORIK) FG07L - FG207L



EBERHARDT 286160

### 3055264 FRYER BASKET 180x305x110 mm

in chromium plated iron  
 for Fryer electric (MARENO) FQE-41 - FQE-61



EBERHARDT 222001





## Fuses

**3049016 DELAY FUSE 5x20 - 10 PCS**  
250V 2A



EBERHARDT 215489

## Gas burners

**3023146 BURNER  $\varnothing$  120x345 mm**  
height 103 mm  
for Kitchen (SILKO) CTT91663R  
for Solid top range gas (OLIS) - Series 700  
Series 900  
for Solid top range gas (SILKO) - Series 1100  
Series 700 - Series 900



EBERHARDT 213662

**3023161 BURNER 445x200 mm**  
made of stainless steel  
for Lava rock grill gas (AMBACH) GLG/40/CP  
GLG/45 - GLG/70 - GLG/80 - GLG/90



EBERHARDT 222062

**3023230 BURNER 525x205 mm**  
made of stainless steel  
for Lava rock grill gas (MARENO) GL7-4G - GL7-8G



EBERHARDT 281220

## Gas control boxes

**3054034 PRESSURE GAUGE  $\varnothing$  60 mm**  
coupling  $\varnothing$  1/8" M  
range 0-1 bar  
for Boiling pan (ZANUSSI) - Series HD900



EBERHARDT 214194



Suitable for:

# EBERHARDT



Suitable for:

## Gas taps and accessories

**3348020 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22 mm  
for model PEL 20S



EBERHARDT 213779

EBERHARDT 213780

**3348002 GAS COCK 22/0**  
with pilot flame  
with horizontal flange  
fittings  $\varnothing$  M20x1.5mm  
with flow regulator  
thermocouple connection M8x1  
D-shaped pin  $\varnothing$  10x8 mm  
for Boiling pan (THIRODE)  
for Bratt pan gas (THIRODE) SA30 - SA41  
for Grill (FAGOR) - Series 900



EBERHARDT 216409

**3020082 OLIVE FOR 12 mm  $\varnothing$  PIPE**



EBERHARDT 212664

**3348013 GAS COCK 23/V**  
with pilot flame  
with vertical flange  
inlet fitting M28x1.5mm - outlet fitting M24x1.5mm  
with flow regulator  
thermocouple connection M10x1  
D-shaped pin  $\varnothing$  10x8 mm  
for Boiling pan (BONNET)



EBERHARDT 216410

**3182009 MAGNETIC UNIT PEL BIG HEADED**  
 $\varnothing$  head 15.5 mm -  $\varnothing$  end 14 mm - length 44 mm  
for PEL tap model 22-24



EBERHARDT 213783

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**



EBERHARDT 234744

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**



EBERHARDT 234744



Suitable for:


**3348037** **PILOT OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22



EBERHARDT 231457

Suitable for:

**3348043** **PIPE FITTING  $\varnothing$  10 mm**  
for model PEL 20-21



EBERHARDT 286290

**3348044** **PIPE OLIVE  $\varnothing$  10 mm**  
for model PEL 20 - 21



EBERHARDT 212635

**3348041** **PIPE OLIVE  $\varnothing$  16 mm**  
for model PEL 23



EBERHARDT 212629

## Gas valves and accessories

**3526130** **EUROSIT VALVE FOR OVEN  $100 \div 340^{\circ}\text{C}$**   
inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
outlet pressure adjustment range  
 $3 \div 18$  mbar  
ambient temperature  $0 \div 120^{\circ}\text{C}$   
capillary length 1050 mm  
bulb  $\varnothing$  4x72 mm  
for Oven under cooktop gas (ANGELO PO)  
Series ALPHA - Series BIFRONTI - Series DELTA  
Series GAMMA - Series OMEGA



EBERHARDT 214464

EBERHARDT 222123

EBERHARDT 214465

EBERHARDT 222074

**3523035** **KNOB FOR MINISIT VALVE**  
for Fry top gas (FAGOR) FTG-705 - FTG-710  
FTG-905 - FTG-910



EBERHARDT 202483

**3523949** **MINISIT VALVE FOR FRYER  $110 \div 190^{\circ}\text{C}$**   
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature  $0 \div 60^{\circ}\text{C}$   
capillary length 1050 mm  
bulb  $\varnothing$  6x105 mm  
supplied without lid knob and flanges  
for Fryer gas (ZANUSSI) - Series R701



EBERHARDT 214272

**3523020** **MINISIT VALVE FOR OVEN  $100 \div 340^{\circ}\text{C}$**   
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature  $0 \div 60^{\circ}\text{C}$   
capillary length 1050 mm  
bulb  $\varnothing$  5x70 mm  
with an elbow flange  $\varnothing$  3/8" F  
for Fry top gas  
for Oven under cooktop gas



EBERHARDT 205368



Suitable for:

# EBERHARDT



Suitable for:

## Gaskets and seals

**3355284 HEATING ELEMENT GASKET  $\varnothing$  45x40x4 mm**



EBERHARDT 231673

## Gaskets for oven door

**3786338 OVEN DOOR GASKET 1850 mm**  
made of silicone elastomer  
profile dimensions 8x10 mm  
COLOUR BLACK  
for Kitchen gas (OLIS) 7741CGV - 7742CGV - 7962CGV



EBERHARDT 201786

## Grids for kitchen

**3185075 GRILL 455x355 mm**  
for PASS-THROUGH version  
for Pot stove (OLIS) - Series 900



EBERHARDT 201005

**3185127 PAN SUPPORT GRID 440x370 mm**  
for Pot stove (SILKO) - Series 900



EBERHARDT 220496

## Heating elements

**3355286 BUSH FOR HEATING ELEMENT**



EBERHARDT 222060

EBERHARDT 242422

**3355288 HEAT. ELEMENT THREADED PIPE  $\varnothing$  10 mm**



EBERHARDT 239851



Suitable for:

Suitable for:

## 3455307 HEATING ELEMENT FOR TANK 2750W 230V

length 300 mm - width 100 mm  
fittings  $\varnothing$  14 mm  
for Pasta cooker electric (BERTO'S) E6CPM - E6CP6B  
for Pasta cooker electric (GIGA) CCPE4 - CCPE6  
ICPE4 - ICPE6 - SKCP40E - SKCP60E - TCP40E  
TCP60E  
for Pasta cooker electric (WHIRLPOOL) AGB528/WP  
AGB592/WP - AGB593/WP



EBERHARDT 214409

## 3755856 HEATING ELEMENT 10200W 230/400V

length 300 mm - width 180 mm  
coupling M54x1.5 mm - complete with cables  
complete with OR gaskets  
for Fryer electric (GIORIK) F15



EBERHARDT 214290


## 3186697 O-RING 0159 EPDM



EBERHARDT 214289

EBERHARDT 6090145

## 3186601 O-RING 04200 EPDM



EBERHARDT 214288

## 3755649 HEATING ELEMENT 10500W 230V

length 320 mm - width 253 mm  
with two holes for bulb - complete with cables  
for Fryer electric (MARENO) F7-4E12 - F7-8E12  
F9-4E12 - F9-8E12 - F9S-4E12 - F9S-8E12



EBERHARDT 243019

## 3355888 HEATING ELEMENT 1100W 240V

length 375 mm - width 95 mm.  
fittings  $\varnothing$  10 mm  
for Hot cupboard electric (SILKO)  
Series SNACK650



EBERHARDT 213973



Suitable for:



Suitable for:

## 3355441 HEATING ELEMENT 1135W 220/240V

length 425 mm - width 65 mm  
height 80 mm  
for Fry top electric (GIGA) SKT40E - SKT40EC  
SKT40ER - SKT60E - SKT60EC - SKT60EC2  
SKT60ELR - SKT60ER - SKT60ER2 - SKT60E2  
SKT80EC2 - SKT80ELR - SKT80ER2 - SKT80E2



EBERHARDT 214410

## 3755661 HEATING ELEMENT 15000W 230V

length 300 mm - width 285 mm  
with two holes per bulb - complete with cables  
complete with OR gaskets  
for Fryer electric (EMMEPI) - Series 900  
for Fryer electric (GIORIK)  
for Fryer electric (MBM) EF45 - EF90  
for Fryer electric (OFFCAR) - Series 700  
Series 900  
for Fryer electric (SILKO)



EBERHARDT 214297

## 3186697 O-RING 0159 EPDM



EBERHARDT 214289

EBERHARDT 6090145

## 3186601 O-RING 04200 EPDM



EBERHARDT 214288

## 3755488 HEATING ELEMENT 1580W 230V

length 455 mm - width 65 mm  
height 70 mm  
for Fry top electric (SILKO) CGE7021 - CGE7021C  
CGE7021R - CGE7022 - CGE7022C - CGE7022R



EBERHARDT 244207

## 3755004 HEATING ELEMENT 1650W 240V

length 490 mm - largeur 43 mm  
height 45 mm - connections  $\varnothing$  13 mm  
for Bratt pan electric (SILKO) BR1E



EBERHARDT 213985

Suitable for:

**3755648 HEATING ELEMENT 16500W 230V**  
length 400 mm - width 305 mm  
with two holes per bulb - complete with cables  
for Fryer electric (MARENO) F9-4E18 - F9-4E18K  
F9-8E18 - F9-8E18K - F9S-4E18 - F9S-4E18K  
F9S-8E18 - F9S-8E18K



EBERHARDT 231566

EBERHARDT 281337

Suitable for:

**3755097 HEATING ELEMENT 1800W 230V**  
length 500 mm - width 90 mm  
flange 125x30 mm  
for Bain-marie electric (MARENO)  
Series 700 PROTAGONISTA - Series 900 PROTAGONISTA



EBERHARDT 285443

**3755487 HEATING ELEMENT 1840W 230V**  
length 280 mm - width 70 mm  
fittings  $\varnothing$  1/4"



EBERHARDT 214315

**3755484 HEATING ELEMENT 2000W 230V**  
length 555 mm - width 95 mm  
height 70 mm  
for Fry top electric (SILKO) CGE9040/0 - CGE9040/1  
CGE9040/2 - CGE9040/3 - CGE9040/4 - CGE9040/5  
CGE9041/0 - CGE9041/1 - CGE9041/2 - CGE9041/3  
CGE9041/4 - CGE9041/5 - CGE9042/0 - CGE9042/1  
CGE9042/2 - CGE9042/3 - CGE9042/4 - CGE9042/5



EBERHARDT 213981

**3755815 HEATING ELEMENT 2000W 230V**  
length 550 mm - width 70 mm  
height 70 mm  
for Fry top electric (SILKO) - Series 900



EBERHARDT 213982

**3755482 HEATING ELEMENT 2500W 230V**  
external  $\varnothing$  193 mm - total height 75 mm  
flange 70x22 mm  
for Oven under cooktop electric (SILKO)



EBERHARDT 213995

**3755483 HEATING ELEMENT 2750W 240V**  
length 565 mm - width 622 mm  
flange 160x22 mm  
for Oven under cooktop electric (SILKO) CCG9146  
CCG9146/1 - CCG91662 - CCG91662/1 - CCG91663  
CCG91663/1



EBERHARDT 213977

**3755475 HEATING ELEMENT 5850W 240V**  
length 525 mm - width 285 mm  
height 90 mm  
for Bratt pan electric (MARENO) BR9-12EFM  
BR9-12EIM - BR9M-6E - BR9M-6EI



EBERHARDT 281122



Suitable for:

# EBERHARDT



Suitable for:

**3755491 HEATING ELEMENT 6000W 240V**  
immersed length 310 mm  
threaded connection  $\varnothing$  2"  
with bulb sheath  
complete with cap and teflon gasket



EBERHARDT 213974

**3755489 HEATING ELEMENT 6800W 230V**  
length 300 mm - width 110 mm  
connection M54x1.5 mm - with cables  
with O-rings  
for Fryer electric (SILKO) CFE72210 - CFE90210



EBERHARDT 214291

**3186697 O-RING 0159 EPDM**



EBERHARDT 214289

EBERHARDT 6090145

**3186601 O-RING 04200 EPDM**



EBERHARDT 214288

**3755857 HEATING ELEMENT 7000W 230/400V**  
length 325 mm - width 105 mm  
coupling M54x1.5 mm - complete with cables  
complete with OR gaskets  
for Fryer electric (EMMEPI) EFR72EBN  
for Fryer electric (GIORIK) FE210 - FE922



EBERHARDT 6002150

**3186697 O-RING 0159 EPDM**



EBERHARDT 214289

EBERHARDT 6090145

**3186601 O-RING 04200 EPDM**



EBERHARDT 214288





# EBERHARDT



Suitable for:

**3755485 HEATING ELEMENT 7500W 230V**  
immersed length 475 mm - connection  $\varnothing$  1 1/2"  
with bulb sheath



EBERHARDT 213972

Suitable for:

**3355887 HEATING ELEMENT 800W 230V**  
length 385 mm - width 110 mm  
2 flanges 55x17 mm  
for Oven under cooktop electric (SILKO)  
Series SNACK650



EBERHARDT 213994

**3755496 HEATING ELEMENT 850W 230V**  
length 440 mm - width 30 mm  
height 80 mm - fittings  $\varnothing$  1/4"  
for Grill electric (SILKO) CRE6-20 - CRE6-30



EBERHARDT 213983

**3355282 HEATING ELEMENT 8500W 230V**  
length 410 mm - width 220 mm  
fitting  $\varnothing$  40 mm  
with gaskets  
with cables - with bulb sheath  
for Pasta cooker electric (MARENO) CP9-2E - CP9-4E  
CP9SB-2E - CP9SB-4E



EBERHARDT 242909

**3355288 HEAT. ELEMENT THREADED PIPE  $\varnothing$  10 mm**



EBERHARDT 239851

**3355287 LOCKING BUSH FOR HEATING ELEMENT**



EBERHARDT 285388

**3355286 BUSH FOR HEATING ELEMENT**



EBERHARDT 222060

EBERHARDT 242422

**3355284 HEATING ELEMENT GASKET  $\varnothing$  45x40x4 mm**



EBERHARDT 231673

**3186580 OR GASKET 04131 VITON**



EBERHARDT 231672

EBERHARDT 239853



Suitable for:

# EBERHARDT



Suitable for:

**3355287 LOCKING BUSH FOR HEATING ELEMENT**



EBERHARDT 285388

## Hinges, catches and accessories

**3053007 LEFTHAND DOOR HINGE FOR OVEN**  
distance between holes 175 mm - overall length 205  
height 160 mm  
for Oven under cooktop



EBERHARDT 213672

**3053006 RIGHTHAND DOOR HINGE FOR OVEN**  
distance between holes 175 mm - overall length 205  
height 160 mm  
for Oven under cooktop



EBERHARDT 213673

## Injectors

**3500024 GAS JET M10x1 ø 1.15 mm**



EBERHARDT 212683

**3500027 GAS JET M10x1 ø 1.30 mm**



EBERHARDT 212761

EBERHARDT 233814

**3500093 GAS JET M11x1 ø 1.15 mm**  
for Pot stove (OLIS) - Series 700 - Series 900



EBERHARDT 201659

**3500095 GAS JET M11x1 ø 1.70 mm**  
for Pot stove (OLIS) - Series 700 - Series 900



EBERHARDT 201656

**3500096 GAS JET M11x1 ø 1.85 mm**  
for Pot stove (OLIS) - Series 700 - Series 900



EBERHARDT 201658

**3500097 GAS JET M11x1 ø 2.00 mm**  
for Pot stove (OLIS) - Series 700 - Series 900



EBERHARDT 201667



# EBERHARDT



Suitable for:

**3500061 GAS JET M7x1  $\varnothing$  0.80 mm**



EBERHARDT 212783

Suitable for:

**3500063 GAS JET M7x1  $\varnothing$  0.95 mm**



EBERHARDT 212784

**3500041 GAS JET M9x1  $\varnothing$  0.95 mm**



EBERHARDT 202538

EBERHARDT 206249

**3500042 GAS JET M9x1  $\varnothing$  1.00 mm**



EBERHARDT 212935

**3500353 GAS NOZZLE  $\varnothing$  0.90 mm M11x1**  
for Pot stove (OLIS) - Series 700 - Series 900



EBERHARDT 201692

**3500273 GAS NOZZLE  $\varnothing$  1.35 mm M11x1**  
for Pot stove (OLIS) - Series 700 - Series 900



EBERHARDT 201721

**3500371 GAS NOZZLE M10x1  $\varnothing$  1.75 mm**  
for Solid top range gas (OLIS) 714CTGV - 749CTGV  
769CTGV



EBERHARDT 205751

**3500359 GAS NOZZLE M11x1  $\varnothing$  1,25 mm**



EBERHARDT 201803

**3500355 GAS NOZZLE M11x1  $\varnothing$  1,40 mm**  
for Pot stove (OLIS) - Series 700 - Series 900



EBERHARDT 201654

**3500287 GAS NOZZLE M11x1  $\varnothing$  2,60 mm**  
for Pot stove (OLIS) - Series 700 - Series 900



EBERHARDT 201726

**3500038 GAS NOZZLE M6x0,75  $\varnothing$  0,90 mm**



EBERHARDT 222164

**3500366 GAS NOZZLE M9x1  $\varnothing$  1,40 mm**



EBERHARDT 206252



Suitable for:

# EBERHARDT



Suitable for:

## Interference suppression filters

**3160479 INTERFERENCE SUPPRESSION FILTER 0,47µF**



EBERHARDT 242710

## Knobs


**3241081 BLACK KNOB ø 65 mm SILK-SCREEN PRINTED**  
D shaft hole 8x6.5 mm  
for Pot stove gas (SILKO)



EBERHARDT 214005

EBERHARDT 214059

**3241157 KNOB BLUE STICKER**



EBERHARDT 222195

**3241082 KNOB EXTENSION**



EBERHARDT 212475

**3241576 BLACK KNOB ø 65 mm SILK-SCREEN PRINTED**  
D shaft hole 10x8 mm



EBERHARDT 214006

**3241573 BLACK KNOB ø 65 mm 0-295°C**  
D shaft hole 6x4.6 mm



EBERHARDT 214069

**3241157 KNOB BLUE STICKER**



EBERHARDT 222195



# EBERHARDT



Suitable for:

**3241574 BLACK KNOB  $\varnothing$  73 mm SILK-SCREEN PRINTED**  
D shaft hole 8x6.5 mm  
for Pot stove (SILKO) - Series 700 - Series 900



EBERHARDT 214060

Suitable for:

**3241579 BLACK KNOB  $\varnothing$  73 mm 0-110°C**  
D shaft hole 6x4.6 mm



EBERHARDT 214010

**3241581 BLACK KNOB  $\varnothing$  73 mm 0-295°C**  
D shaft hole 6x4.6 mm



EBERHARDT 214016

**3241585 BLACK KNOB  $\varnothing$  73 mm 0-310°C**  
D shaft hole 6x4.6 mm



EBERHARDT 214008

**3241575 BLACK KNOB  $\varnothing$  73 mm 0-90°C**  
D shaft hole 6x4.6 mm



EBERHARDT 214014

**3241841 BLACK KNOB  $\varnothing$  77 mm 100-190°C**  
D shaft hole 6x4.6 mm  
for Fryer (OLIS) - Series 900



EBERHARDT 202106

**3241232 GREY KNOB  $\varnothing$  77 mm 1-2-3-4-5-6**  
D shaft hole 6x4.6 mm  
for Hot plate electric (OLIS)



EBERHARDT 209525

**3241157 KNOB BLUE STICKER**



EBERHARDT 222195

**3241082 KNOB EXTENSION**



EBERHARDT 212475



Suitable for:



Suitable for:

## Lamps

**3221166 GREEN INDICATOR LAMP 400V**  
head  $\varnothing$  14.5 mm - hole  $\varnothing$  11.5 mm - 120°C  
universal application



EBERHARDT 215527

**3221126 INDICATOR LAMP 24V**  
head  $\varnothing$  8 mm



EBERHARDT 080574

**3221095 ORANGE INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



EBERHARDT 222229

**3221215 ORANGE INDICATOR LAMP 230V**  
head  $\varnothing$  16 mm - hole  $\varnothing$  11.5 mm - 120°C



EBERHARDT 215526

**3221165 ORANGE INDICATOR LAMP 400V**  
head  $\varnothing$  14.5 mm - hole  $\varnothing$  11.5 mm - 120°C  
universal application



EBERHARDT 212797

**3221166 GREEN INDICATOR LAMP 400V**  
head  $\varnothing$  14.5 mm - hole  $\varnothing$  11.5 mm - 120°C  
universal application



EBERHARDT 215527

**3221030 RED INDICATOR LAMP 220V**  
head  $\varnothing$  13 mm - hole  $\varnothing$  10 mm - 120°C  
wire connection length 200 mm



EBERHARDT 201448

**3221342 RED INDICATOR LAMP 400V**  
head  $\varnothing$  16 mm - hole  $\varnothing$  12 mm - 120°C



EBERHARDT 201449

EBERHARDT 202721

## Level sensors

**3341068 LEVEL PROBE  $\varnothing$  1/4" M-350 mm**  
for Boiling pan electric (SILKO) CPE90100  
CPE90100A - CPE90150 - CPE90150A - PE9AI10  
PE9AI15 - PE9NI10 - PE9NI15



EBERHARDT 214185

## Lever ball valves

- 3526274 WATER VALVE  $\varnothing$  1" FF**  
 ball type  
 heavy series total flow PN 40  
 aluminium lever  
 for Fryer gas (CAPIC) CTI - CTIB - TI - TIB



EBERHARDT 214295

## Magnet groups

- 3182009 MAGNETIC UNIT PEL BIG HEADED**  
 $\varnothing$  head 15.5 mm -  $\varnothing$  end 14 mm - length 44 mm  
 for PEL tap model 22-24



EBERHARDT 213783

- 3182011 MAGNETIC UNIT PEL SMALL HEADED**  
 $\varnothing$  head 15 mm -  $\varnothing$  end 11 mm - length 44 mm  
 for PEL tap models 20-21  
 for EGA tap model 25213  
 for JUNKERS tap model CH110



EBERHARDT 213778

## Microswitches

- 3240927 MICRO SWITCH XGG2 88 S21 16A 250V**  
 lever with roller  $\varnothing$  4.8 mm  
 length 25.9 mm - 6.6 mm width



EBERHARDT 214292

- 3240410 MICRO SWITCH 16A 250V**  
 for ANGELO PO OLD OVENS FC-FCV  
 for ANGELO PO OVEN FC611G-FC611E-FC1011G-FC1011E  
 FC1211G-FC1211E  
 for ANGELO PO FRYER 030FE1-030FE1B-70FE  
 70FE1-70FE1B-70FES-70FES2-71FE-71FE2-71FE2B-30FES  
 30FES2-30FES2B-091FE28  
 for IMESA DRYER ES10-ES55-ES75  
 for IMESA WASHING MACHINE  
 LM30-LM40-LM55-LM70-LM85  
 RC30-RC40-RC55-RC70  
 for SIRMAN CUTTER C4-C6-C6VV-C9  
 for GRANDIMPIANTI DRYER EMS10-EMS15  
 for FAGOR CALENDER PE30/140-PE30/160-PE30/200  
 for FOINOX OVEN JO0611E-JO0611G-JO1011E-JO1011G  
 JO1021E-JO1021G-JO2011E-JO2011G-JO2021E-JO2021G  
 for IPSO CALENDER RI1600/30-RI1600/30AV



EBERHARDT 202729

EBERHARDT 215517



Suitable for:

**3240820 MICROSWITCH 16A 250V**



EBERHARDT 204865

Suitable for:

**3240181 PROTECTED MAGNET 62x18x10 mm**



EBERHARDT

## Motors

**3240000 MOTOR WITH FAN 45W 220V 50/60Hz**

fan  $\varnothing$  150 mm  
for Hot cupboard  
for Warm table



EBERHARDT 208480

EBERHARDT 230970

## OR and ORM gaskets

**3186014 O-RING GASKET 06225 EPDM  $\varnothing$  67 mm**



EBERHARDT 87039

**3186697 O-RING 0159 EPDM**



EBERHARDT 214289

EBERHARDT 6090145

**3186601 O-RING 04200 EPDM**



EBERHARDT 214288

**3786459 O-RING 04200 VITON**



EBERHARDT 222120

**3186580 OR GASKET 04131 VITON**



EBERHARDT 231672

EBERHARDT 239853



**Piezo ignitors****3001005 PIEZO IGNITER**

a  $\varnothing$  18 mm hole is needed for the assembly  
male faston  $\varnothing$  2.4 mm  
for Bain-marie gas (SILKO) BMG40 - BMG60  
for Fry top gas (SILKO) SKT



EBERHARDT 235113

**3001041 PIEZO IGNITER JUNKERS CP101.053**

a  $\varnothing$  22 mm hole is needed for the assembly  
male faston  $\varnothing$  2.4 mm



EBERHARDT 213820

**3001020 PIEZO IGNITER 10015**

18 mm  $\varnothing$  mounting hole  
2.4 mm  $\varnothing$  male faston connector



EBERHARDT 235113

**Pilot burners and accessories****3020079 PIPE FITTING  $\varnothing$  12 mm**

EBERHARDT 212663

**3020281 BRASS NUT M10x1**

for Pot stove gas (MARENO) - Series PCG



EBERHARDT 286298

**3020093 BURNER INJECTOR ASSEMBLY**

with LPG and natural gas nozzles M9x1  
pipe  $\varnothing$  12 mm



EBERHARDT

**3020077 FITTING FOR PIPE  $\varnothing$  4 mm**

EBERHARDT 212636

**3020121 NATURAL GAS NOZZLE FOR PILOT BURNER**

for pilot model CB505059



EBERHARDT 286303

**3020085 NUT FOR SPARKING PLUG CONNECTION**

EBERHARDT 212652

EBERHARDT 255039



Suitable for:

# EBERHARDT



**3020082 OLIVE FOR 12 mm Ø PIPE**



EBERHARDT 212664

Suitable for:

**3020081 OLIVE FOR 6 mm Ø PIPE**



EBERHARDT 216413

**3020286 ONE-FLAME PILOT BURNER SIT**  
without sparking plug, gas nozzle and gasket  
thermocouple fitting included  
for Boiling pan gas (MARENO)  
Series 900 PROTAGONISTA NUOVA  
for Lava rock grill gas (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA - Series OMEGA  
for Oven under cooktop gas (MARENO)  
Series 900 PROTAGONISTA NUOVA  
for Pasta cooker gas (MARENO)  
Series 900 PROTAGONISTA NUOVA



EBERHARDT 245040

**3020282 PILOT BURNER**  
for Pot stove gas (MARENO) - Series PCG  
Series 600 PROTAGONISTA SNACK



EBERHARDT 222026

**3020290 PILOT BURNER**



EBERHARDT 243901

**3020054 PILOT JET Ø 0.20 mm**



EBERHARDT 212658

**3020117 PILOT DEFLECTOR**



EBERHARDT 236352

**3020201 PILOT GAS JET Ø 0.14 mm**



EBERHARDT 233815

**3020202 PILOT GAS JET Ø 0.27 mm**



EBERHARDT 202514

**3020449 PILOT GAS JET Ø 0.54 mm**  
for Bratt pan gas (BERTO'S) G9BR8



EBERHARDT 202519



# EBERHARDT



Suitable for:

**3020054 PILOT JET  $\varnothing$  0.20 mm**



EBERHARDT 212658

**3020041 PILOT JET  $\varnothing$  0.41 mm**



EBERHARDT 222170

**3020010 TARGET PILOT BURNER SIT 2 FLAMES**

supplied without sparking plug, nozzle and gasket with thermocouple fitting for Boiling pan gas (ZANUSSI) - Series HD900 for Fry top gas (ZANUSSI) - Series HD900 Series PR700 for Pasta cooker gas (ZANUSSI) - Series HD900 for Solid top range gas (ZANUSSI) - Series HD900



EBERHARDT 214413

EBERHARDT 286244

**3020011 THREE-FLAME PILOT BURNER**

without sparking plug, gas jet with pipe fitting and pilot pipe olive with thermocouple connection with sparking plug fitting for Bratt pan gas (ZANUSSI) for Pasta cooker gas (ZANUSSI) - Series N900 Series PR700



EBERHARDT 214313

Suitable for:

**3020156 PILOT JET  $\varnothing$  0.25 mm**



EBERHARDT 233910

EBERHARDT 242571

**3020283 TARGET ONE-FLAME PILOT BURNER SIT**  
without sparking plug, gas nozzle and gasket thermocouple fitting included for Lava rock grill gas (MARENO) - Series PLG



EBERHARDT 222075

**3020270 TARGET PILOT BURNER SIT 2 FLAMES**  
supplied without sparking plug, nozzle and gasket with pilot pipe fitting



EBERHARDT 202087

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**



EBERHARDT 234744



Suitable for:

# EBERHARDT



Suitable for:

## Probes

**3397164 SILICONE PTC PROBE 1500 mm**  
2 wire probe temperature range -55+120°C  
bulb ø 6x40 mm



EBERHARDT 232212

## Rotary switches


**3057050 CONNECTING BRACKET**  
connecting thermostat and switch



EBERHARDT 212830

EBERHARDT 217726

**3057014 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D spindle ø 6x4.6 mm  
back connection for thermostat



EBERHARDT 213920

**3057015 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D spindle ø 6x4.6 mm



EBERHARDT 213921

**3057026 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D shaft ø 6x4.6 mm  
for Bain-marie (EMMEPI) - Series 650  
for Bain-marie electric (OLIS) 72/02CBE  
72/02TCBE  
for Bratt pan electric (OLIS) 74/02KBEBI  
for Bratt pan gas (OLIS) 74/02KBGMB  
for Fryer (GICO) - Series 500 - Series 700  
Series 900 - Series 920  
for Fryer electric (OLIS) 72/02FRE - 74/02FRE  
92/02FRE - 92/04FRE  
for Hot cupboard (OLIS) TAC210 - TAC211 - TAC212  
for Kitchen gas (OLIS) 76/02CGGE  
for Oven under cooktop (GICO) - Series 500  
Series 700



EBERHARDT 258100

Suitable for:

## 3057027 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C  
 D-shaft  $\varnothing$  6x4.6 mm  
 rear hole for thermostat  
 for Fryer (MORICE)  
 for Fryer electric (GIGA) SKF2E - Series 600  
 Series 700 - Series 800 - Series 900  
 for Grill (MORICE)  
 for Hot plate (MORICE)  
 for Kitchen (OM GAS) - Series MERCURY  
 Series SCORPION  
 for Kitchen (THIRODE) - Series 700 - Series 900  
 for Kitchen electric (EMMEPI) - Series 650  
 Series 700 - Series 750 - Series 900




EBERHARDT 214421

Suitable for:

## 3057082 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C  
 D-shaft 6x4.6 mm  
 for Fryer (BARON) - Series 700 - Series 900  
 for Fryer (EMMEPI) - Series 650 - Series 700  
 Series 750 - Series 900  
 for Fryer (GIORIK) - Series 700 - Series 900  
 for Fryer (OFFCAR) - Series 700 - Series 900  
 for Pasta cooker (BARON) - Series 700 - Series 900  
 for Pasta cooker (EMMEPI) - Series 650  
 Series 700 - Series 750 - Series 900  
 for Pasta cooker (GIORIK) - Series 700  
 Series 900



EBERHARDT 214269

## 3057177 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Bain-marie (EMMEPI) - Series 700 - Series 750  
 Series 900  
 for Bain-marie (OLIS) - Series 700 - Series 900  
 for Fry top (ALPENINOX)  
 for Fry top (EMMEPI) - Series 700 - Series 750  
 Series 900  
 for Fry top (OLIS) - Series 700  
 for Fry top (ZANUSSI) - Series N700 - Series PR700  
 for Fryer (ALPENINOX)  
 for Fryer (OLIS) - Series 700 - Series 900  
 for Grill (ZANUSSI) - Series 700  
 for Kitchen electric (ZANUSSI) - Series 900  
 for Oven under cooktop (ALPENINOX)



EBERHARDT 202767

EBERHARDT 213938

EBERHARDT 252339

## 3057178 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C  
 D-shaped pin 6x4.6 mm  
 for Fryer electric (GIORIK) FRE33 - FRE63 - FT33  
 FT63  
 for Self service counter (ZANUSSI)  
 for Warm table (ZANUSSI)



EBERHARDT 214252

## 3057002 SELECTOR SWITCH 0-1 0-1 POSITIONS

contact capacity 32A 250V - max 150°C  
 D shaft  $\varnothing$  6x4.6 mm



EBERHARDT 213940

## 3057159 SELECTOR SWITCH 0-3 POSITIONS

contact capacity 16A 250V - max 150°C  
 D-shaft  $\varnothing$  6x4.6 mm  
 for Pasta cooker electric (OFFCAR) - Series 700  
 Series 900  
 for Salamander electric (GIORIK) SR512



EBERHARDT 214359




Suitable for:

# EBERHARDT



## 3057180 SELECTOR SWITCH 0-3 POSITIONS

contact capacity 16A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm  
for Kitchen electric (MARENO) - Series 700  
Series 900  
for Pasta cooker electric (BERTO'S) CPE40 - E9CP40



EBERHARDT 213937

EBERHARDT 222041

Suitable for:

## 3057024 SELECTOR SWITCH 0-7 POSITIONS

contact capacity 16A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm  
for Kitchen electric (EMMEPI) - Series 650  
Series 700 - Series 750  
for Kitchen electric (GICO) - Series 700  
for Kitchen electric (GIGA) - Series 600  
Series 700 - Series 800 - Series 900  
for Kitchen electric (OFFCAR) - Series 700  
Series 900  
for Kitchen electric (OLIS) 72/02CEPT - 76/02CEPT  
for Pot stove electric (OLIS) 72/02TCE - 74/02CEPT  
74/02TCE - 76/02TCE - 92/04CE - 92/04TCE  
94/04CE - 94/04TCE



EBERHARDT 201443

## Safety groups for pans and spare parts

## 3184007 PRESSURE GAUGE $\varnothing$ 60 mm

in chrome plated brass  
radial connection 1/4"  
scale 0-1 bar  
for safety groups



EBERHARDT 213756

## Solenoid valves

## 3120004 SOLENOID VALVE 319 220/240V $\varnothing$ 10 mm

solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - outlet  $\varnothing$  10 mm



EBERHARDT 213913

## 3120005 SOLENOID VALVE 329 220/240V $\varnothing$ 10 mm

solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - outlet  $\varnothing$  10 mm



EBERHARDT 223087

## 3120007 SOLENOID VALVE 349 220/240V $\varnothing$ 10 mm

solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - dual outlet  $\varnothing$  10 mm



EBERHARDT 215411

## Spark generators

**3181002 SPARK GENERATOR 2 OUTLETS**  
 220/240V 50/60Hz  
 for Boiling pan gas (CHARVET)  
 for Fryer gas (CAPIC) CTI - CTIB - C10 - T1 - TIB  
 for Kitchen (THIRODE) B7.FV.CF.FG



EBERHARDT 213868

**3181004 SPARK GENERATOR 6 OUTLETS**  
 220/240V - 50/60Hz



EBERHARDT 213870

## Sparking and detection plugs

**3020126 ROUND IGNITION ELECTRODE  $\varnothing$  6.5x55 mm**  
 with silicone lead 1760 mm  
 overall length 1830 mm



EBERHARDT 213332

EBERHARDT 213333

**3020127 ROUND IGNITION ELECTRODE  $\varnothing$  6.5x55 mm**  
 with silicone lead 625 mm  
 overall length 680 mm  
 for Pot stove gas (GIGA) - Series 700 - Series 800



EBERHARDT 213335

EBERHARDT 213804

**3020138 ROUND IGNITION ELECTRODE  $\varnothing$  6.5x55 mm**  
 with silicone lead 970 mm  
 overall length 1030 mm



EBERHARDT 213334

**3020073 ROUND IGNITION ELECTRODE  $\varnothing$  7/10x52 mm**  
 model 1/B  
 female connection  
 overall length 54 mm  
 for Kitchen gas (WHIRLPOOL) AGB351 - AGB579  
 AGB580 - AGB581 - AGB582 - AGB583 - AGB584



EBERHARDT 212661

**3020068 ROUND IGNITION ELECTRODE  $\varnothing$  7x44 mm**  
 square coupling  
 with shaped igniter  
 overall model 63 mm



EBERHARDT 212588

**3020062 ROUND IGNITION ELECTRODE  $\varnothing$  9x39 mm**  
 model CB505/059 Junkers  
 overall length 57 mm



EBERHARDT 222105



Suitable for:

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



EBERHARDT 201496

EBERHARDT 246813

EBERHARDT 258170

Suitable for:

**3020060 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M 4x1 mm  
model CB505/021 Junkers  
for model P502F  
total length 82 mm



EBERHARDT 214338

EBERHARDT 221933

## Switches

**3319510 CONTACT NO 10A 400V**



EBERHARDT 256338

**3319012 GREEN BIPOLAR SWITCH 16A 250V**  
with indicator light and switch cover  
screen printing 0 - I  
max temperature 120°C  
mounting hole 22x30 mm



EBERHARDT 10402

EBERHARDT 222094

**3319928 GREEN BIPOLAR SWITCH 16A 250V**  
with indicator lamp  
max.temperature 120°C  
lmounting hole  $\varnothing$  25 mm



EBERHARDT 220755

**1319202 GREEN TWO-POLE SWITCH 16A 250V**  
with indicator lamp  
silk-screen printing 0 - I  
temperature max 120°C  
mounting hole 22x30 mm  
for Hood electric (MORETTI) TIVOLI KAPPA



EBERHARDT 220707

## Terminal blocks

**3247011 6-POLE TERMINAL BLOCK FV122 40A 600V**  
for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



EBERHARDT 222222





Suitable for:

# EBERHARDT

Suitable for:



## Thermocouples and accessories

**3440103 CUT-OFF THERMOCOUPLE M9x1 60 cm**  
cut-off contact with cables 60 cm



EBERHARDT 281136

**3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm**  
interrupted contact with fastons



EBERHARDT 202504

EBERHARDT 213788

**3440015 INTERRUPTION CONNECTOR M9x1**



EBERHARDT 212662

**3440893 THERMOCOUP.SIT QUICK M9x1 85 cm - 10 PCS**



EBERHARDT 202499

**3440038 THERMOCOUPLE SIT M9x1 120 cm**



EBERHARDT 256169

**3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS**



EBERHARDT 256169

**3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS**



EBERHARDT 256169

**3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS**



EBERHARDT 202496

**3440080 THERMOCOUPLE SIT M9x1 40 cm.**



EBERHARDT 202496

**3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS**



EBERHARDT 202496

**3440034 THERMOCOUPLE SIT M9x1 50 cm**  
for Fry top gas (SILKO) BG74TLC



EBERHARDT 213791

**3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS**



EBERHARDT 213791



# EBERHARDT



Suitable for:

Suitable for:

**3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS**

**3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



EBERHARDT 213791

EBERHARDT 202498

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



EBERHARDT 213795

**3440059 THERMOCOUPLE SIT M9x1 60 cm THREAD M8x1**

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



EBERHARDT 213795

EBERHARDT 213795

**3440035 THERMOCOUPLE SIT M9x1 60 cm.**

**3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



EBERHARDT 202498

EBERHARDT 202498

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



EBERHARDT 201208

EBERHARDT 256102

**3440036 THERMOCOUPLE SIT M9x1 85 cm.**

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



EBERHARDT 201208

EBERHARDT 256102

EBERHARDT 201208

EBERHARDT 256102



Suitable for:

**3440082 THERMOCOUPLE SIT QUICK M8x1 60 cm**



EBERHARDT 222029

Suitable for:

**3440083 THERMOCOUPLE SIT QUICK M9x1 32 cm**



EBERHARDT 222010

**3440093 THERMOCOUPLE SIT QUICK M9x1 85 cm**



EBERHARDT 202499

**3440893 THERMOCOUP.SIT QUICK M9x1 85 cm - 10 PCS**



EBERHARDT 202499

## Thermostatic gas valves

**3345027 THERMOSTATIC GAS COCK SABAF**

temperature 300°C  
capillary 850 mm  
bulb  $\varnothing$  4x150 mm  
D-shaped long pin  $\varnothing$  6x4.5 mm  
for Oven under cooktop (MARENO) - Series 700  
for Oven under cooktop gas (MARENO) CFG-101  
CFG-101D - CFG-101L - CFG-101P - CFG-120  
CFG-70 - CFG-70D - CFG-70L - CFG-70P



EBERHARDT 220420

## Thermostats

**3444652 SINGLE-PHASE THERMOSTAT 100-190°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 870 mm  
bulb  $\varnothing$  4x235 mm  
for Fryer (OLIS) - Series 700



EBERHARDT 201165

**3444771 SINGLE-PHASE THERMOSTAT 125°C**

with manual reset  
covered capillary length 900 mm - 16A 230V  
bulb  $\varnothing$  3.1x120 mm



EBERHARDT 213944



Suitable for:

# EBERHARDT



**3444772 SINGLE-PHASE THERMOSTAT 140°C**  
 with manual reset  
 covered capillary length 900 mm - 16A 230V  
 bulb  $\varnothing$  6x130 mm



EBERHARDT 213934

Suitable for:

**3444649 SINGLE-PHASE THERMOSTAT 200°C**  
 with manual reset  
 covered capillary length 870 mm  
 bulb  $\varnothing$  6x133 mm  
 for Fryer (OLIS) - Series 900



EBERHARDT 202403

**3444107 SINGLE-PHASE THERMOSTAT 220°C**  
 with manual reset  
 capillary length 870 mm - 16A 250V  
 bulb  $\varnothing$  6x142 mm - with adapter nipple bland M9x1  
 for Boiling pan (MARENO)  
 for Boiling pan (MBM)  
 for Boiling pan (OLIS)  
 for Fryer (GIORIK)  
 for Fryer (MARENO)  
 for Fryer (MBM)  
 for Fryer (OLIS)



EBERHARDT 202806

**3444239 SINGLE-PHASE THERMOSTAT 240°C**  
 with manual reset  
 covered capillary length 860 mm - 16A 250V  
 bulb  $\varnothing$  6x77 mm - with stuffing gland M10x1  
 complete with wiring 330mm for thermocouple  
 for Fryer (EMMEPI) - Series 650 - Series 700  
 Series 750 - Series 900  
 for Fryer (OFFCAR) - Series 700 - Series 900  
 for Fryer gas (GIORIK) - Series FRG



EBERHARDT 214274

**3444372 SINGLE-PHASE THERMOSTAT 245°C**  
 with manual reset  
 covered capillary length 1170 mm - 16A 250V  
 bulb  $\varnothing$  6x133 mm  
 for Fryer (GIGA) - Series 600 - Series 700  
 Series 800  
 for Fryer electric (GIGA) SKF2E  
 for Fryer electric (WHIRLPOOL) AGB433 - AGB435  
 AGB437 - AGB439 - AGB441 - AGB443 - AGB447  
 AGB514 - AGB515 - AGB516 - AGB521 - AGB522  
 AGB523 - AGB524 - AGB525  
 for Fryer gas (WHIRLPOOL) AGB513



EBERHARDT 214420

**3444489 SINGLE-PHASE THERMOSTAT 30-110°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1500 mm - 16A 250V  
 bulb  $\varnothing$  6x125 mm



EBERHARDT 213924



Suitable for:

**3444346 SINGLE-PHASE THERMOSTAT 30-90°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  6x130 mm - with stuffing gland fitting M9x1



EBERHARDT 213943

**3444774 SINGLE-PHASE THERMOSTAT 45-295°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 230V  
 bulb  $\varnothing$  4x95 mm



EBERHARDT 213919

**3444174 SINGLE-PHASE THERMOSTAT 50-320°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  3x220 mm



EBERHARDT 249022

**5015518 SINGLE-PHASE THERMOSTAT 62-189°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 700 mm - 16A 250V  
 bulb  $\varnothing$  4x120 mm  
 for Boiling pan (MARENO) - Series 700  
 Series 900 PROTAGONISTA  
 for Fryer (MARENO) - Series 700 - Series 900



EBERHARDT MACM097800

Suitable for:

**3444312 SINGLE-PHASE THERMOSTAT 360°C**  
 with manual reset  
 covered capillary 1500 mm - 3 contacts 16A 250V  
 bulb  $\varnothing$  4x110 mm  
 for Fry top gas (ANGELO PO) - Series ALPHA  
 Series BIFRONTI - Series DELTA - Series GAMMA  
 Series JUNIOR - Series OMEGA - Series SENIOR  
 Series SUMMIT  
 for Oven under cooktop (SILKO)



EBERHARDT 245787

**3444043 SINGLE-PHASE THERMOSTAT 50-270°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1300 mm - 16A 250V  
 bulb  $\varnothing$  3x220 mm



EBERHARDT 215377

**3444643 SINGLE-PHASE THERMOSTAT 60-150°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm  
 bulb  $\varnothing$  3x219 mm  
 for Boiling pan (SILKO) - Series 900  
 for Pasta cooker (SILKO) - Series 900



EBERHARDT 214195

**3444000 SINGLE-PHASE THERMOSTAT 90-185°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary 900 mm - 16A 250V  
 button bulb  $\varnothing$  14x10 mm  
 complete with screw and joint  
 for Fryer gas (GIGA) - Series SKF



EBERHARDT 214418



Suitable for:

# EBERHARDT



## 3444376 SINGLE-PHASE THERMOSTAT 95-190°C

D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1010 mm - 16A 250V  
 bulb  $\varnothing$  6x100 mm - with adapter nipple band M10x1  
 for Fryer (EMMEPI) - Series 650 - Series 700  
 Series 750 - Series 900  
 for Fryer electric (GIORIK) - Series FT - FTR3  
 FTR5 - FTR6  
 for Fryer electric (MBM) EF45 - EF90  
 for Fryer electric (ZANUSSI) QFE300 - QFE600



EBERHARDT 214259

Suitable for:

## 3444769 THREE-PHASE THERMOSTAT 132°C

with automatic reset  
 capillary length 900 mm - 16A 230V  
 bulb  $\varnothing$  6x80 mm - with adapter nipple band M9x1  
 for Pasta cooker (MARENO)  
 Series 900 PROTAGONISTA NUOVA



EBERHARDT 221856

## 3444770 THREE-PHASE THERMOSTAT 157°C

with manual reset  
 covered capillary length 900 mm - 16A 230V  
 bulb  $\varnothing$  6x80 mm  
 for Pasta cooker (EMMEPI) - Series 650  
 Series 700 - Series 750 - Series 900



EBERHARDT 214317

## 3444775 THREE-PHASE THERMOSTAT 159°C

with manual reset  
 capillary length 1100 mm - 16A 230V  
 bulb  $\varnothing$  3.1x185 mm  
 for Boiling pan (EMMEPI) - Series 700 - Series 750  
 Series 900



EBERHARDT 214196

## 3444375 THREE-PHASE THERMOSTAT 225°C

with manual reset  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  6x90 mm - with adapter nipple band M10x1  
 for Fryer (EMMEPI) - Series 650 - Series 700  
 Series 750 - Series 900  
 for Fryer (GIORIK) - Series FT  
 for Fryer electric (GIORIK) FTR10 - FTR6 - FTR7  
 for Fryer electric (MBM) EF45 - EF46 - EF47  
 EF472 - EF49 - EF66 - EF77 - EF90 - EF99



EBERHARDT 214299

## 3444307 THREE-PHASE THERMOSTAT 230°C

with manual reset  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  6x100 mm - with adapter nipple band M10x1  
 for Fryer electric (BARON) - Series 900



EBERHARDT 214298



Suitable for:

**3744113 THREE-PHASE THERMOSTAT 230°C**  
with manual reset  
covered capillary length 600 mm - 10A 400V  
bulb  $\varnothing$  4x122 mm  
for Fryer (MARENO) - Series 900 PROTAGONISTA NUOVA



EBERHARDT 282267

Suitable for:

**3444364 THREE-PHASE THERMOSTAT 30-90°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x135 mm - with adapter nipple band M10x1  
for Bain-marie electric (DESCO)  
for Bain-marie electric (LOTUS) BM-10EMX - BM-4EMX  
BM-6EMX - BM-62ET - BM-8EMX - BS-4EMX  
for Bain-marie electric (MARENO) B7-4E - B7-8E  
B9-4E - B9-8E



EBERHARDT 217725

**3444620 THREE-PHASE THERMOSTAT 45-120°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 870 mm - 16A 380V  
bulb  $\varnothing$  6x140 mm  
for Pasta cooker electric (GIORIK) - Series 700  
Series 900



EBERHARDT 214316

**3444052 THREE-PHASE THERMOSTAT 50-320°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  3x230 mm  
for Grill electric (ZANUSSI) MG/E1 - MG/E2 - RG/E1  
RG/E2



EBERHARDT 213925

EBERHARDT 222042

**3444371 THREE-PHASE THERMOSTAT 70-195°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1500 mm - 10A 400V  
bulb  $\varnothing$  6x135 mm  
for Fryer (GIGA) - Series 600 - Series 700  
Series 800 - Series 900  
for Fryer electric (GIGA) SKF2E  
for Fryer electric (WHIRLPOOL) AGB515 - AGB516  
AGB521 - AGB523 - AGB597 - AGB598



EBERHARDT 214419

**3444779 THREE-PHASE THERMOSTAT 75-295°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 230V  
bulb  $\varnothing$  4x92 mm



EBERHARDT 252338



Suitable for:

# EBERHARDT



Suitable for:

## Water filling taps

### 3359129 WATER INLET TAP $\varnothing$ 1/2"FF

for Bain-marie (SILKO) - Series 900  
for Bratt pan (SILKO) - Series 700  
for Pasta cooker (SILKO) - Series 700 - Series 800  
Series 900



EBERHARDT 248538

### 3525041 WATER INLET TAP LH $\varnothing$ 1/2"FF

D-shaft  $\varnothing$  10x8 mm  
for Boiling pan (MARENO) - Series 900  
for Boiling pan (ZANUSSI) - Series HD700  
Series HD900  
for Bratt pan (MARENO) - Series 900 PROTAGONISTA  
for Pasta cooker (MARENO) - Series 700  
Series 900  
for Pasta cooker (ZANUSSI) - Series HD900



EBERHARDT 243206

## Wheels and accessories

### 3522046 HAND WHEEL HANDLE IR612/90

for Bratt pan electric (SILKO) CBE9060 - CBE9060C  
SE94CRM - SE94IRM  
for Bratt pan gas (SILKO) CBG9060/P - CBG9060C/P  
SG94CRM - SG94IRM



EBERHARDT 213711