




Spare parts for:

Cooking equipment



Suitable for:

TECNOINOX



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

TECNOINOX



Suitable for:

Burners, flame spreaders and accessories

3025364 BURNER BOWL ø 78 mm

for Crêpe pan gas (FIMAR) CR400G1 - CR400G2
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (BERTO'S) - Series 600
Series 700 - Series 900
for Pot stove gas (TECNOINOX) PC70G



TECNOINOX RC00377000

3025363 FLAME SPREADER ø 120 mm

for Crêpe pan gas (FIMAR) CR400G1 - CR400G2
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (BERTO'S) - Series 600
Series 700 - Series 900
for Pot stove gas (TECNOINOX) PC70G



TECNOINOX RC00375000

3025362 FLAME SPREADER ASSY. ø 120 mm

for Crêpe pan gas (FIMAR) CR400G1 - CR400G2
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (TECNOINOX) PC70G



TECNOINOX RC00374000

3025361 FLAME SPREADER ø 90 mm

for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (BERTO'S) - Series 600
Series 700 - Series 900
for Pot stove gas (TECNOINOX) PC70G



TECNOINOX RC00373000

3025364 BURNER BOWL ø 78 mm

for Crêpe pan gas (FIMAR) CR400G1 - CR400G2
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (BERTO'S) - Series 600
Series 700 - Series 900
for Pot stove gas (TECNOINOX) PC70G



TECNOINOX RC00377000

3025364 BURNER BOWL ø 78 mm

for Crêpe pan gas (FIMAR) CR400G1 - CR400G2
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (BERTO'S) - Series 600
Series 700 - Series 900
for Pot stove gas (TECNOINOX) PC70G




TECNOINOX RC00377000




Suitable for:

3025360 VENTURI ASSY. ø 90 mm
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (TECNOINOX) PC70G



TECNOINOX RC00372000

3025362 FLAME SPREADER ASSY. ø 120 mm
for Crêpe pan gas (FIMAR) CR400G1 - CR400G2
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (TECNOINOX) PC70G



TECNOINOX RC00374000

TECNOINOX



Suitable for:

3025360 VENTURI ASSY. ø 90 mm
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (TECNOINOX) PC70G



TECNOINOX RC00372000

Cables for piezo igniters


3001018 SIT IGNITION LEAD 600 mm
with faston ø 2.4 mm for ignition
with faston ø 4 mm for electrode



TECNOINOX RC00123000

Contactors

3446561 CONTACTOR LOVATO BF0910A
coil 9A 230V 50/60Hz 4.2Kw
3 normally open contacts
1 normally open auxiliary contact



TECNOINOX RC00006208

3446556 CONTACTOR LOVATO BG0910A
coil 9A 230V 50/60Hz 4Kw
3 normally open contacts
1 normally open auxiliary contact



TECNOINOX 6208



Suitable for:

TECNOINOX



Suitable for:

Cooking baskets and accessories

3055337 PASTA COOKER BASKET 140x140x205 mm LEFT
made of STAINLESS STEEL
for Pasta cooker electric (ZANUSSI) SCPE350
for Pasta cooker gas (ZANUSSI) SCPG350



TECNOINOX

3055338 PASTA COOKER BASKET 140x140x205 mm RIGHT
made of STAINLESS STEEL
for Pasta cooker electric (ZANUSSI) SCPE350
for Pasta cooker gas (ZANUSSI) SCPG350



TECNOINOX

3055339 PASTA COOKER BASKET 290x145x205 mm
made of stainless steel
for Pasta cooker electric (ZANUSSI) SCPE350
for Pasta cooker gas (ZANUSSI) SCPG350



TECNOINOX

Drain taps and accessories

3356049 DRAIN PIPE WITH SAFETY DEVICE
ø 22 mm - length 210 mm - bayonet joint
for TECNOINOX BAIN-MARIE-FRYER



TECNOINOX RC00079000

Electric hot plates

3311166 ELECTRIC HOT PLATE ø 180 mm 1800W 230V
faston electric connections
for glass-ceramic cooking top
for glass-ceramic cooking top



TECNOINOX RC00931000

3311053 ELECTRIC HOT PLATE 2600W 230V
dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



TECNOINOX RC01110000

TECNOINOX 5051645



Suitable for:

TECNOINOX



Suitable for:

Electrical gas valves and accessories

- 3526300 VALVE 820 NOVA mV ø 1/2"FF**
inlet ø 1/2"F - outlet ø 1/2"F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure range setting
outlet 5÷50 mbar
room temperature 0÷70°C
double wire thermopile power supply
(TPTH - TH terminal)
thermostat connection (TPTH - TH terminal)
suitable to replace the ITT valve
UB67 model
for Fryer gas (ELFRAMO) GSDT12 - GSDT20 - GST12
GST20 - GWDT12 - GWDT20 - GWD209T - GWM35T
GWT12 - GWT20 - GW209T



TECNOINOX RC30300014

Energy regulators

- 3350026 ENERGY ADJUSTER**
contact capacity 230V 13A - max temperature 125°C
D-shaped pin ø 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
for Boiling pan (MORICE)
for Boiling pan (THIRODE)
for Bratt pan (MORICE)
for Bratt pan (THIRODE)
for Fry top (LOTUS) - Series 60 - Series 65
Series 70
for Grill (THIRODE)
for Hot plate (EMMEPI) - Series 650 - Series 700
for Hot plate (GICO) - Series 110 - Series 700
Series 920
for Pasta cooker electric (BONNET)



TECNOINOX RC00006501

TECNOINOX RC0001200

TECNOINOX RC00012000

TECNOINOX RC00937000

TECNOINOX 006501

TECNOINOX 00937

Gas burners

- 3023163 BURNER 495x200 mm**
made of stainless steel
for Lava rock grill gas (TECNOINOX) GG35 - GG70



TECNOINOX RC05000000



Suitable for:

TECNOINOX



Suitable for:

Gas taps and accessories

3348016 GAS COCK 21/SV
 with pilot flame
 fittings \varnothing M16x1.5mm
 thermocouple connection M9x1 mm
 D-shaped pin \varnothing 8x6.5 mm



TECNOINOX RC05001400

TECNOINOX 50014

3348003 GAS COCK 22/V
 with pilot flame
 with vertical flange
 fittings \varnothing M20x1.5mm
 thermocouple connection M9x1
 D-shaped pin \varnothing 10x8 mm



TECNOINOX RC00126000

3348063 GAS COCK 2911/1
 pipe fitting \varnothing 8 mm
 flange outlet
 D-shaped pin \varnothing 8x6.5 mm
 for Bain-marie gas (TECNOINOX) BM35G - BM70G
 for Fry top gas (TECNOINOX) FTL35G - FTL70G
 FTR35G - FTR70G
 for Pot stove electric (TECNOINOX) PC35G
 for Pot stove gas (TECNOINOX) PC70G



TECNOINOX RC00369000

Gas valves and accessories

3526133 EUROSIT VALVE FOR FRY TOP 60÷300°C
 inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷80°C
 capillary length 1050 mm
 bulb \varnothing 4x72 mm
 for Fry top gas (GIGA) - Series 650
 for Fry top gas (TECNOINOX) FTC70G
 for Fry top gas (WHIRLPOOL) AGB455 - AGB457
 AGB459 - AGB461 - AGB463 - AGB465 - AGB467
 AGB470
 for Fry top gas (ZANUSSI) MRV/G1CL
 for Kitchen (ZANUSSI) ACF/G810



TECNOINOX RC01171000

3526131 EUROSIT VALVE FOR FRYER 110÷190°C
 inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷80°C
 capillary length 1050 mm
 bulb \varnothing 4x200 mm
 for Fryer gas (ELFRAMO) GBD10 - GB10



TECNOINOX RC00446000



Suitable for:

3526130 EUROSIT VALVE FOR OVEN 100÷340°C
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3÷18 mbar
ambient temperature 0÷120°C
capillary length 1050 mm
bulb \varnothing 4x72 mm
for Oven under cooktop gas (ANGELO PO)
Series ALPHA - Series BIFRONTI - Series DELTA
Series GAMMA - Series OMEGA

Suitable for:

3526127 FLANGE FOR KNOB EXTENSION



TECNOINOX RC30100080



TECNOINOX RC00447000

Grids for kitchen

3185064 GRILL 320X530 mm
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (TECNOINOX) PC70G



TECNOINOX RC00376000

Handles

3242336 OVEN DOOR HANDLE \varnothing 29x90 mm M10



TECNOINOX RC00004205

Heating elements

3755830 CERAMIC HEATING ELEMENT 1000W 230V
length 240 mm - width 60 mm



TECNOINOX RC01098000

3355829 CERAMIC HEATING ELEMENT 650W 230V
length 245 mm - width 60 mm
for Potato heater electric (ZANUSSI) SCCE350



TECNOINOX RC00288000



Suitable for:

TECNOINOX



3355850 HEATING ELEMENT 1000W 230V
 length 220 mm - width 95 mm
 flange 107x33 mm
 for Salamander electric (TECNOINOX) SE80



TECNOINOX RC00003708

3355858 HEATING ELEMENT 1000W 230V
 length 300 mm - width 120 mm
 fittings \varnothing 12 mm
 for Toaster electric (TECNOINOX) TE3 - TE6



TECNOINOX RC00006000

3355859 HEATING ELEMENT 1000W 230V
 length 220 mm - width 430 mm
 flange 70x22 mm
 for Toaster electric (TECNOINOX) TSP



TECNOINOX RC00171000

3355824 HEATING ELEMENT 1300W 230V
 length 330 mm - width 200 mm
 2 flanges 40x18 mm
 for Bain-marie electric (TECNOINOX) BM35E - BM70E
 for Bain-marie electric (ZANUSSI) BM35E6U - SME350
 SME700



TECNOINOX RC00269000

TECNOINOX 00269

3355836 HEATING ELEMENT 1300W 230V
 length 475 mm - width 80 mm
 height 50 mm
 for Fry top electric (TECNOINOX) FTC35E - FTC70E
 FTL35E - FTL70E - FTR35E - FTR70E
 for Fry top electric (ZANUSSI) SRE350 - SRE360
 SRE370 - SRE700 - SRE710 - SRE720



TECNOINOX RC00286000

3755508 HEATING ELEMENT 1350W 230V
 length 395 mm - width 60 mm
 height 35 mm - fittings \varnothing 1/4"
 for Grill electric (TECNOINOX) GR35E
 for Grill electric (ZANUSSI) GR35E6U - SGE350



TECNOINOX RC00513000

3355860 HEATING ELEMENT 1500W 230V
 length 220 mm - width 430 mm
 flange 70x22 mm
 for Toaster electric (TECNOINOX) TS1 - TS2



TECNOINOX RC00000613

3755506 HEATING ELEMENT 1500W 230V
 length 270 mm - width 40 mm
 height 180 mm - fittings \varnothing 1/4"
 with cables
 for Fryer electric (TECNOINOX) FRF7-4,5KW
 FR6-4,5KW



TECNOINOX RC00075000



TECNOINOX



Suitable for:


3755599 HEATING ELEMENT 1600W 230V
length 365 mm - width 75 mm
total height 195 mm
for Pasta cooker electric (ZANUSSI) SCPE350



TECNOINOX RC01250000

Suitable for:

3355847 HEATING ELEMENT 2000W 220V
length 230 mm - width 280 mm
flange 107x33 mm
for Salamander electric (TECNOINOX) SE40



TECNOINOX RC00003804

3355849 HEATING ELEMENT 2000W 220V
length 230 mm - width 230 mm
flange 107x33 mm
for Salamander electric (TECNOINOX) SE60



TECNOINOX RC00003706

TECNOINOX 3706

3355285 HEATING ELEMENT 2000W 230V
length 255 mm - width 45 mm
height 200 mm - fittings \varnothing 13 mm
for Fryer electric (TECNOINOX) FR35E - FR70E
for Fryer electric (ZANUSSI) SFRE350 - SFRE700



TECNOINOX RC00282000

TECNOINOX 00282

3355848 HEATING ELEMENT 2000W 230V
length 230 mm - width 255 mm
flange 70x22 mm
for Salamander electric (TECNOINOX) SEF1 - SEF2
SEL1 - SEL2



TECNOINOX RC00000109

TECNOINOX RC0000109

3755502 HEATING ELEMENT 2200W 230V
length 270 mm - width 60 mm
height 180 mm - fittings \varnothing 1/4"
with cables
for Fryer electric (TECNOINOX) FR4-2,2KW



TECNOINOX RC00049000

3355889 HEATING ELEMENT 2500W 230V
external \varnothing 190 mm - total height 70 mm
flange 70x22 mm
for Kitchen electric (MBM) E4F6
for Oven under cooktop electric (GIGA)
Series COUNTER700 - Series KAPPA900
Series SNACK650



TECNOINOX RC00568000

3755503 HEATING ELEMENT 3000W 230V
length 270 mm - width 60 mm
height 180 mm - fittings \varnothing 1/4"
with cables
for Fryer electric (TECNOINOX) FR4-3KW



TECNOINOX RC00054000



Suitable for:

TECNOINOX



Suitable for:

3755504 HEATING ELEMENT 3400W 230V
 length 275 mm - width 170 mm
 height 180 mm - fittings \varnothing 1/4"
 with cables
 for Fryer electric (TECNOINOX) FRF7-3,4KW
 FR6-3,4KW



TECNOINOX RC00067000

Knobs

3241247 BLACK KNOB
 round hole \varnothing 6 mm
 for Fryer electric (TECNOINOX) FR35E - FR70E



TECNOINOX RC00329000

3241240 BLACK KNOB \varnothing 39 mm SILK-SCREEN PRINTED
 D shaft hole 6x4.6 mm
 for Toaster (TECNOINOX)



TECNOINOX RC00001113

3241243 BLACK KNOB \varnothing 39 mm SILK-SCREEN PRINTED
 D shaft hole 6x4.6 mm
 for Salamander (TECNOINOX) SE - SEF - SEL



TECNOINOX RC00006301

3241353 BLACK KNOB \varnothing 50 mm 30°-110°C
 D shaft hole 6x4.6 mm
 for Food-service trolley (RIEBER) STW - ZUB



TECNOINOX RC00598000

3241260 BLACK KNOB \varnothing 60 mm SILK-SCREEN PRINTED
 D shaft hole 8x6.5 mm
 for Bain-marie gas (TECNOINOX) BM35G - BM70G
 for Pot stove electric (TECNOINOX) PC35G
 for Pot stove gas (TECNOINOX) PC70G



TECNOINOX RC00401000

3241414 BLACK KNOB \varnothing 60 mm 0-1-2-3-4-5-6
 D shaft hole 6x4.6 mm
 for Pot stove electric (ZANUSSI) SCE350 - SCE700



TECNOINOX RC00289000



TECNOINOX



Suitable for:

3241244 BLACK KNOB \varnothing 60 mm 1-2-3-4-5-6-7-8
D shaft hole 6x4.6 mm
for Pot stove (TECNOINOX) PCC35E - PCC70E
for Potato heater (TECNOINOX) SP35E



TECNOINOX RC00287000

Suitable for:

3241246 BLACK KNOB \varnothing 60 mm 100-190°C
D shaft hole 6x4.6 mm
for Fryer electric (TECNOINOX) FR35E - FR70E



TECNOINOX RC00280000

3241248 BLACK KNOB \varnothing 60 mm 100-300°C
D shaft hole 6x4.6 mm
for Fry top electric (TECNOINOX) FTC35E - FTC70E
FTL35E - FTL70E - FTR35E - FTR70E



TECNOINOX RC00284000

3241245 BLACK KNOB \varnothing 60 mm 30-90°C
D shaft hole 6x4.6 mm
for Bain-marie electric (TECNOINOX) BM35E - BM70E



TECNOINOX RC00268000

3241401 BLACK KNOB \varnothing 70 mm UNIVERSAL
D shaft hole 8x6.5 mm



TECNOINOX RC05001300

Lamps

3221164 GREEN INDICATOR LAMP 230V
head \varnothing 7 mm - hole \varnothing 6 mm - 120°C
dashboard mounting
for Salamander (TECNOINOX) - Series SE
Series SEF - Series SEL



TECNOINOX RC00006601

TECNOINOX RC00011000

TECNOINOX 6601

3221162 GREEN LAMP RECEPTACLE
head \varnothing 14.5 mm - hole \varnothing 10 mm
for Fry top electric (TECNOINOX) FTC35E - FTC70E
FTL35E - FTL70E - FTR35E - FTR70E
for Fryer electric (TECNOINOX) FR35E - FR70E
for Potato heater electric (TECNOINOX) SP35E



TECNOINOX RC00053000

3221097 NEUTRAL INDICATOR LAMP 220V
head \varnothing 8 mm - 120°C



TECNOINOX RC00005200

TECNOINOX RC00005200

TECNOINOX RC40200154

3221163 ORANGE LAMP RECEPTACLE
head \varnothing 15 mm - hole \varnothing 10 mm



TECNOINOX RC00034000

TECNOINOX RC00319000



Suitable for:

TECNOINOX



Suitable for:

Lever ball valves

3356052 DRAIN TAP ø 3/4" F
 lateral lever fitting
 outlet internal ø 22 mm
 for Bain-marie (EMMEPI) - Series 650
 for Bain-marie gas (MARENO) BMG40 - BMG60
 for Fryer (EMMEPI) - Series 650
 for Fryer gas (MARENO) FQ-G60 - FQG-40
 for Pasta cooker (EMMEPI) - Series 650



TECNOINOX RC00080000

3356049 DRAIN PIPE WITH SAFETY DEVICE
 ø 22 mm - length 210 mm - bayonet joint
 for TECNOINOX BAIN-MARIE-FRYER



TECNOINOX RC00079000

3526693 WATER VALVE ø 1" MF
 ballcock valve
 heavy series with PN 40 total passage
 aluminium lever
 for Bratt pan (ZANUSSI) H900



TECNOINOX RC00579000

Microswitches

3240439 MICROSWITCH XTD225 15A 400V
 for Fryer electric (ZANUSSI)



TECNOINOX RC00283000

TECNOINOX 00283

Motors

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
 fan ø 150 mm
 for Hot cupboard
 for Warm table



TECNOINOX RC00565000

Piezo ignitors

3001020 PIEZO IGNITER 10015
 18 mm \varnothing mounting hole
 2.4 mm \varnothing male faston connector



TECNOINOX RC00128000

3001029 SIT PIEZO IGNITER
 for mounting a hole \varnothing 22 mm is required
 male faston \varnothing 2.4 mm
 for SERIES SNACK



TECNOINOX 40100130

3001014 WATERTIGHT PIEZO CAP
 made of silicone rubber
 complete with washer



TECNOINOX RC01865000

Pilot burners and accessories

3020001 ONE-FLAME PILOT BURNER SIT
 multigas with jet \varnothing 0.20 mm
 with 2 positions bracket
 for Bratt pan gas (ZANUSSI) - Series R700
 for Kitchen gas (ZANUSSI)



TECNOINOX RC01140000

3020054 PILOT JET \varnothing 0.20 mm



TECNOINOX RC00435000

3020055 PILOT JET \varnothing 0.35 mm



TECNOINOX RC00436000

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
 male faston M4x1 mm
 total length 65 mm



TECNOINOX RC00120000

TECNOINOX RC30100050

TECNOINOX RC30100054

3020201 PILOT GAS JET \varnothing 0.14 mm



TECNOINOX RC01219000

3020054 PILOT JET \varnothing 0.20 mm



TECNOINOX RC00435000



Suitable for:

TECNOINOX



3020055 PILOT JET \varnothing 0.35 mm



TECNOINOX RC00436000

Suitable for:

3020131 PIPE OLIVE \varnothing 8 mm



TECNOINOX RC01451000

3020146 TARGET ONE-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
for Bain-marie gas (ZANUSSI) - Series N900
for Fry top gas (ZANUSSI) - Series N700
Series N900
for Pot stove gas (ZANUSSI) - Series N700
Series N900



TECNOINOX RC01169000

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket
for Bain-marie gas (FAGOR)
for Bain-marie gas (GIGA) - Series 650
Series 700 - Series 900
for Boiling pan gas (FAGOR)
for Fry top gas (GIGA) - Series 650 - Series 700
Series 900
for Lava rock grill gas (GIGA) - Series 650
Series 700 - Series 900
for Oven under cooktop gas (FAGOR)



TECNOINOX RC00119000

3020055 PILOT JET \varnothing 0.35 mm



TECNOINOX RC00436000

3020054 PILOT JET \varnothing 0.20 mm



TECNOINOX RC00435000

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



TECNOINOX RC00120000

TECNOINOX RC30100050

TECNOINOX RC30100054



TECNOINOX



Suitable for:

Suitable for:

3020036 THREE-FLAME PILOT BURNER SIT
 with NG nozzle \varnothing 0.35 mm
 with 3 positions bracket
 for Fry top gas (ZANUSSI) - Series H900
 Series R701
 for Grill gas (ZANUSSI) - Series R701
 for Kitchen gas (ZANUSSI) - Series P1000
 for Oven under cooktop gas (ZANUSSI) - Series H900
 for Solid top range gas (ZANUSSI) - Series H900

3020054 PILOT JET \varnothing 0.20 mm



TECNOINOX RC30100005

TECNOINOX RC00435000

3020055 PILOT JET \varnothing 0.35 mm

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
 male faston M4x1 mm
 total length 65 mm



TECNOINOX RC00436000

TECNOINOX RC00120000

TECNOINOX RC30100050

TECNOINOX RC30100054

3020005 TWO-FLAME PILOT BURNER SIT
 multigas with jet \varnothing 0.20 mm
 with 3 positions bracket
 for Fryer gas (TECNOINOX) - Series FR

3020054 PILOT JET \varnothing 0.20 mm



TECNOINOX RC00445000

TECNOINOX RC00435000

3020055 PILOT JET \varnothing 0.35 mm

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
 male faston M4x1 mm
 total length 65 mm



TECNOINOX RC00436000

TECNOINOX RC00120000

TECNOINOX RC30100050

TECNOINOX RC30100054




Suitable for:



Suitable for:

Relays

3351008 RELAY 62.83 16A 230V 50/60Hz
3 switching contacts



TECNOINOX RC00001213

Rotary switches

3057050 CONNECTING BRACKET
connecting thermostat and switch



TECNOINOX

3057014 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D spindle \varnothing 6x4.6 mm
back connection for thermostat



TECNOINOX RC40100006

3057026 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D shaft \varnothing 6x4.6 mm
for Bain-marie (EMMEPI) - Series 650
for Bain-marie electric (OLIS) 72/02CBE
72/02TCBE
for Bratt pan electric (OLIS) 74/02KBEBI
for Bratt pan gas (OLIS) 74/02KBGMB
for Fryer (GICO) - Series 500 - Series 700
Series 900 - Series 920
for Fryer electric (OLIS) 72/02FRE - 74/02FRE
92/02FRE - 92/04FRE
for Hot cupboard (OLIS) TAC210 - TAC211 - TAC212
for Kitchen gas (OLIS) 76/02CGGE
for Oven under cooktop (GICO) - Series 500
Series 700



TECNOINOX RC00037000

3057177 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm
for Bain-marie (EMMEPI) - Series 700 - Series 750
Series 900
for Bain-marie (OLIS) - Series 700 - Series 900
for Fry top (ALPENINOX)
for Fry top (EMMEPI) - Series 700 - Series 750
Series 900
for Fry top (OLIS) - Series 700
for Fry top (ZANUSSI) - Series N700 - Series PR700
for Fryer (ALPENINOX)
for Fryer (OLIS) - Series 700 - Series 900
for Grill (ZANUSSI) - Series 700
for Kitchen electric (ZANUSSI) - Series 900
for Oven under cooktop (ALPENINOX)



TECNOINOX RC0007000

TECNOINOX RC0007000



Suitable for:

3057023 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 32A 250V - max 150°C
D shaft \varnothing 6x4.6 mm
for Bratt pan electric (COMETTO)
for Hot plate electric (COMETTO)
for Kitchen electric (EMMEPI) - Series 900
for Pot stove electric (COMETTO)



TECNOINOX RC01482000

Suitable for:

3057092 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft \varnothing 6x4.6 mm
for Kitchen electric (KÜPPERSBUSCH) - Series FEH



TECNOINOX RC00291000

3057024 SELECTOR SWITCH 0-7 POSITIONS
contact capacity 16A 250V - max 150°C
D shaft \varnothing 6x4.6 mm
for Kitchen electric (EMMEPI) - Series 650
Series 700 - Series 750
for Kitchen electric (GICO) - Series 700
for Kitchen electric (GIGA) - Series 600
Series 700 - Series 800 - Series 900
for Kitchen electric (OFFCAR) - Series 700
Series 900
for Kitchen electric (OLIS) 72/02CEPT - 76/02CEPT
for Pot stove electric (OLIS) 72/02TCE - 74/02CEPT
74/02TCE - 76/02TCE - 92/04CE - 92/04TCE
94/04CE - 94/04TCE



TECNOINOX RC40100004

Safety groups for pans and spare parts

3184007 PRESSURE GAUGE \varnothing 60 mm
in chrome plated brass
radial connection 1/4"
scale 0-1 bar
for safety groups



TECNOINOX RC30300022



Suitable for:

TECNOINOX



Suitable for:

Sparking and detection plugs

3020128 ROUND IGNITION ELECTRODE \varnothing 6x32 mm
 with silicone lead 770 mm
 overall length 800 mm
 for Pot stove electric (TECNOINOX) PC35G
 for Pot stove gas (TECNOINOX) PC70G



TECNOINOX RC00368000

3806007 ROUND SPARKING PLUG \varnothing 6.5x45 mm
 total length 60 mm
 for Fryer gas (ELFRAMO) GWDT12 - GWDT20 - GWT12
 GWT20
 for Fryer gas (KOMEL) KGWDT12 - KGWDT20 - KGWT12
 KGWT20



TECNOINOX RC01168000

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
 male faston M4x1 mm
 total length 65 mm



TECNOINOX RC00120000

TECNOINOX RC30100050

TECNOINOX RC30100054

Switches

3319012 GREEN BIPOLAR SWITCH 16A 250V
 with indicator light and switch cover
 screen printing 0 - I
 max temperature 120°C
 mounting hole 22x30 mm



TECNOINOX RC00004702

TECNOINOX RC00021000

3319090 GREEN BIPOLAR SWITCH 16A 250V
 with indicator lamp and switch cover
 max temperature 120°C
 mounting hole 22x30 mm



TECNOINOX RC00200000

3319944 GREEN BIPOLAR SWITCH 16A 250V
 with indicator light
 0-I silk-screen printing
 temperature max 120°C
 mounting hole 22x30 mm



TECNOINOX RC00000210

3319501 SWITCH PROTECTION CAP
 external dimensions 29x36 mm
 for switches with mounting hole 22x30 mm



TECNOINOX



Suitable for:

TECNOINOX



Suitable for:

Terminal blocks

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



TECNOINOX RC00194000

TECNOINOX 00194

Thermocouples and accessories

3440892 THERMOCOUP.SIT QUICK M9x1 60 cm - 10 PCS



TECNOINOX RC00118000

TECNOINOX 00118

3440079 THERMOCOUPLE M8x1 60 cm.COUPLING M6x1



TECNOINOX RC00367000

3440038 THERMOCOUPLE SIT M9x1 120 cm



TECNOINOX RC40400100

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



TECNOINOX RC40400100

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



TECNOINOX RC40400100

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



TECNOINOX RC00118000

3440035 THERMOCOUPLE SIT M9x1 60 cm.



TECNOINOX RC00118000

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



TECNOINOX RC00118000



Suitable for:

Suitable for:

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



TECNOINOX RC40400110

3440836 THERMOCOUPLE SIT M9x1 85 cm.



TECNOINOX RC40400110

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



TECNOINOX RC40400110

3440092 THERMOCOUPLE SIT QUICK M9x1 60 cm



TECNOINOX RC00118000

TECNOINOX 00118

3440892 THERMOCOUPLE SIT QUICK M9x1 60 cm - 10 PCS



TECNOINOX RC00118000

TECNOINOX 00118

Thermostatic gas valves

3345018 THERMOSTATIC GAS COCK PEL25ST

temperature range 100-300°C
fitting inlet/outlet M16x1.5 mm
thermocouple connection M9x1
bulb ø 6x100 mm
D-shaped pin ø 8x6.5 mm
for Fry top
for Oven under cooktop



TECNOINOX 01133

Thermostats

3444784 SINGLE-PHASE THERMOSTAT 100-175°C

D-shaped pin ø 6x4.6 mm
covered capillary length 1470 mm - 16A 230V
bulb ø 6x130 mm



TECNOINOX RC00038000

3444352 SINGLE-PHASE THERMOSTAT 130°C

with manual reset
covered capillary length 870 mm - 16A 250V
bulb ø 6x129 mm
for Bain-marie (BERTO'S) BM55E - BM70E



TECNOINOX RC00007803

TECNOINOX RC0042700

TECNOINOX RC00427000

TECNOINOX 7803



Suitable for:

3444174 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb \varnothing 3x220 mm



TECNOINOX RC00569000

Suitable for:

3444028 THREE-PHASE THERMOSTAT 105-185°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 2800 mm - 10A 400V
bulb \varnothing 4x235 mm
for Bratt pan (ZANUSSI) - Series R700
Series R701
for Fryer (ZANUSSI) - Series R700 - Series R701
for Fryer electric (FRI FRI) D6



TECNOINOX RC00064000
TECNOINOX 00281

TECNOINOX RC0028100

TECNOINOX RC00281000

3444143 THREE-PHASE THERMOSTAT 240°C

with manual reset
capillary length 1600 mm - 10A 400V
bulb \varnothing 6x85 mm
for Fryer (ANGELO PO) - Series JUNIOR
Series SENIOR - Series SUMMIT



TECNOINOX RC0045000

3444368 THREE-PHASE THERMOSTAT 245°C

with manual reset
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x80 mm
for Fryer (LOTUS) - Series 600 - Series 650
Series 700 - Series 900



TECNOINOX RC00450000

TECNOINOX 00450

3444351 THREE-PHASE THERMOSTAT 295°C

with manual reset
covered capillary 1800 mm - 10A 400V
bulb \varnothing 4x125 mm - 10A 400V
for TECNOINOX OVEN
for EMMEPI OVEN 900-750-700-650 - FRYTOP 900-750



TECNOINOX RC00063000

TECNOINOX 00063

TECNOINOX 81401059

3444076 THREE-PHASE THERMOSTAT 30-110°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1200 mm - 10A 400V
bulb \varnothing 6x130 mm



TECNOINOX RC00274000

3444088 THREE-PHASE THERMOSTAT 30-110°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x130 mm
with adapter nipple band M9x1
for Bain-marie (ZANUSSI)



TECNOINOX RC00274000

3444354 THREE-PHASE THERMOSTAT 350°C

with manual reset
capillary length 1120 mm - 10A 400V
bulb \varnothing 3x190 mm
for Fry top electric (TECNOINOX) FTC35E - FTC70E
FTL35E - FTL70E - FTR35E - FTR70E



TECNOINOX RC0030500

TECNOINOX RC00305000



Suitable for:

TECNOINOX



Suitable for:

3444251 THREE-PHASE THERMOSTAT 50-300°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1100 mm - 10A 400V
bulb \varnothing 3x220 mm
for Fry top (TECNOINOX) - Series 700
for Fry top (ZANUSSI) - Series HD900 - Series N900
for Oven under cooktop (MBM) - Series DOMINA
Series MAGIS MAGISTRA
for Oven under cooktop (TECNOINOX) - Series 700
for Oven under cooktop (ZANUSSI) - Series HD900
Series N700 - Series N900



TECNOINOX RC0028500

TECNOINOX RC00285000

Timers

3446153 TIMER 15 MINUTES IT/ITS

mechanical movement with balance wheel
manually set mechanical timer
manually set cycle 15 minutes
2 poles with contact capacity 16(4)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm



TECNOINOX RC00000713

TECNOINOX RC00022000

Water filling taps

3356111 WATER INLET TAP \varnothing 1/2" FF

for Boiling pan electric (FAGOR) ME9-10BM
ME9-15BM
for Boiling pan gas (FAGOR) MPG9-10 - MPG9-10BM
MPG9-15 - MPG9-15BM - MPG9-20
for Bratt pan electric (TECNOINOX) BS80FE7
BS80IE7



TECNOINOX RC30200008