



Spare parts for:

**Ovens**



Suitable for:

**GIERRE**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

**GIERRE**



Suitable for:

## Electronic boxes

### 3091031 CONTROL BOX 501 EFD

model SIT - 230V 50/60Hz 10A  
for Convection oven (GIERRE) EV125P  
for Convection oven (MARENO) - Series CON  
Series CSM  
for Convection oven gas (GIERRE) FEV107E - FEV107M  
FEV107P - FEV121E - FEV121M - FEV123E  
FEV123M - FEV123P - FEV125E - FEV125M - FEV57E  
FEV57M - FEV57P - FEV61E - FEV61M - FEV63E  
FEV63M - FEV63P - FEV65E - FEV65M - FEV65P



GIERRE ELE300/1

## Energy regulators

### 3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
double rotation direction  
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS  
for Convection oven (KELVIN)  
for Convection oven electric (GIERRE) FEV106M  
FEV166E - FEV166M - FEV166P - FEV168E  
FEV168M - FEV56M  
for Convection oven electric (SMEG) ALFA30V  
ALFA31V  
for Convection oven gas (GIERRE) FEV107M - FEV167E  
FEV167M - FEV167P - FEV57M




GIERRE SIM123

## Fans for motors

### 3240710 FAN $\varnothing$ 160 mm

thickness 40 mm  
total blades 36 -  $\varnothing$  hole 8 mm  
for Convection oven electric (GIERRE) BRG400  
BRG600 - BRIOMAXI - BRIOMIDI




GIERRE VEN130




## Gaskets for oven door

**3186154 OVEN DOOR GASKET 1500 mm**  
 made of silicone elastomer  
 profile dimensions 16.5x8 mm  
 COLOUR BLACK  
 for Convection oven electric (GIERRE) BRIOBRG200



GIERRE GUA320

**3186151 OVEN DOOR GASKET 640x460 mm**  
 made of silicone elastomer  
 profile dimensions 22x13.5 mm  
 COLOUR BLACK  
 for Convection oven electric (GIERRE) FEV120M  
 FEV60E - FEV60M - FEV62E - FEV62M - FEV62P  
 FEV64E - FEV64M - FEV64P  
 for Convection oven gas (GIERRE) FEV61E - FEV61M  
 FEV63E - FEV63M - FEV63P - FEV65E - FEV65M  
 FEV65P



GIERRE GUA500

GIERRE XXGUA500

**3186514 OVEN DOOR GASKET 660x350 mm**  
 made of silicone elastomer  
 with fastening clips  
 COLOUR BLACK  
 for Convection oven electric (GIERRE)  
 BRIOMAXIBRG600



GIERRE GUA315

GIERRE ZGUA504/3

**3186513 OVEN DOOR GASKET 670x280 mm**  
 made of silicone elastomer  
 with fastening clips  
 COLOUR BLACK  
 for Convection oven electric (GIERRE)  
 BRIOMIDIBRG400



GIERRE GUA312


GIERRE ZGUA312

**3786079 OVEN DOOR GASKET 745x465 mm**  
 made of silicone elastomer  
 COLOR BLACK  
 for Convection oven electric (GIERRE) FEV56E  
 FEV56M - FEV56P  
 for Convection oven gas (GIERRE) FEV057P - FEV57E  
 FEV57M



GIERRE GUA400

**3186512 OVEN DOOR GASKET 865x645 mm**  
 made of silicone elastomer  
 profile dimensions 22x13.5 mm  
 COLOUR BLACK  
 for Convection oven electric (GIERRE) FEV120E  
 FEV120M - FEV122E - FEV122M - FEV122P  
 FEV124E - FEV124M - FEV124P  
 for Convection oven gas (GIERRE) FEV121E - FEV121M  
 FEV123E - FEV123M - FEV123P - FEV125E  
 FEV125M - FEV125P



GIERRE GUA510

GIERRE XXGUA510



Suitable for:

# GIERRE



Suitable for:

## 3786080 OVEN DOOR GASKET 865x745 mm

made of silicone elastomer  
BLACK COLOR  
for Convection oven electric (GIERRE) FEV106E  
FEV106M - FEV106P  
for Convection oven gas (GIERRE) FEV107E - FEV107M  
FEV107P



GIERRE GUA410

GIERRE XXGUA410

## Handles

### 3242122 OVEN DOOR HANDLE

for Convection oven (KELVIN)  
for Convection oven (TECNOEKA) KF1001GIXAL  
KF1001GLPGIXAL - KF933AL - KF966DALUD  
for Convection oven electric (ANGELO PO) FCV3EM  
FCV4E - FCV4EDS - FCV4EM - FM423E1 - FM423E2  
for Convection oven electric (GARBIN) 104EXVAPOR  
104PXVAPOR - 25EXVAPOR - 43SEVAPOR - 45EXVAPOR  
45GXVAPOR - 64EXVAPOR - 64PXVAPOR  
for Convection oven electric (GIERRE) FEV106M  
FEV122M - FEV124M - FEV166M - FEV60M - FEV62M  
FEV64M  
for Convection oven electric (TECNOEKA) KF725EUD  
KF725UD - KF933U - KF964AL - KF964ALM  
KF965AL - KF965UD  
for Convection oven gas (GIERRE) FEV123M - FEV57M



GIERRE MAN710

### 3242111 STRIKE FOR DOOR HANDLE M8x1

overall length 50.5 mm  
for Convection oven (GIORIK)  
for Convection oven (KELVIN)  
for Convection oven (SOLYMAC) SOLY5P  
for Convection oven electric (COVEN) N6MD - N6MX  
TEC3MD - TEC3MX - TEC4MX - TEC5P - TEC6  
TEC6MD - TEC6MX - TEC7  
for Convection oven electric (SOLYMAC) SOLYMIX6  
SOLYP6  
for Convection oven gas (COVEN) N6GMD - N6GMX  
TEC5GP - TEC6G - TEC6GMD - TEC6GMX - TEC7G



GIERRE MAN710/1

GIERRE XXMAN710/1

### 3242111 STRIKE FOR DOOR HANDLE M8x1

overall length 50.5 mm  
for Convection oven (GIORIK)  
for Convection oven (KELVIN)  
for Convection oven (SOLYMAC) SOLY5P  
for Convection oven electric (COVEN) N6MD - N6MX  
TEC3MD - TEC3MX - TEC4MX - TEC5P - TEC6  
TEC6MD - TEC6MX - TEC7  
for Convection oven electric (SOLYMAC) SOLYMIX6  
SOLYP6  
for Convection oven gas (COVEN) N6GMD - N6GMX  
TEC5GP - TEC6G - TEC6GMD - TEC6GMX - TEC7G




GIERRE MAN710/1

GIERRE XXMAN710/1

## Heating elements

**3455386 HEATING ELEMENT 1400W 230V**  
length 360 mm - width 300 mm  
flange 70x22 mm  
for Proving oven electric (GIERRE) LIEV12 - LIEV15



GIERRE RES155

GIERRE XRES155

**3755292 HEATING ELEMENT 15000W 230V**  
external  $\varnothing$  410 mm - height 100 mm  
flange 142x25 mm  
for Convection oven electric (GIERRE) FEV120E  
FEV120M - FEV122E - FEV122M - FEV122P  
FEV124E - FEV124M - FEV124P



GIERRE RES103

**3355766 HEATING ELEMENT 1700W 230V**  
external  $\varnothing$  200 mm - overall height 80 mm  
flange 70x22 mm  
for Convection oven electric (GIERRE) BRIOBRG200



GIERRE RES210

**3755293 HEATING ELEMENT 3000W 230V**  
external  $\varnothing$  195 mm - overall height 95 mm  
flange 70x22 mm  
for Convection oven electric (GIERRE) BRIOBRG600  
BRIOMAXI - BRIOMIDI



GIERRE KITRES230

GIERRE RES220

**3355767 HEATING ELEMENT 400W 230V**  
length 370 mm - width 370 mm  
flange 100x22 mm  
for Convection oven electric (GIERRE) BRIO



GIERRE RES211

**3355768 HEATING ELEMENT 600W 230V**  
length 365 mm - width 370 mm  
flange 70x22 mm  
for Convection oven electric (GIERRE) BRIOBRG200



GIERRE RES212

**3755283 HEATING ELEMENT 7500W 230V**  
external  $\varnothing$  310 mm - overall height 185 mm  
flange 140x25 mm  
for Convection oven electric (GIERRE) FEV106E  
FEV106M - FEV106P - FEV166E - FEV166M  
FEV166P - FEV168E - FEV168M - FEV168P - FEV56E  
FEV56M - FEV56P - FEV60E - FEV60M - FEV62E  
FEV62M - FEV62P - FEV64E - FEV64M - FEV64P  
for Convection oven gas (GIERRE) FEV167E - FEV167M  
FEV167P - FEV169E - FEV169M - FEV169P



GIERRE RES101

GIERRE XRES101



Suitable for:

# GIERRE



Suitable for:

## Hinges, catches and accessories

**3053349 COMPLETE DOOR HINGE**  
for Proving oven electric (GIERRE) LIEV12 - LIEV15



GIERRE CER127

GIERRE YCER127

**3053019 DOOR HINGE ROLL HOLDER**  
mounting distance 95 mm - overall length 110 mm  
height 25 mm  
for Convection oven  
for Convection oven electric (GIERRE) BRIOBRG600  
BRIOMIDIBRG400



GIERRE CER151/1

**3053344 LEFT HINGE FOR OVEN**  
mounting distance 120 mm - overall length 155 mm  
height 150 mm  
for Convection oven electric (GIERRE) BRIOBRG600



GIERRE CER151

**3053019 DOOR HINGE ROLL HOLDER**  
mounting distance 95 mm - overall length 110 mm  
height 25 mm  
for Convection oven  
for Convection oven electric (GIERRE) BRIOBRG600  
BRIOMIDIBRG400



GIERRE CER151/1

**3053346 LEFT HINGE FOR OVEN**  
mounting distance 125 mm - overall length 148 mm  
height 154 mm  
for Convection oven electric (GIERRE) BRIOBRG200



GIERRE CER141

**3053254 ROLL HOLDER FOR HINGE**  
mounting distance 95 mm - overall length 110 mm  
height 23 mm  
for Convection oven electric (GARBIN) 12GX - 23MX  
23MXUMI - 31EXVAPOR - 31GXUMI - 36EXVAPOR  
36PXUMI - 41EXVAPOR - 41GXUMI - 43DX - 43DXUMI  
43MX - 43MXUMI - 44EXVAPOR - 44PXUMI  
for Convection oven electric (GIERRE) BRIOBRG200



GIERRE CER141/1

**3053345 RIGHT HINGE FOR OVEN**  
mounting distance 120 mm - overall length 155 mm  
height 149 mm  
for Convection oven electric (GIERRE) BRIOBRG600



GIERRE CER150

**3053019 DOOR HINGE ROLL HOLDER**  
mounting distance 95 mm - overall length 110 mm  
height 25 mm  
for Convection oven  
for Convection oven electric (GIERRE) BRIOBRG600  
BRIOMIDIBRG400



GIERRE CER151/1





Suitable for:

**3053347 RIGHT-HAND HINGE FOR OVEN**  
distance betw.holes 123 mm - overall length 148 mm  
height 152 mm  
for Convection oven electric (GIERRE) BRIOBRG200



GIERRE CER140

## GIERRE



Suitable for:

**3053254 ROLL HOLDER FOR HINGE**  
mounting distance 95 mm - overall length 110 mm  
height 23 mm  
for Convection oven electric (GARBIN) 12GX - 23MX  
23MXUMI - 31EXVAPOR - 31GXUMI - 36EXVAPOR  
36PXUMI - 41EXVAPOR - 41GXUMI - 43DX - 43DXUMI  
43MX - 43MXUMI - 44EXVAPOR - 44PXUMI  
for Convection oven electric (GIERRE) BRIOBRG200



GIERRE CER141/1

**3053254 ROLL HOLDER FOR HINGE**  
mounting distance 95 mm - overall length 110 mm  
height 23 mm  
for Convection oven electric (GARBIN) 12GX - 23MX  
23MXUMI - 31EXVAPOR - 31GXUMI - 36EXVAPOR  
36PXUMI - 41EXVAPOR - 41GXUMI - 43DX - 43DXUMI  
43MX - 43MXUMI - 44EXVAPOR - 44PXUMI  
for Convection oven electric (GIERRE) BRIOBRG200



GIERRE CER141/1

## Knobs

**3241295 BLACK KNOB  $\varnothing$  50 mm**  
D-shaped hole 6x4.6 mm  
for Convection oven electric (GIERRE) BRIO  
BRIOMAXI - BRIOMIDI - FEV106M - FEV120M  
FEV122M - FEV124M - FEV166E - FEV166M  
FEV166P - FEV168E - FEV168M - FEV168P - FEV56M  
FEV60M - FEV62M - FEV64M  
for Convection oven gas (GIERRE) FEV107M - FEV121M  
FEV123M - FEV167E - FEV167M - FEV167P  
FEV169E - FEV169M - FEV169P - FEV57M - FEV61M  
FEV63M - FEV65M - G423M



GIERRE MAN122

GIERRE MAN125

GIERRE XMAN125



Suitable for:

# GIERRE



Suitable for:

## Lamps

**3221132 GREEN INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



GIERRE XSEG311

**3221212 HALOGEN LAMP RECEPTACLE G4 35W 12V**  
wire connection length 150 mm  
for Convection oven (INOXTREND) - Series BUA  
Series BUE - Series FBA - Series FBE - Series FBP  
Series FDA - Series FDE - Series FDP - Series FUA  
Series FUE



GIERRE POR150/3

GIERRE XXPOR150/3

**3221105 NEUTRAL HALOGEN LAMP G4 20W 12V**  
for Electric oven (ELOMA) 12-21 MULTIMAX



GIERRE LAM125

**3221095 ORANGE INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



GIERRE XSEG312

## Level regulators

**3341026 LEVEL ADJUSTER RL30/3ES/F/G**  
230V 50/60Hz  
for Convection oven electric (FOINOX) FM100EM  
FM200EM - FM201EM - FM401EM - FM60EM  
for Convection oven gas (FOINOX) FM100GM - FM200GM  
FM201GM - FM401GM - FM60GM



GIERRE PRO065/1

## Motors

**3240000 MOTOR WITH FAN 45W 220V 50/60Hz**  
fan  $\varnothing$  150 mm  
for Convection oven  
for Convection oven electric (COVEN) C6E - TEC10  
TEC10MD - TEC10MX - TEC2 - TEC3 - TEC3H  
TEC3MD - TEC3MX - TEC4MX - TEC4P - TEC6  
TEC6H - TEC6MD - TEC6MX - 6EMD - 6EMX  
for Convection oven electric (SOLYMAC) SOLYMIX10  
SOLYMIX6 - SOLYP10 - SOLYP6



GIERRE MOT214





Suitable for:

# GIERRE



Suitable for:

## Motors


**3240709 MOTOR 1004.2456 0.12Kw 220/240V 50/60Hz**  
 0.9A - 2800/3400rpm - capacitor 6.3  $\mu$ F  
 for Convection oven electric (GIERRE) BRG400  
 BRG600 - BRIOMAXI - BRIOMIDI



GIERRE KITMOT310

GIERRE MOT300

**3240710 FAN  $\varnothing$  160 mm**  
 thickness 40 mm  
 total blades 36 -  $\varnothing$  hole 8 mm  
 for Convection oven electric (GIERRE) BRG400  
 BRG600 - BRIOMAXI - BRIOMIDI



GIERRE VEN130

## Outlet solenoid valves and accessories

**3120126 BOILER MOTOR DRAIN VALVE TCN**  
 230V 50/60Hz  
 connections  $\varnothing$  3/4"FF  
 for Convection oven electric (GIERRE) FEV124E  
 FEV124M - FEV124P - FEV64M  
 for Convection oven electric (LAINOX) - Series ME  
 VE061D - VE061M - XAME07D  
 for Convection oven gas (GIERRE) FEV125E - FEV125M  
 FEV125P - FEV65E - FEV65M - FEV65P  
 for Convection oven gas (LAINOX) - Series MG



GIERRE VAL550

## Probes

**3397045 TEMPERATURE PROBE PT100**  
 2 wires  
 bulb  $\varnothing$  5x90 mm  
 vetrotex cable length 900 mm  
 for Convection oven electric (GIERRE) FEV106E  
 FEV106P - FEV120E - FEV122E - FEV122P  
 FEV124E - FEV124P - FEV56E - FEV56P - FEV60E  
 FEV62E - FEV62P  
 for Convection oven gas (GIERRE) FEV107E - FEV107P  
 FEV121E - FEV123E - FEV123P - FEV57E - FEV57P  
 FEV61E - FEV63E - FEV63P



GIERRE SON152

GIERRE XSON152



Suitable for:

# GIERRE



Suitable for:

## Rotary switches

### 3057019 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C  
 D-shaft  $\varnothing$  6x4.6 mm  
 for Convection oven (COVEN)  
 for Convection oven (SOLYMAC) - Series SOLY MIX  
 for Convection oven electric (GIERRE) BRIOMAXI  
 BRIOMIDI - FEV106M - FEV120M - FEV166E  
 FEV166M - FEV166P - FEV168E - FEV168M  
 FEV168P - FEV56M - FEV60M  
 for Convection oven electric (GIORIK) CE06MX  
 CE10MX - CE102MX - CE20MX - EF10GM - EF4PM  
 EF5GM - EF6PM - EF7GM - EF8PM  
 for Convection oven gas (GIERRE) FEV107M - FEV121M  
 FEV167E - FEV167M - FEV167P - FEV169E  
 FEV169M - FEV169P - FEV57M - FEV61M  
 for Convection oven gas (GIORIK) CG06MX - CG10MX



GIERRE COM123

### 3057148 SELECTOR SWITCH 0-5 POSITIONS

8 cams - contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.  $\varnothing$  6 mm  
 for Convection oven electric (GIERRE) BRIOBRG200



GIERRE COM150

## Solenoid valves

### 3120414 SOLENOID VALVE 230V $\varnothing$ 10.5 mm

solenoid valve 180° - 230V 50/60Hz - max 90°C  
 inlet 3/4" - 3 outlets  $\varnothing$  10.5 mm



GIERRE VAL100

### 3120127 SOLENOID VALVE 253 220/240V $\varnothing$ 13 mm

solenoid valve 180° - 220/240V 50/60Hz - max 60°C  
 inlet 3/4" - two threaded outlets  $\varnothing$  13 mm  
 for Convection oven electric (GIERRE) FEV122M  
 FEV124M - FEV62M - FEV64M  
 for Convection oven gas (GIERRE) FEV123M - FEV63E  
 FEV63M



GIERRE VAL110

### 3120124 SOLENOID-VALVE 220/240V $\varnothing$ 13 mm

solenoid valve 180° - 220/240V 50/60Hz - max 60°C  
 inlet 3/4" - threaded outlet  $\varnothing$  13 mm  
 for Convection oven electric (GIERRE) BRG400  
 BRG600 - BRIOMAXI - BRIOMIDI - FEV106M  
 FEV166M - FEV60M  
 for Convection oven gas (GIERRE) FEV57M - FEV61M  
 for Proving oven electric (GIERRE) LIEV12 - LIEV15



GIERRE VAL100

GIERRE YVAL100



## Sparking and detection plugs

**3020195 SPARKING AND FLAME DETECTION PLUG**  
 for Convection oven gas (GIERRE) FEV057E - FEV057M  
 FEV057P - FEV061E - FEV061M - FEV063E  
 FEV063M - FEV063P - FEV064E - FEV064P  
 FEV107E - FEV107M - FEV107P - FEV121E  
 FEV121M - FEV123E - FEV123M - FEV123P  
 FEV125E - FEV125M - FEV125P - FEV65E - FEV65M  
 FEV65P



GIERRE KITELE090300/1

**3806009 SPARKING PLUG KIT**  
 two plugs kit:  
 ø 9x58 mm - overall length 97 mm  
 complete with cable length 1080 mm  
 plate 15x57 mm  
 for Convection oven electric (GIERRE) FEV64E  
 FEV64P  
 for Convection oven gas (GIERRE) FEV107E - FEV107M  
 FEV107P - FEV121M - FEV123E - FEV123M  
 FEV123P - FEV125E - FEV125M - FEV125P - FEV57E  
 FEV57M - FEV57P - FEV61E - FEV61M - FEV63E  
 FEV63M - FEV63P - FEV65E - FEV65M - FEV65P  
 FV121E



GIERRE ELE090

**3806009 SPARKING PLUG KIT**  
 two plugs kit:  
 ø 9x58 mm - overall length 97 mm  
 complete with cable length 1080 mm  
 plate 15x57 mm  
 for Convection oven electric (GIERRE) FEV64E  
 FEV64P  
 for Convection oven gas (GIERRE) FEV107E - FEV107M  
 FEV107P - FEV121M - FEV123E - FEV123M  
 FEV123P - FEV125E - FEV125M - FEV125P - FEV57E  
 FEV57M - FEV57P - FEV61E - FEV61M - FEV63E  
 FEV63M - FEV63P - FEV65E - FEV65M - FEV65P  
 FV121E



GIERRE ELE090

## Switches

**3319948 RED BIPOLAR SWITCH 16A 250V**  
 with indicator lamp  
 max. temperature 120°C  
 mounting hole ø 25 mm



GIERRE INT123



Suitable for:

# GIERRE



Suitable for:

## Thermostats

### 3444114 SINGLE-PHASE THERMOSTAT 50-250°C

D-shaped pin 6x4.6 mm  
capillary length 900 mm - 16A 250V  
bulb ø 3x220 mm  
for Convection oven electric (GIERRE) FEV024  
FEV106M - FEV166M - FEV60M  
for Convection oven gas (GIERRE) FEV57M - FEV61M



GIERRE TER110

### 3444459 SINGLE-PHASE THERMOSTAT 50-255°C

D-shaped pin ø 6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
bulb ø 3x219 mm - with stuff.gland coupling M10x1  
for Convection oven electric (GIERRE) FEV062M  
FEV064M - FEV122M - FEV124M  
for Convection oven gas (GIERRE) FEV123M - FEV63M  
FEV65M - G423M



GIERRE TER114

### 3444457 SINGLE-PHASE THERMOSTAT 50-290°C

D-shaped pin ø 6x4.6 mm  
covered capillary length 1500 mm - 16A 250V  
bulb ø 3x220 mm  
for Convection oven electric (GIERRE) BRIOBRG200  
BRIOBRG600 - BRIOMAXI - BRIOMIDI



GIERRE TER109

## Timers

### 3446075 TIMER P045 2 CAMS 230V 50Hz

cycle 120 minutes - D-shaped pin ø 6x4.6 mm  
for Convection oven (ZANUSSI) - Series ACF  
Series ACV - Series AFCF - Series ECF - Series ECV  
Series FCF - Series FCS - Series FCV - Series FDV  
Series NCF - Series NCV - Series ZCF - Series ZCV  
for Convection oven electric (GIERRE) BRIOMAXI  
BRIOMIDI - FEV060M - FEV062M - FEV064M  
FEV106M - FEV122M - FEV124M - FEV166M  
for Convection oven gas (GIERRE) FEV057M - FEV061M  
FEV063M - FEV123M



GIERRE TEM105

### 3446084 TIMER 120 MINUTES MM7

mechanical timer with sound alarm  
manual position possible  
manually set cycle 120 minutes  
contact capacity 16(4)A 250V  
max. temperature 120°C  
D-shaped pin ø 6x4.6 mm  
for Convection oven electric (GIERRE) FEV106M  
FEV120M - FEV122M - FEV124M - FEV166E  
FEV166M - FEV166P - FEV168E - FEV168M  
FEV168P - FEV56M - FEV60M - FEV62M  
for Convection oven gas (GIERRE) FEV107M - FEV121M  
FEV123M - FEV125M - FEV167E - FEV167M  
FEV167P - FEV169E - FEV169M - FEV169P - FEV57M  
FEV61M - FEV63M



GIERRE TEM1243



Suitable for:

Suitable for:

## 3446058 **TIMER 60 MINUTES MS65**

complete with cable  
mechanical timer with alarm  
manual position possible  
manually set cycle 60 minutes  
contact capacity 16(4)A 250V  
max temperature 120°C  
D-shaped pin  $\varnothing$  6x4,6 mm  
for Convection oven electric (GIERRE) BRIOBRG200  
BRIOBRG600



GIERRE TEM160

## Timers and cycle reversing switches

## 3446120 **TIMER P255 3 CAMS 230V 50Hz**

cycle 6 minutes  
for Convection oven electric (GIERRE) BRIOBRG600  
BRIOMAXI - BRIOMIDI - FEV106M  
for Convection oven gas (GIERRE) FEV57M



GIERRE TEM115