



Spare parts for:

**Ovens**



Suitable for:

**MKN**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2013-11211711





Suitable for:

**MKN**



Suitable for:

## Centrifigal fans

### 3240695 MOTOR FAN RG128/1300-3612

100W 230V 50Hz

for Convection oven gas (LAINOX) HMG061P - HMG061T

HMG061X - HMG101P - HMG101T - HMG101X

HMG102P - HMG102T - HMG102X - HMG201P

HMG201T - HMG201X - HMG202P - HMG202T

HMG202X - HVG061P - HVG061T - HVG061X

HVG101P - HVG101T - HVG101X - HVG102P

HVG102T - HVG102X - HVG202P - HVG202T

HVG202X



MKN 203994

## Electrical gas valves and accessories

### 3526017 VALVE VK4115V HONEYWELL ø 18 mm

inlet-outlet ø 18 mm without thread

maximum gas inlet pressure 60 mbar

room temperature -15 ÷ 70°C

power supply 220/240V 50Hz

for Convection oven (MKN) - Series HD10

Series HD20 - Series HD6

for Convection oven gas (CONVOTHERM) OGB10.10

OGB10.20 - OGB20.10 - OGB20.20 - OGS10.10

OGS10.20 - OGS20.10 - OGS20.20



MKN 201181

### 3526361 VALVE 822 NOVA ø 1/2"FF

inlet ø 1/2" F - outlet ø 1/2" F

thermocouple fitting M10x1

maximum gas inlet pressure 60 mbar

outlet pressure setting range

3 ÷ 30 mbar

room temperature 0 ÷ 60°C

power supply 230V 50Hz

for Convection oven gas (INOXTREND) BUA-606G

BUA-610G - BUE-606G - BUE-610G - FBA-106G

FBA-110G - FBA-210G - FBE-106G - FBE-110G

FDA-106G - FDA-110G - FDA-210G - FDE-106G

FDE-110G - FDE-210G - FUA-106G - FUA-110G

FUA-210G - FUE-106G - FUE-110G - FUE-210G



MKN 201717

## Energy regulators

### 3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
double rotation direction  
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS  
for Convection oven (KELVIN)  
for Convection oven electric (GIERRE) FEV106M  
FEV166E - FEV166M - FEV166P - FEV168E  
FEV168M - FEV56M  
for Convection oven electric (SMEG) ALFA30V  
ALFA31V  
for Convection oven gas (GIERRE) FEV107M - FEV167E  
FEV167M - FEV167P - FEV57M



MKN 203160

## Gas taps and accessories

### 3348029 FITTING FOR PIPE $\varnothing$ 4 mm

for model PEL 21-22



MKN 201561

## Gaskets and seals

### 3186561 GASKET FOR OVEN LAMP RECEPTACLE

for Convection oven (MKN) - Series HD10  
Series HD20 - Series HD6



MKN 211128

## Gaskets for oven door

### 3286016 OVEN DOOR GASKET - 25 m

made of silicone elastomer  
profile dimensions 33x13 mm  
COLOUR BLACK  
for Convection oven (CONVOTHERM)



MKN 7001013



Suitable for:

MKN



Suitable for:

## Gaskets for oven door

**3286080 OVEN DOOR GASKET - 3 m**  
made of silicone elastomer  
profile dimensions 33x13 mm  
COLOUR BLACK  
for Convection oven (CONVOTHERM)



MKN 7001013

**3286016 OVEN DOOR GASKET - 25 m**  
made of silicone elastomer  
profile dimensions 33x13 mm  
COLOUR BLACK  
for Convection oven (CONVOTHERM)



MKN 7001013

**3286015 OVEN DOOR GASKET - 6 m**  
made of silicone elastomer  
profile dimensions 33x13 mm  
COLOUR BLACK  
for Convection oven (CONVOTHERM)



MKN 7001013

**3286015 OVEN DOOR GASKET - 6 m**  
made of silicone elastomer  
profile dimensions 33x13 mm  
COLOUR BLACK  
for Convection oven (CONVOTHERM)



MKN 7001013

**3186391 OVEN DOOR GASKET 1065x700 mm**  
made of silicone elastomer - 3 sides  
profile dimensions 33x13 mm  
COLOUR BLACK  
for Convection oven (CONVOTHERM) OD12.20  
for Convection oven electric (CONVOTHERM) OS12.20



MKN 7001020

**3186390 OVEN DOOR GASKET 1650x700 mm**  
made of silicone elastomer - 3 sides  
profile dimensions 33x13 mm  
COLOUR BLACK  
for Convection oven (CONVOTHERM) OD20.10 - OD20.20  
for Convection oven electric (CONVOTHERM) OS20.10  
OS20.20



MKN 7001018

**3186562 OVEN DOOR GASKET 605x475 mm**  
made of silicone elastomer  
profile dimensions 33x16 mm  
COLOUR BLACK  
for Convection oven (MKN) - Series HD6



MKN 211094



Suitable for:

### 3186388 OVEN DOOR GASKET 625x485 mm

made of silicone elastomer  
profile dimensions 33x13 mm  
COLOUR BLACK  
for Convection oven (CONVOTHERM) OD06.10  
for Convection oven electric (CONVOTHERM) OS6.10



MKN 7001016

Suitable for:

### 3186389 OVEN DOOR GASKET 725x625 mm

made of silicone elastomer  
profile dimensions 33x13 mm  
COLOUR BLACK  
for Convection oven electric (CONVOTHERM) OD10.10  
OS10.10



MKN 7001017

### 3186563 OVEN DOOR GASKET 745x605 mm

made of silicone elastomer  
profile dimensions 33x16 mm  
COLOUR BLACK  
for Convection oven (MKN) - Series HD10  
for Convection oven electric (MKN) CSE110221/01  
CSE110448/01 - CSE115446/01



MKN 211095

## Handles

### 3242134 DOOR LOCK COVER

for Convection oven (MKN) - Series HD10  
Series HD20 - Series HD6



MKN 203667

### 3242138 DOOR LOCKING BRACKET

for Convection oven (MKN) - Series HD10  
Series HD20 - Series HD6



MKN 801064

### 3242292 DOOR LOCKING MECHANISM

for OVEN  
for Convection oven (MKN) - Series HD10  
Series HD6



MKN 207092



Suitable for:

**MKN**



**3242135 OVEN DOOR HANDLE**  
for Convection oven (MKN) - Series HD10  
Series HD20 - Series HD6



MKN 207089

**3242138 DOOR LOCKING BRACKET**  
for Convection oven (MKN) - Series HD10  
Series HD20 - Series HD6



MKN 801064

**3242136 STRIKE M8X1 FOR DOOR HANDLE**  
overall length 43 mm  
for Convection oven (MKN) - Series HD10  
Series HD20 - Series HD6



MKN 207090

**3242136 STRIKE M8X1 FOR DOOR HANDLE**  
overall length 43 mm  
for Convection oven (MKN) - Series HD10  
Series HD20 - Series HD6



MKN 207090

**3242134 DOOR LOCK COVER**  
for Convection oven (MKN) - Series HD10  
Series HD20 - Series HD6



MKN 203667

**3242292 DOOR LOCKING MECHANISM**  
for OVEN  
for Convection oven (MKN) - Series HD10  
Series HD6



MKN 207092



## Heating elements

**3755746 BOILER HEATING ELEMENT 12000W 230V**  
 immersed length 580 mm  
 flange external  $\varnothing$  57/47.5 - complete with cables  
 for Convection oven electric (CONVOTHERM)



MKN 5007068

**3355726 HEATING ELEMENT 7500W 220/380V**  
 for boiler  
 immersed length 430 mm  
 connection  $\varnothing$  1"1/2 (48 mm)- complete with cables  
 for Convection oven electric (CONVOTHERM)



MKN 5007063

**3355727 HEATING ELEMENT 9000W 220V**  
 for boiler  
 immersed length 430 mm  
 connection  $\varnothing$  1"1/2 (48 mm)- complete with cables  
 for Convection oven electric (CONVOTHERM)



MKN 5007066

## Knobs

**3241333 GREY KNOB  $\varnothing$  71 mm**  
 D-shaped hole 6x4.6 mm  
 for Convection oven (MKN) - Series HD10  
 Series HD20 - Series HD6



MKN 209481

## Lamps

**3221278 GLASS FOR OVEN LAMP RECEPTACLE  $\varnothing$  90 mm**  
 for Convection oven (MKN) - Series HD10  
 Series HD20 - Series HD6



MKN 216115

**3221068 NEON LAMP FOR OVEN E14 2W 380V**  
 dimensions  $\varnothing$  13x30 mm  
 for OVEN



MKN 203106





Suitable for:

**3221250 NEUTRAL HALOGEN LAMP G4 10W 12V**  
for Convection oven electric (FAGOR) COE-061  
COE-101 - VE-061 - VE-101 - VPE-061 - VPE-101



MKN 202620

Suitable for:

**3221105 NEUTRAL HALOGEN LAMP G4 20W 12V**  
for Electric oven (ELOMA) 12-21 MULTIMAX



MKN 203679

### Microswitches

**3240438 MAGNETIC MICROSWITCH E5601V**  
0.04A 250V - NO contact - head 29x19x6 mm  
with cable length 1000 mm  
for Convection oven (MKN) - Series HD10  
Series HD20 - Series HD6



MKN 203028

**3240820 MICROSWITCH 16A 250V**



MKN 203339

### Pilot burners and accessories

**3020036 THREE-FLAME PILOT BURNER SIT**  
with NG nozzle  $\varnothing$  0.35 mm  
with 3 positions bracket



MKN 520997

### Solenoid valves

**3120261 MULLER SOLENOID VALVE 230V  $\varnothing$  12 mm**  
solenoid valve 180° - 220/230V 50/60Hz - max 90°C  
3/4" inlet -  $\varnothing$  12 mm outlet



MKN 201160


MKN 201192





## Sparking and detection plugs

- 3020234 ROUND SPARKING PLUG  $\varnothing$  11x57 mm**  
 overall length 64 mm  
 complete with cable length 600 mm  
 for Convection oven (MKN) - Series HD10  
 Series HD20 - Series HD6



MKN 201176

MKN 201176+211137+...

## Thermocouples and accessories

- 3440064 NUT FOR THERMOCOUPLE M8x1**



MKN 201524

- 5034845 THERMOCOUPLE SIT M8x1 85 cm**



MKN 201670

## Thermostats

- 3444974 SINGLE-PHASE THERMOSTAT 100-645°C**  
 complete with switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1100 mm - 16A 250V  
 bulb  $\varnothing$  4x230 mm  
 for Convection oven (ROSINOX)  
 for Convection oven (SOLYMAC)



MKN 203408

- 3444415 SINGLE-PHASE THERMOSTAT 176°C**  
 with manual reset  
 covered capillary length 1450 mm - 16A 380V  
 bulb  $\varnothing$  4x110 mm - with bulb coupling  $\varnothing$  8.6x32 mm  
 for Steam oven (JUNO-RÖDER-SENKING) - Series 50  
 Series 54 - Series 55



MKN 203185

- 3744104 SINGLE-PHASE THERMOSTAT 97-190°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1500 mm - 16A 250V  
 bulb  $\varnothing$  6x90 mm - with stuff.gland coupling M9x1  
 with complete tank sealing coupling M12x1



MKN 203067

MKN 203662

- 2102671 THERMOSTAT TRIPHASE 360°C**  
 with manual reset  
 capillary length 1780 mm - 16A 400V  
 bulb  $\varnothing$  4x128 mm



MKN 203938



Suitable for:

**MKN**



**2000134 THERMOSTAT 3-PHASE 50-300°C**

D-shaft  $\varnothing$  6x4.6 mm  
covered capillary length 800 mm  
bulb  $\varnothing$  6x77 mm



MKN 203494

Suitable for:

**2000135 THREE-PHASE THERMOSTAT 360°C**

with manual reset  
covered capillary length 1710 mm - 10A 400v  
bulb  $\varnothing$  4x120 mm



MKN 203484

**3444735 THREE-PHASE THERMOSTAT 60-300°C**

D-shaped pin 6x4.6 mm  
covered capillary length 3000 mm - 16A 230V  
bulb  $\varnothing$  6x80 mm  
for Convection oven (THERMA)  
for Pastry oven (MKN)



MKN 203488