




Spare parts for:

**Ovens**



Suitable for:

**RATIONAL**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2013-11211733





Suitable for:

# RATIONAL



Suitable for:

## Alarms

**3397302 ALARM BELL 220V**  
for Convection oven (CONVOTHERM)



RATIONAL 30060101

**3397204 ALARM BUZZER SET 12V 50Hz**  
cable length 395 mm  
for Convection oven (RATIONAL)  
since 1/06/97  
Series CM - Series CPC - Series SCC



RATIONAL 30060107

RATIONAL 4002087

RATIONAL 8700136

## Axial motors

**3240519 AXIAL FAN EBM 119x119x38 mm**  
ball bearing  
230V 50Hz 19W 2650rpm  
4656N



RATIONAL

**3240501 AXIAL FAN SUNON 120x120x38 mm**  
ball bearings  
230V 50/60Hz 22W 2850rpm  
DP200A 2123XBT.GN



RATIONAL 31011008

**3240916 AXIAL VENTILATOR 127x127x38 mm**  
25W 12V  
for Convection oven electric (RATIONAL)  
since 1/04/04  
SCC201 - SCC202



RATIONAL 4000474

## Castors, rollers and accessories

**3346080 WHEEL WITH BRAKE  $\varnothing$  125 mm**  
zinc-plated wheel support



RATIONAL 20050600



Suitable for:

# RATIONAL



Suitable for:

## Centrifigal fans

**3240758 MOTOR FAN RG100/1000-2012 25W 230V**  
50/60Hz  
for Convection oven gas (RATIONAL)  
since 1/01/01  
Series CM - Series CPC



RATIONAL 31011016

**3240764 MOTOR FAN RG130/0800-3612 230/240V**  
50/60Hz  
for Convection oven gas (RATIONAL)  
since 1/01/01  
Series CM - Series CPC



RATIONAL 31011017

RATIONAL 31011017P

**3240759 MOTOR FAN RG130/0800-3612 50W 230V**  
50Hz  
for Convection oven gas (RATIONAL)  
since 1/04/04  
Series SCC



RATIONAL 7000028

**3240760 MOTOR FAN RG148/1200-3633-010203**  
140W 230V 50/60Hz  
for Convection oven gas (RATIONAL)  
since 1/04/04  
Series SCC



RATIONAL 7000067

**3240480 MOTOR VENTILAT.RG100/1100-2012 200W 24V**  
for gas burner  
for Convection oven gas (RATIONAL)



RATIONAL 1004849

RATIONAL 31011011

RATIONAL 87201418

## Contact thermostats

**3443026 CONTACT THERMOSTAT 110°C M4**  
for Convection oven (RATIONAL)  
since 1/06/97  
Series CM - Series CP



RATIONAL 30140325



Suitable for:

# RATIONAL



Suitable for:


## Contactors

**3397401 AEG MOTOR OVERLOAD CUTOUT Mbs25 50/60Hz**  
 0.55Kw / 1÷1.6A  
 3 normally open contacts



RATIONAL 30310105

**3397402 AEG MOTOR OVERLOAD CUTOUT Mbs25 50/60Hz**  
 1.1Kw / 1.6÷2.5A  
 3 normally open contacts




RATIONAL 30310107

**3351260 AUXILIARY CONTACT AEG HS05.01**  
 10A  
 1 normally closed contact



RATIONAL 30280158

**3397403 AUXILIARY CONTACT AEG HS9.11**  
 6A  
 1 normally open contact  
 1 normally closed contact



RATIONAL 30310102

RATIONAL 30310108

**3454032 AUXILIARY CONTACT BCLF10**  
 1 normally open contact  
 1 normally close contact  
 for Convection oven (FRIMA)  
 since 1/06/97  
 for Convection oven (RATIONAL)  
 since 1/06/97



RATIONAL 30280560

**3454012 CONTACTOR ABB A30-30-10 30A 400V 15Kw**  
 coil 230V 50/60Hz  
 3 normally open contacts  
 2 normally open auxiliary contacts  
 for OVEN



RATIONAL

**3351209 CONTACTOR AEG LS05 9A 230V 4Kw**  
 coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally closed auxiliary contact



RATIONAL 30280500

RATIONAL 30280501

**3351260 AUXILIARY CONTACT AEG HS05.01**  
 10A  
 1 normally closed contact




RATIONAL 30280158



Suitable for:

**3351210 CONTACTOR AEG LS05 9A 230V 4Kw**  
 coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact



RATIONAL 30280504

**3351220 CONTACTOR AEG LS11K 25A 230V 11Kw**  
 coil 230V 50/60Hz  
 3 normally open contacts  
 no auxiliary contact



RATIONAL 30280510

**3351222 CONTACTOR AEG LS22K 50A 230V 22Kw**  
 coil 230V 50/60Hz  
 3 normally open contacts  
 no auxiliary contact  
 for Convection oven (FRIMA)  
 for Convection oven (RATIONAL)



RATIONAL 30280513

**3351211 CONTACTOR AEG LS4K 9A 230V 4Kw**  
 coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally closed auxiliary contact  
 for Convection oven (FRIMA)  
 since 1/06/97  
 for Convection oven (RATIONAL)  
 since 1/06/97




RATIONAL 30280506

RATIONAL 30280551

Suitable for:

**3351260 AUXILIARY CONTACT AEG HS05.01**  
 10A  
 1 normally closed contact



RATIONAL 30280158


**3351221 CONTACTOR AEG LS15K 32A 230V 16Kw**  
 coil 230V 50/60Hz  
 3 normally open contacts  
 no auxiliary contact



RATIONAL 30280512

RATIONAL 30280554

**3351223 CONTACTOR AEG LS30K 65A 230V 30Kw**  
 coil 230V 50/60Hz  
 3 normally open contacts  
 no auxiliary contact



RATIONAL 30280515

**3351212 CONTACTOR AEG LS4K 9A 230V 4Kw**  
 coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact



RATIONAL 30280550

RATIONAL 30280507

RATIONAL 30280550



Suitable for:

# RATIONAL



**3351217 CONTACTOR AEG LS7K 18A 230V 7.5Kw**  
 coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally closed auxiliary contact



RATIONAL 30280508

RATIONAL 30280552

RATIONAL 30280557

Suitable for:

**3351218 CONTACTOR AEG LS7K 18A 230V 7.5Kw**  
 coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact



RATIONAL 30280509

**3351219 CONTACTOR AEG LS7K 18A 230V 7.5Kw**  
 coil 230V 50/60Hz  
 4 normally open contacts  
 no auxiliary contact



RATIONAL 30280517

**3397404 THERMAL MOTOR PROTECTION**  
 contact capacity 240V  
 operating power 0.05A  
 for Convection oven electric (RATIONAL) CD101  
 CD102 - CD201 - CD202 - CD61 - CM101 - CM102  
 CM201 - CM202 - CM61 - CPC101 - CPC102  
 CPC201 - CPC202 - CPC61  
 for Convection oven gas (RATIONAL) CM101G - CM102G  
 CM201G - CM202G - CM61G - CPC101G - CPC102G  
 CPC201G - CPC202G - CPC61G



RATIONAL 1010670

RATIONAL 30140400

RATIONAL 30140402

## Detergents

**3092240 OVEN CLEANING TABLETS**  
 100 tablets jar - total weight 6 kg  
 for OVEN



RATIONAL 5000012

RATIONAL 5600210

**3092241 OVEN RINSE AID CLEANING TABLETS**  
 50 tablets jar - total weight 3 kg  
 for OVEN



RATIONAL 5600211

## Drain pumps

**3122404 DRAIN ELECTRIC PUMP BE28B4-178 LH**  
 100W 230V 50Hz  
 inlet external  $\varnothing$  30 mm - outlet external  $\varnothing$  24 mm  
 for Convection oven (RATIONAL) - Series CC  
 Series CCC - Series CCD - Series CCM - Series CD  
 Series CM - Series CPC



RATIONAL 30021000

RATIONAL 30021000P

**5037766 DRAIN ELECTRIC PUMP DPS35-038 47W**  
 200/240V 50/60Hz 0.5A  
 inlet external  $\varnothing$  24 mm - outlet external  $\varnothing$  24 mm  
 for Convection oven electric (RATIONAL) SCC101E  
 SCC102E - SCC61E - SCC62E  
 for Convection oven gas (RATIONAL) SCC101G  
 SCC102G - SCC61G - SCC62G



RATIONAL 8700352





Suitable for:

**3122777 DRAIN ELECTRIC PUMP HANNING DPS25R**  
 43W 200/240V 50/60Hz 0.4A FZ98  
 inlet external  $\varnothing$  30 mm - outlet external  $\varnothing$  24 mm  
 for Convection oven electric (RATIONAL)  
 Series CD - Series CM - Series CPC - Series SCC  
 for Convection oven gas (RATIONAL) - Series CD  
 Series CM - Series CPC - Series SCC



RATIONAL 1003334  
 RATIONAL 4400207

RATIONAL 30021005  
 RATIONAL 4400207P

RATIONAL 30021005P

Suitable for:

**3122745 DRAIN ELECTRIC PUMP UP30-890**  
 100W 230V 50/60Hz-capacitor 2.5  $\mu$ f  
 inlet external  $\varnothing$  24 mm - outlet external  $\varnothing$  24 mm  
 for Convection oven electric (RATIONAL)  
 since 1/04/04  
 SCC101E - SCC102E - SCC201E - SCC202E - SCC61E  
 SCC62E  
 for Convection oven gas (RATIONAL)  
 since 1/04/04  
 SCC101G - SCC102G - SCC201G - SCC202G - SCC61G  
 SCC62G



RATIONAL 5600153

RATIONAL 5600153P

RATIONAL 5600185

**3122402 DRAIN ELECTRO-PUMP 80W 230V 50Hz**  
 inlet external  $\varnothing$  24 mm - outlet external  $\varnothing$  24 mm  
 for Convection oven (RATIONAL) - Series CC  
 Series CCC - Series CCD - Series CCM - Series CD  
 Series CM - Series CPC



RATIONAL 30021000

RATIONAL 30021000P

## Drip trays for kitchens and ovens

**3015043 DRIP TRAY**  
 sizes 548x23x22 mm  
 for Convection oven (RATIONAL)



RATIONAL 84741377

## Electrical gas valves and accessories

**3526102 ELECTRIC COUPLING WITH CABLE**  
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



RATIONAL 30390205

**3526181 VALVE VK4105C HONEYWELL  $\varnothing$  1/2"**  
 inlet-outlet  $\varnothing$  1/2" unthreaded  
 maximum gas inlet pressure 60 mbar  
 room temperature  $-15 \div 60^{\circ}\text{C}$   
 power supply 220/240V 50Hz  
 for Convection oven gas (FOINOX) J00611G - J01011G  
 J01021G - J02011G - J02021G



RATIONAL 30390241



Suitable for:

# RATIONAL



Suitable for:

**3526219 VALVE VK4115V HONEYWELL ø 18 mm**  
 inlet-outlet ø 18 mm unthreaded  
 maximum gas inlet pressure 60 mbar  
 room temperature -15÷70°C  
 power supply 220/240V 50Hz  
 for Convection oven gas (RATIONAL)  
 since 1/01/01  
 Series CPC



RATIONAL 30390245

RATIONAL 30390245P

## Electronic boxes

**5039267 CONTROL BOX ARGUS 070-R1**  
 complete with cables  
 230V  
 for Convection oven gas (RATIONAL) SCC101G  
 SCC102G - SCC201G - SCC202G - SCC61G - SCC62G



RATIONAL 7400221

RATIONAL 8700577

**3091017 CONTROL BOX S4560B1006**  
 model HONEYWELL - 220/240V 50Hz 10VA  
 for Convection oven electric (RATIONAL) CM101  
 CM201



RATIONAL 30390103

**3091032 CONTROL BOX S4565BD1064**  
 model HONEYWELL - 220/240V 50/60Hz 4VA  
 for Convection oven (RATIONAL)  
 since 1/01/01  
 CPC



RATIONAL 30390107

RATIONAL 30390107P

**3526403 CONTROL BOX S4565C1033U**  
 model HONEYWELL - 230V 50/60Hz 4VA  
 for 6-20 grills  
 for Convection oven gas (ZANUSSI)



RATIONAL 30390105

## Electronic printed-circuit boards

**3390234 BYPASS BOARD 150x125 mm**  
 for Convection oven (RATIONAL)  
 since 1/01/89  
 Series CCD - Series CD - Series CM - Series CPC




RATIONAL 1004933  
RATIONAL 30402060

RATIONAL 30020400  
RATIONAL 30403100

RATIONAL 30020408  
RATIONAL 30403100ET

**3390238 ELECTRONIC BOARD CPU 280x110 mm**  
 for Convection oven (RATIONAL)  
 since 1/01/97  
 Series CM - Series CPC



RATIONAL 30400276  
RATIONAL 30403001ET

RATIONAL 30403000  
RATIONAL 30403001ET+...

RATIONAL 30403001





Suitable for:

**3390310 ELECTRONIC CONTROL BOARD 340x130 mm**  
for Convection oven (RATIONAL) - Series SCC



RATIONAL 4200002

RATIONAL 4200002P

Suitable for:

**3390319 ELECTRONIC DISPLAY BOARD SET 375x120mm**  
complete with cable and control box  
for Convection oven (RATIONAL)  
since 1/04/04  
till 1/01/06  
Series CM - Series SCC



RATIONAL 4200004

RATIONAL 4200004P

RATIONAL 8700139

**3390236 MOTOR ELECTRONIC BOARD 110x135x133 mm**  
for Convection oven (RATIONAL)  
since 1/01/01  
Series CPC



RATIONAL 30403040

RATIONAL 30403040P

**3390380 RELAY ELECTRONIC BOARD 155x145 mm**  
with protection screen  
for Convection oven (RATIONAL)  
since 1/04/04  
Series SCC



RATIONAL 4000049


RATIONAL 4200064P

**3390235 USER ELECTRONIC BOARD 455x155 mm**  
for Convection oven (RATIONAL)  
since 1/01/97  
Series CM - Series CPC



RATIONAL 30403010


**3390233 USER ELECTRONIC BOARD 460x155 mm**  
for Convection oven (RATIONAL)  
since 1/01/97  
Series CPC



RATIONAL 30403020

## Electronic thermostats and controllers

**3445375 THERMOSTAT ELIWELL IDPlus 902**  
230V 50/60Hz  
1 relay output 8A for compressor  
1 selectable NTC/PTC/PT1000 probe (not included)  
1 programmable digital/temperature input  
TTL input for copy card connection  
front dimension 74x32xdepth 59 mm  
mounting hole 71x29 mm



RATIONAL 4001360



Suitable for:

# RATIONAL



Suitable for:

## Fans for motors

**3240757 FAN  $\varnothing$  350 mm**  
 thickness 135 mm  
 total blades 12 -  $\varnothing$  tapered hole 13-16.5 mm  
 for Convection oven electric (RATIONAL)  
 since 1/01/99  
 CPC101 - CPC201 - CPC61



RATIONAL 1012741

RATIONAL 20120512

## Feet

**3313016 ADJUSTABLE S/STEEL FOOT  $\varnothing$  1" x h 80 mm**  
 with plastic support for tubular foot 40x40 mm  
 adjustable height 23÷58 mm  
 max load 400 Kg



RATIONAL 20390111

## Filters

**3160348 AIR INLET FILTER 212x60 mm**  
 for Convection oven (RATIONAL)  
 since 1/06/97  
 Series CPC  
 for Convection oven electric (RATIONAL) CD101  
 CD102 - CD201 - CD202 - CD61 - CM202 - CM61  
 for Convection oven gas (RATIONAL) CM101G - CM61G



RATIONAL 20390337

RATIONAL 52141300

RATIONAL 84551377

**3160501 AIR INLET FILTER 220x50 mm**  
 for Convection oven electric (RATIONAL) CM101E  
 CM102E - CM201E - CM202E - CM61E - CM62E  
 SCC101E - SCC102E - SCC201E - SCC202E - SCC61E  
 SCC62E  
 for Convection oven gas (RATIONAL) CM101G - CM102G  
 CM201G - CM202G - CM61G - CM62G - SCC101G  
 SCC102G - SCC201G - SCC202G - SCC61G - SCC62G



RATIONAL 1600673

RATIONAL 1601662

**3160349 STAINLESS STEEL DRAIN FILTER  $\varnothing$  72 mm**  
 for Convection oven electric (RATIONAL)  
 since 1/01/00  
 CPC101 - CPC201 - CPC61



RATIONAL 20050302

RATIONAL 20050307



Suitable for:

# RATIONAL



Suitable for:

## Fuses

**3049020 DELAY FUSE 5x20 - 10 PCS**  
250V 6.3A



RATIONAL 30190200

**3049065 DELAY FUSE 6.3x32 - 10 PCS**  
250V 6.3A



RATIONAL 40010224

**3049049 QUICK ACTING FUSE 5x20 - 10 PCS**  
250V 2A



RATIONAL 30190120

**3049052 QUICK ACTING FUSE 5x20 - 10 PCS**  
250V 4A



RATIONAL 30190112

**3049034 QUICK ACTING FUSE 6.3x32 - 10 PCS**  
500V 10A



RATIONAL 40010225

## Gaskets and seals

**3786496 BOILER LEVEL GASKET 70x70x4 mm**  
for Convection oven electric (RATIONAL) CC101  
CC20 - CC201 - CC6



RATIONAL 50120537

**3786514 GASKET FOR CONTROL PANEL 590x185 mm**  
adhesive  
with fastening clips  
for Convection oven (RATIONAL)  
since 1/04/04  
Series SCC



RATIONAL 1600387

**3186491 HEATING ELEMENT GASKET**  
external dimensions 82x82 mm  
for Convection oven (FAGOR)  
for Convection oven (RATIONAL)



RATIONAL 51101003

**3186492 HEATING ELEMENT GASKET**  
external dimensions 209x45 mm  
for Convection oven (FAGOR)  
for Convection oven (RATIONAL)



RATIONAL 51101009



Suitable for:

# RATIONAL



**3186493 HEATING ELEMENT GASKET**  
external dimensions 146x83 mm  
for Convection oven (RATIONAL)



RATIONAL 51101200

**3186757 HEATING ELEMENT GASKET**  
external dimensions 125x103 mm  
for Convection oven electric (RATIONAL)



RATIONAL 4400279

**3786136 HEATING ELEMENT GASKET**  
external dimensions 80x82 mm  
for Convection oven electric (RATIONAL)



RATIONAL 4400280

**3786497 MOTOR SHAFT GASKET**  
for Convection oven (RATIONAL)



RATIONAL 50020301

**3786614 OVEN LAMP RECEPTACLE GASKET**  
dimensions 48x41x3 mm



RATIONAL 50120535

## Gaskets for oven door

**3786360 CARRIAGE STOP GASKET 460x160 mm**  
made of silicone elastomer - 3 sides  
COLOUR BLACK  
for Convection oven electric (RATIONAL) CCC201  
CCD201 - CCM201



RATIONAL 51051015

**3786470 CARRIAGE STOP GASKET 665x160 mm**  
made of silicone elastomer - 3 sides  
COLOUR BLACK  
for Convection oven electric (RATIONAL) CCC202  
CCD202 - CCM202



RATIONAL 51051010



Suitable for:

Suitable for:

### 3786508 OVEN CARRIAGE GASKET 565 mm

made of silicone elastomer  
profile dimensions 52x13 mm  
COLOUR BLACK  
for Convection oven electric (RATIONAL)  
since 1/04/04  
SCC201



RATIONAL 2400187

### 3186482 OVEN CARRIAGE GASKET 610 mm

made of silicone elastomer  
profile dimensions 60x12 mm  
COLOUR BLACK  
for Convection oven electric (RATIONAL)  
since 1/06/97  
CD201 - CM201N - CPC201



RATIONAL 1003278

RATIONAL 5105125

### 3786503 OVEN CARRIAGE GASKET 775 mm

made of silicone elastomer  
profile dimensions 52x13 mm  
COLOUR BLACK  
for Convection oven electric (RATIONAL)  
since 1/04/04  
SCC202



RATIONAL 2400194

### 3786495 OVEN CARRIAGE GASKET 825 mm

made of silicone elastomer  
profile dimensions 60x12 mm  
COLOUR BLACK  
for Convection oven electric (RATIONAL)  
since 1/06/97  
CD202 - CM202  
CM202N - CPC202



RATIONAL 51051026

### 3286006 OVEN DOOR GASKET - 25 m

made of silicone elastomer  
profile dimensions 19x19 mm  
BLACK COLOR  
for Convection oven electric (RATIONAL) CC20  
CD20 - CD201 - CM20 - CM201  
for Convection oven gas (RATIONAL) CM21G



RATIONAL 50120700

RATIONAL 50120701

RATIONAL 50120702

### 3286024 OVEN DOOR GASKET - 25 m

made of silicone elastomer  
profile dimensions 25x12 mm  
COLOUR BROWN  
for Convection oven (RATIONAL)



RATIONAL

### 3286077 OVEN DOOR GASKET - 3 m

made of silicone elastomer  
profile dimensions 19x19 mm  
BLACK COLOUR  
for Convection oven electric (RATIONAL) CC20  
CD20 - CD201 - CM20 - CM201  
for Convection oven gas (RATIONAL) CM21G



RATIONAL 50120700

RATIONAL 50120701

RATIONAL 50120702

### 3286006 OVEN DOOR GASKET - 25 m

made of silicone elastomer  
profile dimensions 19x19 mm  
BLACK COLOR  
for Convection oven electric (RATIONAL) CC20  
CD20 - CD201 - CM20 - CM201  
for Convection oven gas (RATIONAL) CM21G



RATIONAL 50120700

RATIONAL 50120701

RATIONAL 50120702



Suitable for:

**3286005 OVEN DOOR GASKET - 6 m**

made of silicone elastomer  
profile dimensions 19x19 mm  
BLACK COLOR  
for Convection oven electric (RATIONAL) CC20  
CD20 - CD201 - CM20 - CM201  
for Convection oven gas (RATIONAL) CM21G



RATIONAL 50120700

RATIONAL 50120701

RATIONAL 50120702

# RATIONAL



Suitable for:

**3286083 OVEN DOOR GASKET - 3 m**

made of silicone elastomer  
profile dimensions 25x12 mm  
COLOUR BROWN  
for Convection oven (RATIONAL)



RATIONAL

**3286023 OVEN DOOR GASKET - 6 m**

made of silicone elastomer  
profile dimensions 25x12 mm  
COLOUR BROWN  
for Convection oven (RATIONAL)



RATIONAL

**3286024 OVEN DOOR GASKET - 25 m**

made of silicone elastomer  
profile dimensions 25x12 mm  
COLOUR BROWN  
for Convection oven (RATIONAL)



RATIONAL

**3286005 OVEN DOOR GASKET - 6 m**

made of silicone elastomer  
profile dimensions 19x19 mm  
BLACK COLOR  
for Convection oven electric (RATIONAL) CC20  
CD20 - CD201 - CM20 - CM201  
for Convection oven gas (RATIONAL) CM21G



RATIONAL 50120700

RATIONAL 50120701

RATIONAL 50120702

**3286023 OVEN DOOR GASKET - 6 m**

made of silicone elastomer  
profile dimensions 25x12 mm  
COLOUR BROWN  
for Convection oven (RATIONAL)



RATIONAL





# RATIONAL



Suitable for:

Suitable for:

## 3786021 OVEN DOOR GASKET 1475x475 mm

made of silicone elastomer  
 profile dimensions 27x17 mm  
 COLOUR BLACK  
 for Convection oven electric (RATIONAL)  
 since 1/01/09  
 CM201E  
 SCC201E  
 for Convection oven gas (RATIONAL)  
 since 1/01/09  
 CM201G  
 SCC201G



RATIONAL 2000398

RATIONAL 2000398P

## 3786022 OVEN DOOR GASKET 1475x670 mm

made of silicone elastomer  
 profile dimensions 27x17 mm  
 COLOUR BLACK  
 for Convection oven electric (RATIONAL)  
 since 1/01/09  
 CM202E  
 SCC202E  
 for Convection oven gas (RATIONAL)  
 since 1/01/09  
 CM202G  
 SCC202G



RATIONAL 2000399

RATIONAL 2000399P

## 3186481 OVEN DOOR GASKET 1500x490 mm

made of silicone elastomer  
 profile dimensions 31x15 mm  
 COLOUR BLACK  
 for Convection oven electric (RATIONAL)  
 since 1/06/97  
 CD201  
 CM201N - CPC201 - CPC201E  
 for Convection oven gas (RATIONAL) CPC201G  
 CPC202G



RATIONAL 51051023

RATIONAL 51051023P

## 3786016 OVEN DOOR GASKET 1505x695 mm

made of silicone elastomer  
 profile dimensions 31x15 mm  
 COLOUR BLACK  
 for Convection oven electric (RATIONAL)  
 since 1/06/97  
 CD202  
 CM202N - CPC202 - CPC202E  
 for Convection oven gas (RATIONAL) CPC202G



RATIONAL 51051024

RATIONAL 51051024P

## 3186156 OVEN DOOR GASKET 485x470 mm

made of silicone elastomer  
 profile dimensions 23x18 mm  
 COLOUR BLACK  
 for Convection oven electric (RATIONAL) CC6 - CD6  
 CM6



RATIONAL 50120703

## 3786674 OVEN DOOR GASKET 500x470 mm

made of silicone elastomer  
 profile dimensions 28.5x13 mm  
 COLOUR BLACK  
 for Convection oven electric (RATIONAL)  
 since 1/06/11  
 CM61E - SCC61E  
 since 1/04/04  
 SCC61  
 for Convection oven gas (RATIONAL)  
 since 1/06/11  
 CM61G - SCC61G



RATIONAL 2000394

RATIONAL 2000394P

RATIONAL 2001800P



Suitable for:

# RATIONAL



## 3786243 OVEN DOOR GASKET 520x470 mm

made of silicone elastomer  
profile dimensions 23x22 mm  
COLOUR BLACK  
for Convection oven electric (RATIONAL)  
since 1/05/93  
till 1/05/97  
CCD61 - CCM61  
CCC61



RATIONAL 51051001

## 3186319 OVEN DOOR GASKET 530x473 mm

made of silicone elastomer  
profile dimensions 31x15 mm  
COLOUR BLACK  
for Convection oven electric (RATIONAL)  
since 1/06/97  
CD61  
CM61 - CPC61 - CPC61E  
for Convection oven gas (RATIONAL) CM101G - CM61G  
CPC61G



RATIONAL 51051020

RATIONAL 51051020P

## 3786675 OVEN DOOR GASKET 680x500 mm

made of silicone elastomer  
profile dimensions 28.5x13 mm  
COLOUR BLACK  
for Convection oven electric (RATIONAL)  
since 1/06/11  
CM62E - SCC62E  
for Convection oven gas (RATIONAL)  
since 1/06/11  
CM62G - SCC62G



RATIONAL 2000395

RATIONAL 2000395P

RATIONAL 2001801P

## 3186155 OVEN DOOR GASKET 720x485 mm

made of silicone elastomer  
profile dimensions 23x18 mm  
COLOUR BLACK  
for Convection oven electric (RATIONAL) CC101  
CD101 - CM101  
for Convection oven gas (RATIONAL) CM101G



RATIONAL 50120704

## 3786676 OVEN DOOR GASKET 760x470 mm

made of silicone elastomer  
profile dimensions 28.5x13 mm  
COLOUR BLACK  
for Convection oven electric (RATIONAL)  
since 1/06/11  
CM101E - SCC101E  
for Convection oven gas (RATIONAL)  
since 1/06/11  
CM101G - SCC101G



RATIONAL 2000396

RATIONAL 2001802P

## 3786677 OVEN DOOR GASKET 760x675 mm

made of silicone elastomer  
profile dimensions 28.5x13 mm  
COLOUR BLACK  
for Convection oven electric (RATIONAL)  
since 1/06/11  
CM102E - SCC102E  
for Convection oven gas (RATIONAL)  
since 1/06/11  
CM102G - SCC102G



RATIONAL 2001803P



Suitable for:

Suitable for:

**3786020 OVEN DOOR GASKET 770x680 mm**  
 made of silicone elastomer  
 profile dimensions 31x15 mm  
 COLOUR BLACK  
 for Convection oven electric (RATIONAL)  
 till 1/05/11  
 CM102E  
 SCC102E  
 for Convection oven gas (RATIONAL)  
 till 1/05/11  
 CM102G  
 SCC102G

**3186426 OVEN DOOR GASKET 780x470 mm**  
 made of silicone elastomer  
 profile dimensions 31x15 mm  
 COLOUR BLACK  
 for Convection oven electric (RATIONAL)  
 since 1/06/97  
 CD101  
 CM101N - CPC101 - CPC101E  
 for Convection oven gas (RATIONAL) CM101G  
 CPC101G



RATIONAL 2000397

RATIONAL 2000397P

RATIONAL 51051021

RATIONAL 51051021P

**3186427 OVEN DOOR GASKET 785x470 mm**  
 made of silicone elastomer  
 profile dimensions 23x22 mm  
 COLOUR BLACK  
 for Convection oven electric (RATIONAL) CCC101  
 CCD101 - CCM101

**3786015 OVEN DOOR GASKET 807x690 mm**  
 made of silicone elastomer  
 profile dimensions 31x15 mm  
 COLOUR BLACK  
 for Convection oven electric (RATIONAL)  
 since 1/06/97  
 CD102  
 CM102N - CPC102 - CPC102E  
 for Convection oven gas (RATIONAL) CPC102G



RATIONAL 51051004

RATIONAL 51051022

RATIONAL 51051022P

**3286026 OVEN DRAWER GASKET - 21 m**  
 made of silicone elastomer  
 profile dimensions 26x19 mm  
 COLOUR BROWN  
 for Convection oven (RATIONAL)



RATIONAL 20120200  
RATIONAL 50120551

RATIONAL 50120504

RATIONAL 50120550



Suitable for:

Suitable for:

**3286025 OVEN DRAWER GASKET - 7 m**  
 made of silicone elastomer  
 profile dimensions 26x19 mm  
 COLOUR BROWN  
 for Convection oven (RATIONAL)



RATIONAL 50120504

RATIONAL 50120550

RATIONAL 20120200  
RATIONAL 50120551

**3286026 OVEN DRAWER GASKET - 21 m**  
 made of silicone elastomer  
 profile dimensions 26x19 mm  
 COLOUR BROWN  
 for Convection oven (RATIONAL)




RATIONAL 50120504

RATIONAL 50120550

RATIONAL 20120200  
RATIONAL 50120551

**3786623 OVEN GLASS GASKET**  
 made of silicone elastomer  
 profile dimensions 8x7 mm  
 COLOUR GREY  
 SOLD PER METRE  
 for Convection oven electric (KÜPPERSBUSCH) ECD110  
 for Convection oven electric (RATIONAL) CD101  
 CD20 - CM101 - CM6  
 for Convection oven gas (RATIONAL) CM61G



RATIONAL 50120200

**3286048 OVEN GLASS GASKET - 25 m**  
 made of silicone elastomer  
 profile dimensions 9x7 mm  
 COLOUR BLACK  
 for Convection oven (RATIONAL)



RATIONAL 50120200

**3286047 OVEN GLASS GASKET - 6 m**  
 made of silicone elastomer  
 profile dimensions 9x7 mm  
 COLOUR BLACK  
 for Convection oven (RATIONAL)



RATIONAL 50120200

**3286048 OVEN GLASS GASKET - 25 m**  
 made of silicone elastomer  
 profile dimensions 9x7 mm  
 COLOUR BLACK  
 for Convection oven (RATIONAL)



RATIONAL 50120200

## Gearmotors

**3340149 HUMIDITY CONTROL MOTOR 12V**  
 for Convection oven electric (RATIONAL) CPC101  
 CPC102 - CPC201 - CPC202 - CPC61 - SCC101E  
 SCC102E - SCC201E - SCC202E - SCC61E - SCC62E  
 for Convection oven gas (RATIONAL) CPC101G  
 CPC102G - CPC201G - CPC202G - CPC61G - SCC101G  
 SCC102G - SCC201G - SCC202G - SCC61G - SCC62G



RATIONAL 31011010



## Glues

- 3392003 RED SILICONE SUPERSIL 60 ml**  
 temperature max +350°C  
 STRONG ADHESION  
 excellent for the sealing of parts exposed to high temperatures, OVENS, MOTORS, STOVES, BOILERS  
 suitable as sealer for OVEN GASKETS



RATIONAL 50060200

RATIONAL 50060207

## Handles

- 3242090 BASE FOR DOOR HANDLE**  
 for OVEN



RATIONAL 20160605

- 3242481 BRACKET FOR DOOR HANDLE STRIKE**  
 mounting distance 46 mm  
 for OVEN



RATIONAL 2400141

- 3242317 CLOSING DEVICE FOR DOOR HANDLE**  
 for OVEN



RATIONAL 20161452

- 3242604 COVER FOR DOOR LOCK**  
 for OVEN



RATIONAL 27601049

- 3242484 COVER FOR DOOR MECHANISM**  
 for Convection oven electric (RATIONAL)  
 since 1/04/04  
 SCC201 - SCC202



RATIONAL 2400216

- 3242320 DOOR CLOSING PLATE**  
 distance between mounting holes 68 mm  
 for OVEN



RATIONAL 20161300

- 3242480 DOOR HANDLE INTERNAL HINGE UNIT**  
 for OVEN



RATIONAL 2400176

- 3242476 DOOR HANDLE PIN 47 mm**  
 for OVEN



RATIONAL 1003323

RATIONAL 29401312

RATIONAL 29401314



Suitable for:

# RATIONAL



**3242465 DOOR HANDLE SPRING**  
for OVEN



RATIONAL 2401100

Suitable for:

**3242478 LOCK CLAMP FOR OVEN DOOR**  
for OVEN



RATIONAL 1010833

RATIONAL 29401305

**3242316 OVEN DOOR CLOSING SUPPORT**  
distance between mounting holes 32-90 mm  
for OVEN



RATIONAL 20161457

**3242471 OVEN DOOR HANDLE**  
for Convection oven electric (RATIONAL) CC20  
CC201 - CD20 - CD201 - CM20 - CM201  
for Convection oven gas (RATIONAL) CM21G



RATIONAL 20161412

RATIONAL 20161450

**3242090 BASE FOR DOOR HANDLE**  
for OVEN



RATIONAL 20160605

**3242317 CLOSING DEVICE FOR DOOR HANDLE**  
for OVEN



RATIONAL 20161452

**3242320 DOOR CLOSING PLATE**  
distance between mounting holes 68 mm  
for OVEN



RATIONAL 20161300

**3242316 OVEN DOOR CLOSING SUPPORT**  
distance between mounting holes 32-90 mm  
for OVEN



RATIONAL 20161457

**3242466 PLASTIC RING  $\varnothing$  56x40x2 mm**  
for OVEN



RATIONAL 20161453





Suitable for:

**3242318 STRIKE FOR DOOR HANDLE**  
distance between mounting holes 68 mm  
for OVEN



RATIONAL 20160604

# RATIONAL



Suitable for:

**3242241 STRIKE FOR OVEN RIGHT HANDLE**  
distance between mounting holes 67 mm  
for OVEN



RATIONAL 20160603

**3242472 OVEN DOOR HANDLE**  
for Convection oven electric (RATIONAL)  
since 1/06/97  
CD101 - CD102 - CD61  
CCC101 - CCC61 - CCD61 - CCM101 - CCM61 - CM101  
CM101N - CM102 - CM102N - CM61 - CPC101  
CPC102 - CPC61  
for Convection oven gas (RATIONAL) CM101G - CM102G  
CM61G - CPC101G - CPC102G - CPC61G



RATIONAL 20161500

RATIONAL 20161504

**3242475 OVEN DOOR LOCK**  
for OVEN



RATIONAL 1003536

RATIONAL 84741300

**3242473 OVEN DOOR HANDLE**  
for Convection oven electric (RATIONAL)  
since 1/06/97  
CD201 - CD202  
CCC102 - CCC201 - CCC202 - CCD102 - CCD201  
CCD202 - CCM102 - CCM201 - CCM202 - CM201  
CM201N - CM202 - CM202N - CPC201 - CPC202  
for Convection oven gas (RATIONAL) CM201G - CM202G  
CPC201G - CPC202G



RATIONAL 20161507

**3242476 DOOR HANDLE PIN 47 mm**  
for OVEN



RATIONAL 1003323

RATIONAL 29401312

RATIONAL 29401314

**3242312 STRIKE FOR OVEN HANDLE**  
distance between mounting holes 15 mm  
for Convection oven electric (RATIONAL) CC101  
CC6 - CD101 - CD6 - CM101 - CM6  
for Convection oven gas (RATIONAL) CM14G - CM62G



RATIONAL 20160610

**3242474 OVEN DOOR LOCK**  
for OVEN



RATIONAL 84741410



Suitable for:

**3242477 STRIKE FOR DOOR HANDLE**  
distance between mounting holes 52 mm  
for OVEN



RATIONAL 1003540

RATIONAL 85141307

# RATIONAL



Suitable for:

**3242479 OVEN DOOR HANDLE**  
for Convection oven electric (RATIONAL)  
since 1/10/08  
CM101E - CM102E - CM61E - CM62E  
SCC101E - SCC102E - SCC61E - SCC62E  
for Convection oven gas (RATIONAL)  
since 1/10/08  
CM101G - CM102G - CM61G - CM62G  
SCC101G - SCC102G - SCC61G - SCC62G



RATIONAL 2400152

**3242480 DOOR HANDLE INTERNAL HINGE UNIT**  
for OVEN



RATIONAL 2400176

**3242482 PIN FOR OVEN DOOR HANDLE 43 mm**  
for OVEN



RATIONAL 2400142

**3242481 BRACKET FOR DOOR HANDLE STRIKE**  
mounting distance 46 mm  
for OVEN



RATIONAL 2400141

**3242465 DOOR HANDLE SPRING**  
for OVEN



RATIONAL 2401100

**3242464 PLATE FOR DOOR HANDLE LOCK**  
for Convection oven (RATIONAL)  
since 1/04/04  
SSC61.102



RATIONAL 2400504

Suitable for:

**3242483 OVEN DOOR HANDLE**  
 for Convection oven electric (RATIONAL)  
 since 1/10/08  
 CM201E - CM202E  
 SCC201E - SCC202E  
 for Convection oven gas (RATIONAL)  
 since 1/10/08  
 CM201G - CM202G  
 SCC201G - SCC202G



RATIONAL 2400136

**3242478 LOCK CLAMP FOR OVEN DOOR**  
 for OVEN



RATIONAL 1010833

RATIONAL 29401305

**3242477 STRIKE FOR DOOR HANDLE**  
 distance between mounting holes 52 mm  
 for OVEN



RATIONAL 1003540

RATIONAL 85141307

**3242051 OVEN DOOR HANDLE 176x28 mm**  
 handle mounting holes distance 121 mm  
 for OVEN



RATIONAL

**3242311 OVEN DOOR HANDLE 280x30 mm**  
 handle mounting holes distance 123-136 mm  
 for Convection oven electric (RATIONAL) CC101  
 CC6 - CD101 - CD6 - CM101 - CM6  
 for Convection oven gas (RATIONAL) CM14G - CM62G



RATIONAL 20161100

Suitable for:

**3242484 COVER FOR DOOR MECHANISM**  
 for Convection oven electric (RATIONAL)  
 since 1/04/04  
 SCC201 - SCC202



RATIONAL 2400216

**3242474 OVEN DOOR LOCK**  
 for OVEN



RATIONAL 84741410

**3242052 STRIKE FOR DOOR HANDLE**  
 distance between mounting holes 33 mm  
 for OVEN



RATIONAL

**3242312 STRIKE FOR OVEN HANDLE**  
 distance between mounting holes 15 mm  
 for Convection oven electric (RATIONAL) CC101  
 CC6 - CD101 - CD6 - CM101 - CM6  
 for Convection oven gas (RATIONAL) CM14G - CM62G



RATIONAL 20160610



Suitable for:

# RATIONAL



**3242474 OVEN DOOR LOCK**  
for OVEN



RATIONAL 84741410

Suitable for:

**3242475 OVEN DOOR LOCK**  
for OVEN



RATIONAL 1003536

RATIONAL 84741300

**3242482 PIN FOR OVEN DOOR HANDLE 43 mm**  
for OVEN



RATIONAL 2400142

**3242466 PLASTIC RING ø 56x40x2 mm**  
for OVEN



RATIONAL 20161453

**3242464 PLATE FOR DOOR HANDLE LOCK**  
for Convection oven (RATIONAL)  
since 1/04/04  
SSC61.102



RATIONAL 2400504

**3242181 RIGHT OVEN DOOR HANDLE**  
for Convection oven (CONVOTHERM) OD06.10 - OD10.20  
OD12.20 - OD20.10 - OD20.20 - OSG20.20  
for Convection oven electric (CONVOTHERM) OD10.10  
OS06.10 - OS10.10 - OS10.20 - OS12.20  
OS20.10 - OS20.20



RATIONAL

**3242052 STRIKE FOR DOOR HANDLE**  
distance between mounting holes 33 mm  
for OVEN



RATIONAL

**3242318 STRIKE FOR DOOR HANDLE**  
distance between mounting holes 68 mm  
for OVEN



RATIONAL 20160604

**3242477 STRIKE FOR DOOR HANDLE**  
distance between mounting holes 52 mm  
for OVEN



RATIONAL 1003540

RATIONAL 85141307

**3242312 STRIKE FOR OVEN HANDLE**  
distance between mounting holes 15 mm  
for Convection oven electric (RATIONAL) CC101  
CC6 - CD101 - CD6 - CM101 - CM6  
for Convection oven gas (RATIONAL) CM14G - CM62G



RATIONAL 20160610



Suitable for:

# RATIONAL



Suitable for:

**3242241 STRIKE FOR OVEN RIGHT HANDLE**  
distance between mounting holes 67 mm  
for OVEN



RATIONAL 20160603


## Heating elements

**3755743 BOILER HEATING ELEMENT 9000W 230V**  
immersed length 385 mm  
with bulb sheath  
flange exter.  $\varnothing$  64/47.5 mm - complete with cables  
for Convection oven electric (CONVOTHERM)



RATIONAL

**3755737 EXTERNAL HEATING ELEMENT 9000W 230V**  
external  $\varnothing$  450 mm  
couplings M14x1.5 mm  
for Convection oven electric (RATIONAL) CD101  
CD201



RATIONAL 30043528

**3755735 EXTERNAL HEATING ELEMENT 9000W 400V**  
external  $\varnothing$  450 mm  
couplings M14x1.5 mm  
for Convection oven electric (RATIONAL) CC101  
CC201 - CM101 - CM201



RATIONAL 30043530

**3755739 HEATING ELEMENT FOR BOILER 9000W 230V**  
immersed length 225 mm  
mounting distance 64 mm - flange 82x72 mm  
for Convection oven electric (RATIONAL) CCC101  
CCC61 - CCD101 - CCD102 - CCD61 - CCM102  
CCM61



RATIONAL 32011200

RATIONAL 32011206

**3186491 HEATING ELEMENT GASKET**  
external dimensions 82x82 mm  
for Convection oven (FAGOR)  
for Convection oven (RATIONAL)



RATIONAL 51101003



Suitable for:

# RATIONAL



**3355717 HEATING ELEMENT 15000W 230V**  
 external  $\varnothing$  575 mm - height 210 mm  
 2 flanges 220x24 mm  
 for Convection oven electric (RATIONAL)  
 since 1/06/97  
 CD102 - CD202  
 CCC102 - CCC202 - CCD102 - CCD202 - CCM102  
 CCM202 - CM102N - CPC102 - CPC202



RATIONAL 32001002

RATIONAL 32001013

**3186492 HEATING ELEMENT GASKET**  
 external dimensions 209x45 mm  
 for Convection oven (FAGOR)  
 for Convection oven (RATIONAL)



RATIONAL 51101009

**3755804 HEATING ELEMENT 18000W 230/400V**  
 for steam generator  
 immersed length 195 mm  
 flange 122x101 mm - with bulb sheath  
 complete with cables  
 for Convection oven electric (RATIONAL)  
 since 1/04/04  
 SCC102E - SCC201E - SCC202E - SCC62E  
 CM102E - CM201E - CM202E - CM62E



RATIONAL 4400195

RATIONAL 8700367

**3186757 HEATING ELEMENT GASKET**  
 external dimensions 125x103 mm  
 for Convection oven electric (RATIONAL)



RATIONAL 4400279

**3355710 HEATING ELEMENT 2000W 230V**  
 length 520 mm - width 90 mm  
 couplings  $\varnothing$  14 mm  
 for Convection oven electric (RATIONAL) CD101  
 CD201 - CM101 - CM201



RATIONAL 30041403

RATIONAL 30041411

**3355712 HEATING ELEMENT 2500W 230V**  
 length 510 mm - width 140 mm  
 couplings  $\varnothing$  14 mm  
 for Convection oven electric (RATIONAL) CD20  
 CM20



RATIONAL 30041004

**3355713 HEATING ELEMENT 2500W 400V**  
 length 510 mm - width 140 mm  
 couplings  $\varnothing$  14 mm  
 for Convection oven electric (FRIMA)  
 for Convection oven electric (RATIONAL)



RATIONAL 30044301

**3355701 HEATING ELEMENT 3000W 230V**  
 immersed length 380 mm - width 60 mm  
 flange 80x28 mm  
 for Convection oven electric (RATIONAL) CC6 - CD20  
 CD6 - CM20 - CM6



RATIONAL 30043506

RATIONAL 30044306

RATIONAL 30044113

RATIONAL 30044146





Suitable for:

Suitable for:

**3355703 HEATING ELEMENT 3000W 400V**  
 immersed length 380 mm - width 60 mm  
 flange 80x28 mm  
 for Convection oven electric (RATIONAL) CC20  
 CM20

**3355702 HEATING ELEMENT 6000W 230V**  
 immersed length 380 mm - width 60 mm  
 flange 80x28 mm  
 for Convection oven electric (RATIONAL) CC6  
 CD101 - CD20 - CD201 - CD6 - CM02 - CM101  
 CM201 - CM6



RATIONAL 30043509

RATIONAL 30044303

RATIONAL 30043505  
RATIONAL 30044305

RATIONAL 30044112

RATIONAL 30044136

**3355708 HEATING ELEMENT 6000W 230V**  
 immersed length 365 mm - width 65 mm  
 flange 80x28 mm  
 for Convection oven electric (RATIONAL) CC6  
 CD101 - CD20 - CD201 - CD6 - CM6

**3455342 HEATING ELEMENT 6000W 230V**  
 immersed length 355 mm - width 65 mm  
 flange 80x28 mm - complete with thermocouple probe  
 completa di sonda termocoppia  
 for Convection oven electric (RATIONAL) CC6  
 CD101 - CD20 - CD201 - CD6 - CM101 - CM20  
 CM201 - CM6



RATIONAL 30044155  
RATIONAL 30044163

RATIONAL 30044156

RATIONAL 30044162

RATIONAL 30043516  
RATIONAL 30044114

RATIONAL 30044105  
RATIONAL 30044121

RATIONAL 30044108  
RATIONAL 30044307

**3355704 HEATING ELEMENT 6000W 400V**  
 immersed length 380 mm - width 60 mm  
 flange 80x28 mm  
 for Convection oven electric (RATIONAL) CC101  
 CC20 - CC201 - CM101 - CM20 - CM201

**3355709 HEATING ELEMENT 6000W 400V**  
 immersed depth 375 mm - width 65 mm  
 flange 80x28 mm  
 for Convection oven electric (RATIONAL) CCM101  
 CC101 - CC20 - CC201 - CM20 - CM201



RATIONAL 30043508

RATIONAL 30044302

RATIONAL 30044157  
RATIONAL 30044165

RATIONAL 30044158

RATIONAL 30044164

**3455331 HEATING ELEMENT 6000W 400V**  
 immersed length 365 mm - width 65 mm  
 flange 80x28 mm . complete with thermocouple probe  
 with bulb sheath  
 for Convection oven electric (RATIONAL) CC101  
 CC20 - CC201 - CM20 - CM201



RATIONAL 30043518

RATIONAL 30043518+30044304

RATIONAL 30043522

RATIONAL 30044117

RATIONAL 30044120

RATIONAL 30044304

RATIONAL 30044304+30043518



Suitable for:

**3455224 HEATING ELEMENT 9000W 230/400V**  
 immersed length 190 mm  
 flange 82x82 mm - with bulb sheath  
 complete with cables  
 for Convection oven electric (RATIONAL) CM101E  
 CM61E - SCC101E - SCC61E



RATIONAL 4400194

RATIONAL 4400534

RATIONAL 8700366

Suitable for:

**3786136 HEATING ELEMENT GASKET**  
 external dimensions 80x82 mm  
 for Convection oven electric (RATIONAL)



RATIONAL 4400280

**3355707 HEATING ELEMENT 9000W 230V**  
 immersed length 200 mm  
 flange 82x82 mm  
 with bulb sheath - recommended probe 3397083  
 for Convection oven electric (RATIONAL)  
 since 1/06/97  
 CD101 - CD102 - CD201 - CD202 - CD61  
 CCC101 - CCC201 - CCC202 - CCC61 - CCD102 - CCD202  
 CCD61 - CCM101 - CCM201 - CCM202 - CCM61  
 CM101M - CM202N - CM61 - CPC102 - CPC201  
 CPC202 - CPC61



RATIONAL 32001200  
RATIONAL 32011009

RATIONAL 32011000  
RATIONAL 87201590

RATIONAL 32011004

**3786136 HEATING ELEMENT GASKET**  
 external dimensions 80x82 mm  
 for Convection oven electric (RATIONAL)



RATIONAL 4400280

**3355714 HEATING ELEMENT 9000W 230V**  
 external  $\varnothing$  325 mm - height 190 mm  
 couplings  $\varnothing$  14 mm  
 for Convection oven electric (RATIONAL) CC6 - CD6  
 CM6  
 for Convection oven electric (KÜPPERSBUSCH) ECD106



RATIONAL 30043507  
RATIONAL 30044326

RATIONAL 30043515  
RATIONAL 30353524

RATIONAL 30043524



Suitable for:

Suitable for:

## 3355715 HEATING ELEMENT 9000W 230V

external  $\varnothing$  455 mm - height total 210 mm  
 flange 220x24 mm  
 for OVEN CCC61-CCC101-CCC201-CCD61-CCD101-CCD201  
 CCM101-CCM201-CCM61-CM61-CPC61-CPC101-CPC201  
 CM201N-CM101N  
 for OVEN CD61/CD101/CD201 SINCE JUNE 97  
 for Convection oven electric (RATIONAL)  
 since 1/06/97  
 CD101 - CD201 - CD61  
 CCC101 - CCC201 - CCC61 - CCD101 - CCD201 - CCD61  
 CCM101 - CCM201 - CCM61 - CM101N - CM201N  
 CM61 - CPC101 - CPC201 - CPC61



RATIONAL 32001000

## 3186492 HEATING ELEMENT GASKET

external dimensions 209x45 mm  
 for Convection oven (FAGOR)  
 for Convection oven (RATIONAL)



RATIONAL 51101009

## 3355716 HEATING ELEMENT 9000W 230V

external  $\varnothing$  500 mm - height 130 mm  
 flange 220x24 mm  
 for Convection oven electric (RATIONAL)  
 since 1/06/97  
 CD101 - CD201  
 CCC101 - CCC201 - CCD101 - CCD201 - CCM101  
 CCM201 - CM101N - CM2014N - CPC101 - CPC201



RATIONAL 32001001

RATIONAL 32001009

RATIONAL 87201595

## 3186492 HEATING ELEMENT GASKET

external dimensions 209x45 mm  
 for Convection oven (FAGOR)  
 for Convection oven (RATIONAL)



RATIONAL 51101009

## 3755745 INTERNAL HEATING ELEMENT 15000W 230V

$\varnothing$  external 650 mm  
 D shaped flange 210x25 mm - faston fittings  
 for Convection oven electric (RATIONAL)  
 since 1/06/97  
 CD202  
 since 1/05/97  
 CD102  
 CCC102 - CCC202 - CCD102 - CCD202 - CCM102  
 CCM202 - CM102N - CM202N - CPC102 - CPC202



RATIONAL 32001003

RATIONAL 32001017

## 3186492 HEATING ELEMENT GASKET

external dimensions 209x45 mm  
 for Convection oven (FAGOR)  
 for Convection oven (RATIONAL)



RATIONAL 51101009



Suitable for:

**3755738 INTERNAL HEATING ELEMENT 9000W 230V**  
external ø 400 mm  
couplings M14x1.5 mm  
for Convection oven electric (RATIONAL) CD101  
CD201



RATIONAL 30043529

# RATIONAL



Suitable for:

**3755736 INTERNAL HEATING ELEMENT 9000W 400V**  
external ø 400 mm  
couplings M14x1.5 mm  
for Convection oven electric (RATIONAL) CC101  
CC201 - CM101 - CM201



RATIONAL 30043531

## Hinges, catches and accessories

**3053446 PIN FOR OVEN TOP HINGE**  
for Convection oven electric (RATIONAL)  
since 1/04/04  
SCC101E - SCC102E - SCC201E - SCC202E - SCC61E  
SCC62E  
for Convection oven gas (RATIONAL)  
since 1/04/04  
SCC101G - SCC102G - SCC201G - SCC202G - SCC61G  
SCC62G



RATIONAL 2400048

## Hose reels

**3359292 BLACK SHOWER CASE**  
for Convection oven (RATIONAL)  
since 1/01/04  
Series SCC



RATIONAL 5000130

**3359143 BLACK SHOWER CASE ø 1/2" M**  
for Convection oven (FRIMA) FCM101  
for Convection oven (RATIONAL) - Series CPC



RATIONAL 20600215

RATIONAL 20601000

RATIONAL 20601006

**3359144 SPRAY HEAD FASTENING**



RATIONAL 20601210



Suitable for:

Suitable for:

**3359289 SHOWER COILER UNIT**  
 with pipe 210 cm  
 for Convection oven electric (RATIONAL) CPC201  
 CPC202  
 for Convection oven gas (RATIONAL) CPC201G  
 CPC202G

**3359296 SHOWER UNIT**  
 with pipe 100 cm  
 for Convection oven electric (RATIONAL)  
 since 1/01/04  
 till 1/01/04  
 SCC101E - SCC102E - SCC61E - SCC62E  
 for Convection oven gas (RATIONAL)  
 since 1/01/04  
 till 1/01/04  
 SCC101G - SCC102G - SCC61G - SCC62G



RATIONAL 86552020

RATIONAL 86552020P

RATIONAL 86552021

RATIONAL 5000140P

RATIONAL 5001238P

**3359144 SPRAY HEAD FASTENING**



RATIONAL 20601210

## Hydraulic plumbing

**3450209 RUBBER PIPE  $\varnothing$  13x20 mm - 40 m**  
 operating temperature -40+100°C

**3450109 RUBBER PIPE  $\varnothing$  13x20 mm - 5 m**  
 operating temperature -40+100°C



RATIONAL 20670301

RATIONAL 20670315

RATIONAL 21101017

RATIONAL 20670301

RATIONAL 20670315

RATIONAL 21101017

**1449689 SILICONE HOSE  $\varnothing$  10x13 SHORE 60 - 10 m**  
 alimentary



RATIONAL 21101008

## Interference suppression filters

**3351240 INTERFERENCE SUPPR.FILTER AEG EB05-A240**  
 72-240V



RATIONAL 30350517



Suitable for:

# RATIONAL



Suitable for:

## Ironmongery (screws,nuts,washers)

**1528030 ST.STEEL HEXAGONAL NUT M6 UNI 5588**  
for Convection oven (FRIMA) CD6



RATIONAL 11060160

RATIONAL 11060803

**3528010 STAINL.STEEL SCREW WASHER M6 UNI 6592**  
dimensions  $\varnothing$  12x6.4x1.6 mm



RATIONAL 13060120

## Knobs

**3241361 BLACK KNOB  $\varnothing$  40 mm**  
round hole  $\varnothing$  6 mm with fastening screw  
for timer  
for Convection oven (RATIONAL) - Series CM



RATIONAL 30130325

**3241363 BLACK KNOB  $\varnothing$  50 mm**  
D-shaped hole 6x4.6 mm  
for Convection oven (RATIONAL) - Series CD



RATIONAL 30130113

**3241677 BLACK KNOB  $\varnothing$  50 mm**  
D-shaped hole 6x4.6 mm  
for Convection oven (RATIONAL)  
since 1/01/04  
Series CM - Series SCC



RATIONAL 1600282

**3241362 BLACK KNOB  $\varnothing$  50 mm 10-120'**  
D-shaped hole 6x4.6 mm  
for timer  
for Convection oven (RATIONAL) - Series CD



RATIONAL 30130108

**3241359 BLACK KNOB  $\varnothing$  50 mm 5-120'**  
D-shaped hole 6x4.6 mm  
for timer  
for Convection oven (RATIONAL) - Series CD



RATIONAL 30130105

**3241358 BLACK KNOB  $\varnothing$  50 mm 60-300°C**  
D-shaped hole 6x4.6 mm  
for Convection oven (RATIONAL) - Series CD



RATIONAL 1003339

RATIONAL 30130201





# RATIONAL



Suitable for:

**3241279 BLUE KNOB ø 52 mm**  
D-shaped hole 6x4.6 mm  
for Convection oven (RATIONAL) - Series CCD  
Series CCM



RATIONAL 1003340

RATIONAL 30130344

Suitable for:

**3242675 BLUE KNOB ø 60 mm**  
D-shaped hole 6x4.6 mm  
for Convection oven (RATIONAL) - Series CD  
Series CPC



RATIONAL 1003341

RATIONAL 30130355

**3241360 GREY KNOB ø 40 mm**  
D-shaped hole 6x4.6 mm  
for timer  
for Convection oven (RATIONAL) - Series CCD  
Series CCM - Series CM



RATIONAL 30130330

**3241696 GREY KNOB ø 70 mm**  
round hole ø 5 mm  
for Convection oven (RATIONAL)  
Series SCC DAL 2004



RATIONAL 1600232


## Lamps

**3221413 EXTERNAL GASKET F/GLASS LAMP RECEPTACLE**  
external dimensions 80x65 mm  
for Convection oven (RATIONAL)  
since 1/04/04  
Series SCC



RATIONAL 4000093

**3221423 EXTERNAL OVEN GASKET FOR LAMP RECEPTACLE**  
external dimensions 93x70 mm  
for Convection oven (RATIONAL)  
since 1/05/93  
Series CPC



RATIONAL 1003483

RATIONAL 51101022

**3221429 FRAME FOR OVEN LAMP RECEPTACLE**  
external dimensions 115x90 mm  
for Convection oven (RATIONAL)  
since 1/05/93  
Series CPC



RATIONAL 85141007

RATIONAL 85141017

**3221434 FRAME FOR OVEN LAMP RECEPTACLE**  
external dimensions 85x100 mm  
complete with glass and glass gasket  
for Convection oven (RATIONAL)  
since 1/04/04  
Series SCC



RATIONAL 4000091

RATIONAL 4000096



Suitable for:

# RATIONAL



## 3221053 GASKET FOR OVEN LAMP RECEPTACLE

dimensions  $\varnothing$  48x38x5 mm  
for OVEN



RATIONAL

Suitable for:

## 3221428 GLASS FOR OVEN LAMP RECEPTACLE

external dimensions 96x73 mm  
for Convection oven (RATIONAL)  
since 1/05/93  
Series CPC



RATIONAL 1003487

RATIONAL 52011000

## 3221433 GLASS FOR OVEN LAMP RECEPTACLE

external dimensions 80x65 mm  
for Convection oven (RATIONAL)  
since 1/04/04  
Series SCC



RATIONAL 4000095

## 3221233 GLASS FOR OVEN LAMP RECEPTACLE $\varnothing$ 42 mm

for Convection oven (COVEN)  
for Convection oven (GARBIN)  
for Convection oven (RATIONAL)



RATIONAL 30250002

## 3221425 GREEN INDICATOR LAMP 1W 250V

wire connection length 95 mm - 120°C  
for Convection oven (RATIONAL)  
since 1/01/97  
Series CD - Series CPC



RATIONAL 30240309

## 3221412 HALOGEN LAMP RECEPTACLE G4 10W 12V

wire connection length 130 mm  
for Convection oven (RATIONAL)  
since 1/05/93  
Series CPC




RATIONAL 1003539

RATIONAL 85141018

## 3221423 EXTERNAL OVEN GASKET FOR LAMP RECEPTACLE

external dimensions 93x70 mm  
for Convection oven (RATIONAL)  
since 1/05/93  
Series CPC



RATIONAL 1003483

RATIONAL 51101022



Suitable for:

**3221429 FRAME FOR OVEN LAMP RECEPTACLE**

external dimensions 115x90 mm  
for Convection oven (RATIONAL)  
since 1/05/93  
Series CPC



RATIONAL 85141007

RATIONAL 85141017

**3221422 INTERNAL GASKET F/OVEN LAMP RECEPTACLE**

external dimensions 100x75 mm  
for Convection oven (RATIONAL)  
since 1/05/93  
Series CPC



RATIONAL 1003484

RATIONAL 51101023

**3221431 HALOGEN LAMP RECEPTACLE G4 10W 12V**


wire connection length 150 mm  
for Convection oven (RATIONAL)  
since 1/04/04  
Series SCC



RATIONAL 4000098

**3221434 FRAME FOR OVEN LAMP RECEPTACLE**

external dimensions 85x100 mm  
complete with glass and glass gasket  
for Convection oven (RATIONAL)  
since 1/04/04  
Series SCC



RATIONAL 4000091

RATIONAL 4000096

# RATIONAL



Suitable for:

**3221428 GLASS FOR OVEN LAMP RECEPTACLE**

external dimensions 96x73 mm  
for Convection oven (RATIONAL)  
since 1/05/93  
Series CPC



RATIONAL 1003487

RATIONAL 52011000

**3221250 NEUTRAL HALOGEN LAMP G4 10W 12V**

for Convection oven electric (FAGOR) COE-061  
COE-101 - VE-061 - VE-101 - VPE-061 - VPE-101



RATIONAL 30240201

RATIONAL 30240201P

**3221413 EXTERNAL GASKET F/GLASS LAMP RECEPTACLE**

external dimensions 80x65 mm  
for Convection oven (RATIONAL)  
since 1/04/04  
Series SCC



RATIONAL 4000093

**3221433 GLASS FOR OVEN LAMP RECEPTACLE**

external dimensions 80x65 mm  
for Convection oven (RATIONAL)  
since 1/04/04  
Series SCC



RATIONAL 4000095



Suitable for:

**3221414 INTERNAL GASKET F/LAMP RECEPTACLE GLASS**

external dimensions 83x70 mm  
for Convection oven (RATIONAL)  
since 1/04/04  
Series SCC



RATIONAL 4000094

# RATIONAL



Suitable for:

**3221250 NEUTRAL HALOGEN LAMP G4 10W 12V**

for Convection oven electric (FAGOR) COE-061  
COE-101 - VE-061 - VE-101 - VPE-061 - VPE-101



RATIONAL 30240201

RATIONAL 30240201P

**3221586 HEAT ORANGE INDICATOR LAMP 1W**

wire connection  
for Convection oven (RATIONAL)  
since 1/05/93  
Series CCD



RATIONAL 30240307

**3221414 INTERNAL GASKET F/LAMP RECEPTACLE GLASS**

external dimensions 83x70 mm  
for Convection oven (RATIONAL)  
since 1/04/04  
Series SCC



RATIONAL 4000094

**3221422 INTERNAL GASKET F/OVEN LAMP RECEPTACLE**

external dimensions 100x75 mm  
for Convection oven (RATIONAL)  
since 1/05/93  
Series CPC



RATIONAL 1003484

RATIONAL 51101023

**3221350 LAMP RECEPTACLE WITH LAMP E14 15W 230V**

lamp glass  $\varnothing$  42 mm  
mounting hole  $\varnothing$  38 mm  
max temperature 300°C  
for Convection oven (RATIONAL)  
for Convection oven electric (TECNOEKA) KF1001GGAM  
KF1001GIXALGAM - KF733 - KF912GA  
KF912GRILLGA - KF912IXGA - KF913D - KF913DIX  
KF9133DIX - KF933 - KF933U - KF937



RATIONAL 30230502

RATIONAL 30230506

**3221062 LAMP RECEPTACLE WITH LAMP E14 15W 230V**

lamp glass  $\varnothing$  57 mm  
mounting hole  $\varnothing$  42 mm  
max temperature 300°C  
for OVEN  
for Convection oven electric (COVEN) TEC10 - TEC2  
TEC3 - TEC4P - TEC6 - TEC7  
for Convection oven gas (COVEN) TEC6G - TEC7G



RATIONAL 30230501

**3221041 OVEN LAMP E14 15W 230V**

max temperature 300°C  
for OVEN - PIZZA OVEN



RATIONAL 30240200



# RATIONAL



Suitable for:

**3221252 NEON LAMP FOR OVEN Ba15d 7W 230V**  
dimensions  $\varnothing$  16x35 mm  
for OVEN



RATIONAL 30250306

Suitable for:

**3221067 NEON LAMP FOR OVEN E10 2W 230V**  
dimensions  $\varnothing$  10x28 mm  
for OVEN



RATIONAL 30240300

**3221250 NEUTRAL HALOGEN LAMP G4 10W 12V**  
for Convection oven electric (FAGOR) COE-061  
COE-101 - VE-061 - VE-101 - VPE-061 - VPE-101



RATIONAL 30240201

RATIONAL 30240201P

**3221097 NEUTRAL INDICATOR LAMP 220V**  
head  $\varnothing$  8 mm - 120°C



RATIONAL

**3221163 ORANGE LAMP RECEPTACLE**  
head  $\varnothing$  15 mm - hole  $\varnothing$  10 mm



RATIONAL

**3221041 OVEN LAMP E14 15W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN



RATIONAL 30240200

**3221253 OVEN LAMP E14 6/10W 230V**  
dimensions  $\varnothing$  16x52 mm  
for Convection oven (RATIONAL)



RATIONAL 30250304

**3221625 OVEN LAMP RECEPTACLE  $\varnothing$  51 mm**  
for Convection oven (RATIONAL)



RATIONAL 30250002

**3221251 OVEN LAMP 2W 24V**  
dimensions  $\varnothing$  10x25 mm  
for Convection oven (RATIONAL)



RATIONAL 30240210

RATIONAL 30250210

**3221427 RED INDICATOR LAMP 250V 1W**  
wire connection length 95 mm - 120°C  
for Convection oven (RATIONAL)  
since 1/01/97  
Series CD - Series CPC



RATIONAL 30240310



Suitable for:

# RATIONAL



Suitable for:

## Level regulators

**3341049 230V CARD LEVEL ADJUSTER SET**  
230V 50/60Hz  
NEW TYPE



RATIONAL 87201501

## Level sensors

**3341051 LEVEL PROBE 3 ELECTRODES  $\varnothing$  15 mm 108 mm**



RATIONAL 30020401

**3341042 LEVEL PROBE 3 ELECTRODES  $\varnothing$  15 mm 112 mm**  
for Convection oven (RATIONAL) - Series CM  
Series CPC



RATIONAL 30020409

**3341052 LEVEL PROBE 3 ELECTRODES  $\varnothing$  15 mm 130 mm**



RATIONAL 30020402

**3341043 PROBE CONTAINER**  
for Convection oven (RATIONAL) - Series CPC  
Series SCC



RATIONAL 29201300

## Microswitches


**3240753 DOOR MAGNETIC MICROSWITCH MK12**  
with cable length 1600 mm - head 32x7x15 mm  
for Convection oven electric (RATIONAL)  
since 1/01/04  
till 1/01/04  
SCC101 - SCC102 - SCC201 - SCC202 - SCC61  
for Convection oven gas (RATIONAL)  
since 1/01/04  
till 1/01/04  
SCC101G - SCC102G - SCC201G - SCC202G - SCC61G



RATIONAL 4000335

RATIONAL 4000454

**3240754 MAGNET FOR MICROSWITCH  $\varnothing$  10x40 mm**  
for Convection oven electric (RATIONAL)  
since 1/01/96  
till 1/01/00  
CPC101 - CPC102 - CPC201 - CPC202 - CPC61  
for Convection oven gas (RATIONAL)  
since 1/01/96  
till 1/01/00  
CPC101G - CPC102G - CPC201G - CPC202G - CPC61G



RATIONAL 30161409





Suitable for:

Suitable for:

**3240437** **MAGNET FOR MICROSWITCH 25x12x9 mm**  
for Convection oven (RATIONAL)



RATIONAL 30161412

**3240436** **MAGNETIC MICRO SWITCH MK12**  
with cable 4000 mm - head 32x15 mm  
for Convection oven (FRIMA)  
for Convection oven (RATIONAL)



RATIONAL 30161408

RATIONAL 30161415

**3240437** **MAGNET FOR MICROSWITCH 25x12x9 mm**  
for Convection oven (RATIONAL)



RATIONAL 30161412

**3240763** **MAGNETIC MICROSWITCH  $\varnothing$  8x65 mm**  
with cable length 2800 mm  
for Convection oven electric (RATIONAL)  
since 1/01/00  
till 1/01/00  
CPC101 - CPC202 - CPC61  
CPC201 - CPC202  
for Convection oven gas (RATIONAL)  
since 1/01/00  
till 1/01/00  
CPC101G - CPC102G - CPC201G - CPC202G - CPC61G



RATIONAL 30161417

RATIONAL 30161436

RATIONAL 30161437

**3240054** **MICROSWITCH 83731 5A 250V**  
with cable length 500 mm  
for Convection oven electric (ROSINOX) TVS40E  
TV10E - TV6E



RATIONAL 30161400

RATIONAL 30161403

RATIONAL 30161407

## Motors

**3240482** **GASKET KIT FOR MAIN SHAFT**  
for Convection oven (RATIONAL)



RATIONAL 50010207

RATIONAL 8700563



Suitable for:

# RATIONAL



Suitable for:

## Motors

### 3340069 MOTOR FAN SET 0.45Kw 100/240V

TYPE EBM M3G084-FA22-16  
 for Convection oven electric (RATIONAL)  
 since 1/10/08  
 CM101E - CM102E - CM201E - CM202E - CM61E - CM62E  
 SCC101E - SCC102E - SCC201E - SCC202E - SCC61E  
 SCC62E  
 for Convection oven gas (RATIONAL)  
 since 1/10/08  
 CM101G - CM102G - CM201G - CM202G - CM61G - CM62G  
 SCC101G - SCC102G - SCC201G - SCC202G - SCC61G  
 SCC62G



RATIONAL 4000274

RATIONAL 4000274P

### 3340010 MOTOR SHAFT FLANGE

for Convection oven (RATIONAL)  
 since 1/04/04  
 Series SCC



RATIONAL 2200123

### 3240115 MOTOR HANNING L7ZAW4D-099 0.245Kw

230/415V 50/60Hz  
 for Convection oven (FRIMA) CD101 - CD201 - CD6  
 for Convection oven electric (HOBART) CS0611E  
 for Convection oven electric (KÜPPERSBUSCH) ECD106  
 ECD120  
 for Convection oven electric (RATIONAL) CC101  
 CC201 - CC6 - CD101 - CD20 - CD201 - CD6  
 CM101 - CM20 - CM201 - CM6



RATIONAL 3001040

RATIONAL 30010426

### 3240720 MOTOR HANNING L7ZAW4D-199 0.16/0.26Kw

220/240V - 50/60Hz 1.3A - 1420/1720rpm  
 capacitor 16 µf  
 for Convection oven electric (RATIONAL) CM101  
 CM201  
 for Convection oven gas (RATIONAL) CM62G



RATIONAL 30010441

### 3240116 MOTOR HANNING L9CW4D-161 0.37/0.58Kw

2.85/1.65A - 1400rpm - 230/415V 50Hz  
 for Convection oven electric (RATIONAL) CC20  
 CD20 - CM20



RATIONAL 30010403

RATIONAL 30010428

RATIONAL 30010436

### 3240755 MOTOR HANNING L9CW4D-304 0.45/0.65Kw

220/240/380/415V 50Hz  
 1.9/1.1A - 1400rpm  
 for Convection oven electric (RATIONAL)  
 since 1/06/97  
 CD101 - CD201 - CD61  
 CM101 - CM101N - CM201 - CM201N - CM61



RATIONAL 31001021

Suitable for:

Suitable for:

**3240761 MOTOR HANNING L9DW4D 0.87Kw 240V 60Hz**  
 2.9A - 1730rpm  
 for Convection oven electric (RATIONAL)  
 since 1/12/01  
 CD101 - CD201 - CD61 - CM101 - CM201 - CM61  
 CPC101 - CPC201 - CPC61  
 for Convection oven gas (RATIONAL)  
 since 1/12/01  
 CM101G - CM61G



RATIONAL 1010303

RATIONAL 31001080

RATIONAL 31001083

**3240762 MOTOR HANNING L9XW84D 0.45/0.66Kw**  
 380/415V 50Hz - 0.4/1.15A - 700/1400rpm  
 for Convection oven electric (RATIONAL) CPC101  
 CPC201 - CPC61



RATIONAL 31001049

**3240757 FAN ø 350 mm**  
 thickness 135 mm  
 total blades 12 - ø tapered hole 13-16.5 mm  
 for Convection oven electric (RATIONAL)  
 since 1/01/99  
 CPC101 - CPC201 - CPC61



RATIONAL 1012741

RATIONAL 20120512

**3340009 MOTOR HANNING L9XW84D-408 220/240V**  
 P2: 80/450W P1: 140/660W  
 50Hz 0.7/2A - 700/1400rpm  
 for Convection oven electric (RATIONAL)  
 since 1/02/99  
 CPC102 - CPC202



RATIONAL 31001048

**3786369 MOTOR AXIS SEALING GASKET**  
 for Convection oven (RATIONAL)  
 since 1/11/90  
 Series CLASSIC 20



RATIONAL 50010211

**3340010 MOTOR SHAFT FLANGE**  
 for Convection oven (RATIONAL)  
 since 1/04/04  
 Series SCC



RATIONAL 2200123

**3786497 MOTOR SHAFT GASKET**  
 for Convection oven (RATIONAL)



RATIONAL 50020301



Suitable for:

# RATIONAL



**3240756 MOTOR HANNING L9ZW84D-394 0.9/1.2Kw**  
 380/415V - 50Hz 0.9/2.1A - 700/1380rpm  
 for Convection oven electric (KÜPPERSBUSCH) CBE220  
 for Convection oven electric (RATIONAL)  
 since 1/01/99  
 CPC102 - CPC202



RATIONAL 31001068

Suitable for:

**3340010 MOTOR SHAFT FLANGE**  
 for Convection oven (RATIONAL)  
 since 1/04/04  
 Series SCC



RATIONAL 2200123

## Outlet solenoid valves and accessories

**3356145 BOILER DRAIN VALVE**  
 12 Vdc  
 for Convection oven electric (RATIONAL)  
 Series SCC  
 for Convection oven gas (RATIONAL) - Series SCC



RATIONAL 5400357

RATIONAL 5401291

RATIONAL 8701191

**3322303 COMPLETE CLIMA VALVE 12V DC**  
 shaft  $\varnothing$  6 mm  
 for Convection oven electric (RATIONAL)  
 since 1/04/04  
 till 1/04/04  
 SCC101E - SCC102E - SCC61E - SCC62E  
 for Convection oven gas (RATIONAL)  
 since 1/04/04  
 till 1/04/04  
 SCC101G - SCC102G - SCC61G - SCC62G



RATIONAL 2200318

## Penetration probes

**3397133 PENETRATION PROBE**  
 10 wires - connector fitting  
 probe length 100 mm  
 cable length 1800 mm  
 with fastening coupling M15  
 for Convection oven (RATIONAL)  
 since 1/01/99  
 CPC



RATIONAL 30350714

RATIONAL 30350717

RATIONAL 30350715

RATIONAL 30350717ET

RATIONAL 30350716

**3397134 PENETRATION PROBE**  
 8 wires - connector fitting  
 probe length 110 mm  
 cable length 2200 mm  
 with fastening coupling M15  
 for Convection oven (RATIONAL)  
 since 1/04/04  
 Series SCC



RATIONAL 4000293

RATIONAL 4000606P

RATIONAL 4000294

RATIONAL 4001604

RATIONAL 4000606



Suitable for:

Suitable for:

**3397157 PENETRATION PROBE**  
 3 wires - connector fitting  
 bulb  $\varnothing$  3x97 mm  
 cable length 2100 mm - handle length 40 mm  
 with fastening coupling M15  
 for Convection oven electric (RATIONAL)  
 since 1/08/05  
 CM201E - CM202E  
 for Convection oven gas (RATIONAL)  
 since 1/08/05  
 CM201G - CM202G

**3397158 PENETRATION PROBE**  
 8 wires - connector fitting  
 bulb  $\varnothing$  3x97 mm  
 cable length 2100 mm - handle length 40 mm  
 with coupling  $\varnothing$  15 mm  
 for Convection oven electric (RATIONAL)  
 since 1/08/05  
 SCC201E - SCC202E  
 for Convection oven gas (RATIONAL)  
 since 1/08/05  
 SCC201G - SCC202G



RATIONAL 4002102

RATIONAL 4002102P

RATIONAL 4002103

RATIONAL 4002100

RATIONAL 4002100P

RATIONAL 4002101

**3397052 PENETRATION PROBE PT100**  
 2 wires - probe length 180 mm  
 cable length 3000 mm  
 with fastening coupling M12  
 for Convection oven (RATIONAL) - Series CD  
 Series CM

**3397071 PENETRATION PROBE PT100**  
 2 wires - probe for hot compartment  
 probe length 100 mm  
 silicone cable length 1500 mm  
 for Convection oven (RATIONAL) - Series CD  
 Series CM



RATIONAL 30250608  
RATIONAL 30350623

RATIONAL 30350607  
RATIONAL 30350703

RATIONAL 30350608

RATIONAL 30140151

**3397056 PENETRATION PROBE THERMOCOUPLE K**  
 2 wires - probe length 175 mm  
 cable length 3000 mm  
 with fastening coupling M10  
 for Convection oven (RATIONAL) - Series CC

**3397159 RIGHT PENETRATION PROBE**  
 8 wires - connector fitting  
 bulb length 97 mm  
 cable length 2160 mm  
 with fastening coupling M16  
 for Convection oven electric (RATIONAL)  
 since 1/04/04  
 SCC201E - SCC202E  
 for Convection oven gas (RATIONAL)  
 since 1/04/04  
 SCC201G - SCC202G



RATIONAL 3035.0713  
RATIONAL 30350702  
RATIONAL 30350710

RATIONAL 30350700  
RATIONAL 30350704

RATIONAL 30350701  
RATIONAL 30350709

RATIONAL 8700096



Suitable for:

# RATIONAL



Suitable for:

## Potentiometers

### 3057234 COMPLETE POTENTIOMETER WITH CABLE

D-shaped pin 6x4.6 mm  
for Convection oven (RATIONAL)  
since 1/01/04  
Series CM - Series SCC



RATIONAL 4000464

### 3057235 POTENTIOMETER

D-shaped pin 6x4.6 mm  
for Convection oven (RATIONAL) - Series CCM  
Series CM



RATIONAL 30400268

### 3057106 POTENTIOMETER SELECTOR SWITCH

D-shaped pin 6x4.6 mm - pin length 27 mm  
for hot air  
for Convection oven (RATIONAL)  
till 30/04/89  
Series CM



RATIONAL 30400150

### 3057107 POTENTIOMETER SELECTOR SWITCH

pin  $\varnothing$  6 mm - pin length 36 mm  
for penetration probe  
for Convection oven (RATIONAL)  
till 30/04/89  
Series CM



RATIONAL 30400151

### 3057231 SELECTOR SWITCH ENCODER COMPLETE W/CABLE

pin  $\varnothing$  6 mm  
for Convection oven (RATIONAL)  
since 1/04/04  
Series SCC



RATIONAL 4000404

### 3057232 SELECTOR SWITCH ENCODER COMPLETE W/CABLE

D-shaped pin 6x4.6 mm  
for Convection oven electric (RATIONAL)  
since 1/01/97  
CPC101 - CPC102 - CPC201 - CPC202 - CPC61  
for Convection oven gas (RATIONAL)  
since 1/01/97  
CPC101G - CPC102G - CPC201G - CPC202G - CPC61G



RATIONAL 30400258

RATIONAL 88171303

## Pressure switches

### 3320185 GAS PRESS.SWITCH CONTROL BOX HONEYWELL

250V 5A  
for GAS OVENS from 10/97 to 11/00



RATIONAL 1003361

RATIONAL 30171004

### 3320157 PRESSURE SWITCH CLEANJET 6A 250V

for Convection oven (RATIONAL)  
since 1/01/01  
Series CPC



RATIONAL 30161418

RATIONAL 30161441





Suitable for:

# RATIONAL

Suitable for:



## Probes

### 3397156 BOILER STEAM TEMPERATURE PROBE

2 wires - connector fitting  
cable length 1600 mm  
for Convection oven gas (RATIONAL)  
since 1/04/04  
SCC101G - SCC102G - SCC202G



RATIONAL 4001095

### 3397196 BOILER TEMPERATURE PROBE

2 wires - connector fitting  
probe length 118 mm  
silicone cable length 1500 mm  
for Convection oven electric (RATIONAL) CM101E  
CM102E - CM201E - CM202E - CM61E - CM62E  
SCC101E - SCC102E - SCC201E - SCC202E - SCC61E  
SCC62E



RATIONAL 1003414

RATIONAL 4000291

### 3397082 CHAMBER TEMPER. PROBE PT100 W/BY PASS

2 wires- for steam generator  
probe length 80 mm  
cable length 1800 mm  
for Convection oven (RATIONAL) - Series CD  
Series CM



RATIONAL 30140120  
RATIONAL 30140159

RATIONAL 30140150

RATIONAL 30140152

### 3397197 CHAMBER TEMPERATURE PROBE

2 wires - connector fitting  
probe length 110 mm  
silicone cable length 1280 mm  
with fastening coupling M8  
for Convection oven electric (RATIONAL)  
since 1/01/08  
CM101E - CM102E - CM61E - CM62E - SCC101E  
SCC102E - SCC61E - SCC62E



RATIONAL 4000395

RATIONAL 4000594

### 3397152 OLIVE FOR PROBE



RATIONAL 1013497

RATIONAL 30140162

### 3397132 SENSOR CDS 105 mm

for Convection oven (RATIONAL)  
since 1/01/04  
Series SCC



RATIONAL 30171050

RATIONAL 4400211



Suitable for:

# RATIONAL



## 3397023 TEMPERATURE PROBE

2 wires - probe for thermocouple type chamber  
 probe length 110 mm  
 cable length 290 mm  
 with fastening fitting M8  
 for Convection oven electric (RATIONAL) CM101  
 CM102 - CM201 - CM202 - CM61 - CPC101 - CPC102  
 CPC201 - CPC202 - CPC61  
 for Convection oven gas (RATIONAL) CM101G - CM102G  
 CM201G - CM202G - CM61G - CPC101G - CPC102G  
 CPC201G - CPC202G - CPC61G



RATIONAL 1003351

RATIONAL 30141000

## 3397025 TEMPERATURE PROBE

2 wires - probe for thermocouple type chamber  
 probe length 120 mm  
 cable length 1800 mm  
 with fastening coupling M8  
 for Convection oven (RATIONAL)  
 since 1/06/97



RATIONAL 30141004

## 3397072 TEMPERATURE PROBE TCK

2 wires  
 probe length 130 mm  
 silicone cable length 2000 mm



RATIONAL 30140160

RATIONAL 87201003

## 3397083 TEMPERATURE PROBE TCK

2 wires -for steam generator  
 probe length 100 mm  
 cable length 2000 mm  
 for Convection oven (RATIONAL) - Series CD



RATIONAL 30140165

RATIONAL 30141011

RATIONAL 30141013

## 3397084 TEMPERATURE PROBE TCK

2 wires - for moist measurement  
 probe length 100 mm  
 cable length 2000 mm  
 probe ø 2 mm  
 with fastening connection M8  
 for Convection oven (RATIONAL) - Series CD



RATIONAL 30140161

RATIONAL 30141007

RATIONAL 87201002

## 3397153 THERMOCOUPLE TEMPERATURE PROBE B2

2 wires - connector fitting  
 bent bulb 53/20 mm  
 cable length 2550 mm  
 for Convection oven (RATIONAL)  
 since 1/04/04  
 Series SCC  
 Series CM



RATIONAL 4000287

RATIONAL 4000398

RATIONAL 8700058

## 3397152 OLIVE FOR PROBE



RATIONAL 1013497

RATIONAL 30140162



## Relays

**3351016 RELAY CRYDOM S0B667330**  
for Convection oven (RATIONAL)  
since 1/06/97  
Series CPC - Series SCC



RATIONAL 30280533  
RATIONAL 4000453P

RATIONAL 30280533P  
RATIONAL 4001589

RATIONAL 4000453

**3351101 TIME LIMIT RELAY CROUZET 0.7A 230V**  
timer 1"  
for Convection oven (RATIONAL)



RATIONAL 30350404

## Rotary switches

**3057102 SELECTOR SWITCH 0-1 POSITIONS**  
4 cams - contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.  $\varnothing$  6 mm  
for Convection oven electric (RATIONAL) CD101  
CD20 - CD201



RATIONAL 30161620

**3057233 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.  $\varnothing$  6 mm  
for Convection oven electric (RATIONAL) CD101  
CD20 - CD201 - CD6




RATIONAL 30161610

**3057101 SELECTOR SWITCH 3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.  $\varnothing$  6 mm  
for Convection oven electric (RATIONAL) CD101  
CD20 - CD201 - CD6



RATIONAL 30161300

**3057103 SELECTOR SWITCH 3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.  $\varnothing$  6 mm  
for Convection oven electric (RATIONAL) CD101  
CD20 - CD201 - CD6



RATIONAL 30161640

**3057212 SELECTOR SWITCH 4 POSITIONS**  
contact capacity 16A 250V - 10A 400V - max 150°C  
D-shaped pin  $\varnothing$  6x4.  $\varnothing$  6 mm  
for Convection oven electric (MEIKO)  
since 1/06/97  
CD101 - CD102 - CD201 - CD202 - CD61



RATIONAL 30161613

**3057104 SELECTOR SWITCH 5 POSITIONS**  
2 cams with board  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
for Convection oven electric (RATIONAL) CM101  
CM20 - CM201 - CM6  
for Convection oven gas (RATIONAL) CM14G - CM21G  
CM62G



RATIONAL 30161600

RATIONAL 30161630

RATIONAL 30161631



Suitable for:

# RATIONAL



Suitable for:

## Sensors

**3390302 HUMIDIFICATION PRESSURE SENSOR**  
0-10 mbar



RATIONAL 30171001

RATIONAL 86801018

## Sleeves

**3450149 DELIVERY PIPE FOR OVEN WASH PUMP**  
length 130 mm - external  $\varnothing$  28/24 mm  
internal  $\varnothing$  22/19 mm  
for Convection oven electric (RATIONAL)  
since 1/04/04  
SCC101 - SCC102 - SCC61 - SCC62  
for Convection oven gas (RATIONAL)  
since 1/04/04  
SCC101G - SCC102G - SCC61G - SCC62G



RATIONAL 5600166

**3450178 DRAIN HOSE 370 mm**  
external  $\varnothing$  30 mm - internal  $\varnothing$  22 mm  
for Convection oven electric (RATIONAL) CD101  
CD61 - CM61 - CPC61  
for Convection oven gas (RATIONAL) CM101G - CM61G  
CPC101G - CPC61G



RATIONAL 21121302

**3450177 DRAIN PIPE  $\varnothing$  20x62 mm - 2 PCS**  
for drip tray  
for Convection oven electric (RATIONAL)  
since 1/01/08  
CM101E - CM102E - CM61E - CM62E - SCC101E  
SCC102E - SCC61E - SCC62E  
for Convection oven gas (RATIONAL)  
since 1/01/08  
CM101G - CM102G - CM61G - CM62G - SCC101G  
SCC102G - SCC61G - SCC62G



RATIONAL 5000303

**3450182 EMPTYING HOSE 470 mm**  
external  $\varnothing$  30 mm - internal  $\varnothing$  22 mm  
for Convection oven electric (RATIONAL) CD101  
CD102 - CD201 - CD202 - CM101 - CM102 - CPC101



RATIONAL 21121303



Suitable for:

**3450146 OUTLET PIPE FOR OVEN WASHING PUMP**  
 length 195 mm  
 external  $\varnothing$  28/25 mm - internal  $\varnothing$  21/18 mm  
 for Convection oven electric (RATIONAL)  
 since 1/04/04  
 SCC101 - SCC202  
 for Convection oven gas (RATIONAL)  
 since 1/04/04  
 SCC201G - SCC202G



RATIONAL 5600175

Suitable for:

**3450179 SILICONE STEAM HOSE**  
 external  $\varnothing$  60 mm  
 internal  $\varnothing$  50 mm  
 length 50 mm  
 for Convection oven (RATIONAL) - Series CD  
 Series CM - Series CPC - Series SCC



RATIONAL 21121006

**3450148 SUCTION PIPE FOR OVEN WASHING**  
 length 160 mm - external  $\varnothing$  29 mm  
 internal  $\varnothing$  23 mm  
 for Convection oven electric (RATIONAL) SCC101  
 SCC61  
 for Convection oven gas (RATIONAL) SCC101G  
 SCC61G



RATIONAL 5600188

**3450147 SUCTION PIPE FOR OVEN WASHING PUMP**  
 length 250 mm  
 external  $\varnothing$  28 mm - internal  $\varnothing$  23 mm  
 for Convection oven electric (RATIONAL)  
 since 1/04/04  
 SCC201 - SCC202  
 for Convection oven gas (RATIONAL)  
 since 1/04/04  
 SCC201G - SCC202G



RATIONAL 5600176

## Solenoid valves

**3120261 MULLER SOLENOID VALVE 230V  $\varnothing$  12 mm**  
 solenoid valve 180° - 220/230V 50/60Hz - max 90°C  
 3/4" inlet -  $\varnothing$  12 mm outlet



RATIONAL 30020305

**3120264 MULLER SOLENOID VALVE 230V  $\varnothing$  12 mm**  
 solenoid valve 180° - 220/230V 50/60Hz - max 90°C  
 3/4" inlet -  $\varnothing$  12 mm n. 3 outlets  
 with cable length 2000 mm  
 for Steam oven (RATIONAL)



RATIONAL 30020311

RATIONAL 30020327

RATIONAL 30020328

**3120363 SOLENOID VALVE 230V  $\varnothing$  10 mm**  
 solen.valve 180° - 230V 50Hz - max 90°C  
 inlet 3/4" - two outlets  $\varnothing$  10 mm  
 for Convection oven (RATIONAL)  
 since 1/04/04  
 Series SCC



RATIONAL 5000138

**3120398 SOLENOID VALVE 230V  $\varnothing$  10 mm**  
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - two outlets  $\varnothing$  10 mm  
 with cable length 2000 mm



RATIONAL 30020304



Suitable for:

**3523088 SOLENOID VALVE 240V  $\varnothing$  11 mm**  
 solenoid valve 180°-240V - 50/60Hz - max 90°C  
 inlet 3/4" - outlet  $\varnothing$  11 mm  
 for Convection oven (RATIONAL)  
 since 1/04/04  
 Series SCC - Series VCC



RATIONAL 5000316

Suitable for:

**3120550 SOLENOID VALVE 240V  $\varnothing$  11.5 mm**  
 solenoid valve 180° - 240V 6W - max 90°C  
 inlet 3/4" - outlet  $\varnothing$  11.5 mm  
 for Convection oven electric (RATIONAL)  
 since 1/01/08  
 Series CM  
 for Convection oven gas (RATIONAL)  
 since 1/01/08  
 Series CM



RATIONAL 5000139

**3120014 SOLENOID VALVE 264 220/240V  $\varnothing$  10 mm**  
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - triple outlet  $\varnothing$  10 mm



RATIONAL 30020315

**3120009 SOLENOID VALVE 351 220/240V  $\varnothing$  14 mm**  
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - outlet  $\varnothing$  14 mm



RATIONAL 30020331

**3120011 SOLENOID VALVE 353 220/240V  $\varnothing$  14 mm**  
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - dual outlet  $\varnothing$  14 mm



RATIONAL 30020330

## Spare parts for pumps

**3122359 PUMP HOSE**  
 for Convection oven electric (RATIONAL) CPC202  
 CPC61



RATIONAL 21181000

**3122360 PUMP MANIFOLD**  
 for Convection oven (RATIONAL) - Series CD  
 Series CM



RATIONAL 20220110





## Sparking and detection plugs

**3020375 ROUND SPARKING PLUG  $\varnothing$  7.5x60 mm**  
 overall length 78 mm  
 for Convection oven gas (RATIONAL)  
 since 1/06/97  
 Series CM - Series CPC



RATIONAL 1004804

RATIONAL 20680300

**3806004 ROUND SPARKING PLUG  $\varnothing$  9x117 mm**  
 complete with cable length 600 mm  
 for Convection oven gas (RATIONAL)  
 since 1/04/04  
 till 1/04/04  
 SCC61G - SCC62G



RATIONAL 4400251

**3806005 ROUND SPARKING PLUG  $\varnothing$  9x166 mm**  
 complete with cable length 600 mm  
 for Convection oven gas (RATIONAL)  
 since 1/04/04  
 till 1/04/04  
 SCC101G - SCC202G



RATIONAL 4400249

## Tangential fans

**3526962 TANGENTIAL FAN 120 mm LEFT**  
 230V 50/60Hz -  $\varnothing$  60 mm - 25 W  
 operating temperature  $-30^{\circ}+135^{\circ}\text{C}$



RATIONAL 31011004


**3526450 TANGENTIAL FAN 60 mm RIGHT**  
 230V 50Hz -  $\varnothing$  60 mm - 18 W  
 operating temperature  $-30^{\circ}+135^{\circ}\text{C}$



RATIONAL 31011003

## Thermostats

**3444406 SINGLE-PHASE THERMOSTAT  $+60+300^{\circ}\text{C}$**   
 D-shaped pin 6x4.6 mm  
 covered capillary length 1500 mm - 16A 230V  
 bulb  $\varnothing$  4x120 mm - with stuffing gland nut M14x1  
 for Convection oven electric (RATIONAL)  
 since 1/06/97  
 CCD101 - CCD102 - CCD201 - CCD202 - CCD61 - CD101  
 CD102 - CD201 - CD202 - CD61



RATIONAL 30140166

**3444407 SINGLE-PHASE THERMOSTAT  $0-250^{\circ}\text{C}$**   
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.  $\varnothing$  6 mm  
 covered capillary length 3150 mm - 16A 230V  
 bulb  $\varnothing$  4x102 mm  
 for Convection oven electric (FRIMA) - Series CD  
 for Convection oven electric (RATIONAL)  
 Series CD



RATIONAL 30140308



Suitable for:

# RATIONAL



**3444402 SINGLE-PHASE THERMOSTAT 0-300°C**  
 D-shaped pin 6x4.6 mm  
 covered capillary length 1200 mm - 16A 250V  
 bulb ø 3x160 mm  
 for Convection oven electric (RATIONAL)  
 since 1/06/97  
 CD101 - CD20 - CD201 - CD6 - CM101 - CM6



RATIONAL 30140311

**3444403 SINGLE-PHASE THERMOSTAT 0-300°C**  
 D-shaped pin 6x4.6 mm  
 covered capillary length 830 mm - 16A 250V  
 bulb ø 4x100 mm  
 for Convection oven electric (RATIONAL)  
 since 1/06/97  
 CD101 - CD20 - CD201 - CD6



RATIONAL 30140318

**3444401 SINGLE-PHASE THERMOSTAT 100-180°C**  
 D-shaped pin 6x4.6 mm  
 covered capillary length 2420 mm - 16A 250V  
 bulb ø 6x90 mm - with stuff.gland coupling M9x1  
 for Convection oven electric (RATIONAL)  
 since 1/06/97  
 CCD101 - CCD102 - CCD201 - CCD202 - CCD61 - CD101  
 CD20 - CD201 - CD6



RATIONAL 30140314

**3444591 SINGLE-PHASE THERMOSTAT 183°C**  
 with manual reset  
 covered capillary length 1460 mm - 16A 250V  
 bulb ø 6x61 mm  
 for Convection oven (RATIONAL) - Series SCC



RATIONAL 4001329

**3444400 SINGLE-PHASE THERMOSTAT 30-90°C**  
 D-shaped pin 6x4.6 mm  
 covered capillary length 1500 mm - 16A 250V  
 bulb ø 3x262 mm  
 for Convection oven electric (RATIONAL)  
 since 1/06/97  
 CCD101 - CCD102 - CCD201 - CCD61 - CD101 - CD102  
 CD20 - CD201 - CD202 - CD6 - CD61 - CM101  
 CM20 - CM201 - CM6



RATIONAL 30140312

**3444405 SINGLE-PHASE THERMOSTAT 360°C**  
 with manual reset  
 covered capillary length 1170 mm - 16A 250V  
 bulb ø 4x120 mm - with stuff.gland nut M14x1  
 for Convection oven electric (RATIONAL) CCC101  
 CCC102 - CCC201 - CCC202 - CCC61 - CCD101  
 CCD102 - CCD201 - CCD202 - CCD61 - CCM101  
 CCM102 - CCM102N - CCM201 - CCM202 - CCM61



RATIONAL 30140322



Suitable for:

**3444781 SINGLE-PHASE THERMOSTAT 360°C**  
 with automatic reset  
 covered capillary length 1170 mm - 16A 230V  
 bulb  $\varnothing$  4x95 mm - with stuffing gland nut M14x1  
 for Convection oven electric (RATIONAL)  
 since 1/06/97  
 CD101 - CD102 - CD201 - CD202 - CD61  
 CM101N - CM102N - CM201N - CM202N - CM61 - CPC101  
 CPC102 - CPC201 - CPC202 - CPC61  
 for Convection oven gas (RATIONAL) CM101G - CM61G  
 CPC101G - CPC61G



RATIONAL 30140326

Suitable for:

**3444816 SINGLE-PHASE THERMOSTAT 365°C**  
 with manual reset  
 covered capillary length 1200 mm - 16A 250V  
 bulb  $\varnothing$  5x70 mm - with stuffing gland nut M9x1  
 for Convection oven (RATIONAL)  
 since 1/04/04  
 Series SCC



RATIONAL 4000605

RATIONAL 4001482

**3444404 3-PHASE THERMOSTAT 365°C**  
 with manual reset  
 covered capillary length 1170 mm - 10A 400V  
 bulb  $\varnothing$  4x120 mm  
 for Convection oven electric (RATIONAL)  
 since 1/06/97  
 CC101 - CC20 - CC201 - CC6 - CD101 - CD20 - CD201  
 CD6 - CM101 - CM20 - CM6  
 CM201  
 for Convection oven gas (RATIONAL) CM14G - CM62G



RATIONAL 30140310

## Timers

**3446039 TIMER 120 MINUTES MS65**  
 manually set cycle 120 minutes  
 contact capacity 16(4)A 250V 50Hz  
 max temperature 100°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Convection oven electric (GIORIK) CE06MX  
 CE10MX - CE102MX - CE20MX - DE06ES - DE06MX  
 DE10ES - DE10MX - DE102MX - EF10GM - EF4  
 EF4PM - EF5GM - EF6PM - EF7GM - EF8PM - VE06MX  
 VE10MX - VE102MX - VE20MX  
 for Convection oven electric (INOXTREND)  
 BUA-606E-00 - BUA-610E-00 - FBA-106E-00  
 FBA-106E-01 - FBA-110E-00 - FBA-110E-01  
 FBA-120E-00 - FBA-210E-00 - FDA-106E-00  
 FDA-106E-01 - FDA-120E-00 - FDA-210E-00  
 for Convection oven gas (GIORIK) CG06MX - CG10MX



RATIONAL 3010104

**3446090 TIMER 120 MINUTES MS65**  
 manually set mechanical timer  
 manual position possible  
 manually set cycle 120 minutes  
 2 poles with contact capacity 16(4)A 250V  
 max temperature 100°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Convection oven (RATIONAL)  
 since 1/09/87  
 till 1/03/89  
 Series CM  
 for Convection oven electric (ROSINOX) TVT10E



RATIONAL 30130101



Suitable for:

# RATIONAL



Suitable for:

## Transformers

### 3739017 TRANSFORMER 10VA

primary voltage 0-200-208-220-230-240-250V  
 secondary voltage 11.5V 10VA  
 room temperature 0÷60°C  
 faston terminal box  
 for Convection oven electric (RATIONAL)  
 since 1/04/04  
 till 1/04/04  
 CM101E - CM102E - CM61E - CM62E - SCC101E  
 SCC102E - SCC61E - SCC62E  
 for Convection oven gas (RATIONAL)  
 since 1/04/04  
 till 1/04/04  
 CM101G - CM102G - CM61G - CM62G - SCC101G  
 SCC102G - SCC61G - SCC62G



RATIONAL 4000278

### 3739018 TRANSFORMER 20VA

primary voltage 0-200-208-220-230-240-250V  
 secondary voltage 11.5V 20VA  
 room temperature 0÷60°C  
 faston terminal box  
 for Convection oven electric (RATIONAL)  
 since 1/04/05  
 till 1/04/05  
 CM201E - CM202E - SCC201E - SCC202E  
 for Convection oven gas (RATIONAL)  
 since 1/04/05  
 till 1/04/05  
 CM201G - CM202G - SCC201G - SCC202G



RATIONAL 4000333

### 3739019 TRANSFORMER 21.6VA

primary voltage 200-208-220-230-240-250V 50/60Hz  
 secondary voltage 12V 21.6VA  
 room temperature 0÷130°C  
 faston terminal box  
 for Convection oven electric (RATIONAL)  
 since 1/05/04  
 till 1/05/04  
 SCC201 - SCC201E - SCC202 - SCC202E



RATIONAL 4000592

### 3739016 TRANSFORMER 230V/11.5V 10VA

primary voltage 230Vca 50/60Hz  
 secondary voltage 11.5Vca 10VA  
 room temperature 0÷60°C  
 faston terminal box  
 for Convection oven electric (RATIONAL)  
 since 1/05/93  
 till 1/05/93  
 CD101E - CD102E - CD61E - CD62E - CPC101E  
 CPC102E - CPC61E - CPC62E  
 for Convection oven gas (RATIONAL)  
 since 1/05/93  
 till 1/05/93  
 CD101G - CD102G - CD61G - CD62G - CPC101G  
 CPC102G - CPC61G - CPC62G



RATIONAL 1011196

RATIONAL 3037025

### 3739003 TRANSFORMER 241-230-219-0V/24V 48VA

primary voltage 241-230-219-0V 50/60Hz  
 secondary voltage 24V 48VA  
 room temperature 0÷40°C  
 screw terminal box  
 for Convection oven (RATIONAL)  
 since 1/01/97  
 Series CM  
 Series CPC



RATIONAL 30370242

### 3739004 TRANSFORMER 68.4VA

primary voltage 260/240/230/220/200/0V 50/60Hz  
 secondary voltage 0-4.2V 14.4-014.4V 0-11.5V  
 room temperature 0÷65°C  
 faston terminal box  
 for Convection oven (RATIONAL)  
 since 1/01/97  
 Series CM - Series CPC



RATIONAL 30370240



Suitable for:

Suitable for:

**3739028 TRANSFORMER 70VA**  
primary 0-200-208-220-230-240-250V  
secondary 2.1-0-2.1V 0-11.5V 0-12V 70VA  
room temperature 0÷50°C  
faston terminal box  
for Convection oven electric (RATIONAL)  
since 1/01/08  
Series CM - Series SCC  
for Convection oven gas (RATIONAL)  
since 1/01/08  
Series CM - Series SCC



RATIONAL 4000277

## Vibrating pumps

**3122469 KIT VIBRATORY SOLENOID VALVES 230V**  
for Convection oven electric (RATIONAL) CPC102  
CPC61



RATIONAL 87201521

## Wash arms for ovens

**3743376 OVEN WASHING ARM**  
for Convection oven electric (RATIONAL)  
since 1/03/00  
CPC61  
for Convection oven gas (RATIONAL)  
since 1/03/00  
CPC61G



RATIONAL 86552100

RATIONAL 87101316

**3743377 OVEN WASHING ARM**  
for Convection oven electric (RATIONAL)  
since 1/03/00  
CPC101 - CPC102 - CPC201 - CPC202  
for Convection oven gas (RATIONAL)  
since 1/03/00  
CPC101G - CPC102G - CPC201G - CPC202G



RATIONAL 86552101

## Water tight seals and rings

**3786369 MOTOR AXIS SEALING GASKET**  
for Convection oven (RATIONAL)  
since 1/11/90  
Series CLASSIC 20



RATIONAL 50010211